Read entire label. Use stringly in accordance with label cautions, warnings and directic ...

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers.

GENERAL DIRECTIONS. Bio-Sec Yard & Patio Insect Spray is a fast acting, short lasting insecticide that controls a wide variety of insects outside and inside the home. Refer to the table below for detailed directions. Repeat applications as necessary.

Mix 4 tsp. Bio-Sec Yard and Patio inc. in 1 gallon water, unless otherwise specified. For best results, use a garden hose sprayer.

PATIOS, YARDS AND OTHER OUTDOOR LIVING AREAS - Flies, Mosquitoes, Gnats, Brown Dog Ticks, Roaches, Clover Mites, Ants - Spray patio, house foundations, under porches, lawn, along fences and shrubbery areas about 1 hour before cookout. AVOID SPRAYING ROSES, SPIREA, CHERRIES, as some injury may occur. Apply at a rate of 6-8 tablespoons per 3 gallons of water.

HOUSEHOLD INSECTS - House Flies, Fruit Flies, Brown Dog Ticks 8 Tablespoonfuls per gallon water. Apply as a coarse spray or with a paint brush around window frames, to base boards under sinks, stove and refrigerator and other areas frequented by pests. Avoid contamination of food, dishes, utensils and water. Do not allow children in treated areas until surfaces are dry.

!AWNS — Lawn Moth Larvae, Sod Webworms, Armyworms, Leafhoppers, Clover Mites, Thrips, Ants, Brown Dog Ticks — One cup (8 fl. ozs.) in 15 gallons water to treat 1,000 sq. ft. of lawn. Mow lawn and water well 1 to 2 days before treatment. Treat lawn in afternoon or early evening. Do not water lawn for 2 to 3 days following treatment. Keep children and animals off treated areas until dry.

EPA Est. No. 5185-GA-1

KILLS: MOSQUITOES . . . FLIES . . . GNATS . . . ROACHES . . . ANTS . . . BROWN DOG TICKS . . . CLOVER MITES AND CERTAIN OTHER INSECTS LISTED ON THE LABEL. POULTRY PRODUCTION SANITATION PROGRAMS **BIO-SEC** 

YARD & PATIO INSECT SPRAY

LEADERSHIP THROUGH RESEARCH AND INTEGRITY

**DECATUR • CONYERS, GEORGIA** 



**Manufacturing Chemists** Microbiologists

**Active Ingredients:** 

\*1,2 dibromo-2, 2-dichloroethyl din ethyl phosphate.

U.S. Pat. No. 2,971,882

DANGER: KEEP OUT OF REACH OF CHILDREN THE FEDERAL INSECTICIDE See back panel for additional precautions.

Net Contents: 1 Qt. Liquid

EPA Reg. No. 5185 1970N TR NO.

on skin or gog immedi eyes v Avoid DO NO OPEN Liquida store equipm

DANG

causes

through

This pr feeding stream! occur.

Destro

place **a** 

areas **t** ment o fied on

NOTIC

59 ACCEPTED

FUNGICINE AND RODENTICIDE ACT FOR ECONOMIC POISON REMISTER

TO ATTACHED COMMENTS

ROACHES . . . ER MITES AND E LABEL.



DANGER: Concentrate may cause skin damage. Concentrate causes eye damage. Harmful . swallowed. May be absorbed through skin. Avoid breating spray mist. Do not get in eyes, on skin, or on clothing. Use waterproof gloves and face shield or goggles when handling concentrate. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Avoid contamination of feed, foodstuffs and drinking water. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Do not use on Nectarines, ornamental Cherries, Liquidambar or Chrysanthemums as injury may occur. Do not store diluted spray. Make new dilution for each use. Wash equipment thoroughly after use. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

18-25-74

BIO-LAB, INC. **DECATUR, GEORGIA** 

CHILDREN THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT ıtions. FOR ECONOMIC PO'SON RECISTER

leg. No. 5185 1970NHR NO.

TO ATTACHED COMMENTS

Eduly Filly



Kylene Base Solvent

Net Contents: 1 Qt. Liquid

\*1,2  $(m) < (\alpha/2)/2$  at informathy), dividethy) phosphate

U.S. Fat. No. 2 97 882

See back panel for additional precautions.

inert ingredients:

DANGER: Concentrate may couse skin damage. Concentrate causes eye damage, Harmful Swallowed. May be absorbed through skin. Avoid breating spray mist. Do not get in eyes, on skin, or on clothing. Use waterproof gloves and face shield or goggles when handling concentrate. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention, Avoid contamination of feed, foodstuffs and drinking water. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Do not use on Nectarines, ornamental Cherries, Liquidambar of Chrysanthemums as injury may occur. Do not store diluted spray. Make new dilution for each use. Wash equipment thoroughly after use. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

59 ACCEPTED 11-25-74

DANGER: KEEP OUT OF REACH OF CHILDREN, M. SIDE AND BUDGETIC DE ACT.

See back panel for additional precautions.

See back panel for additional precautions. EPA Reg. No. 5185 1970 10 47 COMETE

BIO-LAB, INC. DECATUR, GEORGIA

bel cau-

rcentrate

ect Spray s a wide er to the stions as

1 gallon s, use a

G AREAS Roaches,

ns, under about 1 SPIREA, te at 6.8

3, Brown ∍ply as a ames, to ther areas dishes, ited areas

myworms, og Ticks --000 sq. ft. -fore treatnot water hildren and