

NALED INSECTICIDE

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE FEDERAL AND STATE REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE.

CAUTION: Do not get on skin, eyes or clothing. Harmful if swallowed. Avoid breathing spray mist. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Avoid contamination of feed, food-stuffs and drinking water. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Avoid wetting the hides of animals. May corrode metal spray equipment. Flush sprayers out occasionally with kerosene to prevent possible corrosion. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Bio-Sec N-100 Fly & Mosquito Spray is suitable for use in Flit Guns, Microsol Foggers, Heat Generating Foggers, Dairy Barn Foggers, Hydro-Guns or suitable automatic atomizing application equipment.

USE UNDILUTED — Apply as a finely atomized space spray using applicator adjusted to produce particle sizes not smaller than 30 microns.

GENERAL USE — In and Around Dwellings, Open Air Theaters, Restaurants, Drive-Ins, also in and around Dairy Barns, Livestock Barns, Pig Pens, Poultry Houses, Feed Lots, Cattle Pens, Horse Stables, Garbage Dumps, Outside Meat Packing Establishments (including Federally Inspected) for control of Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats; Direct spray throughout the fly infested areas, spraying around and above animals but not directly at animals. Repeat as necessary. Do not use in milk processing rooms.

FOR USE IN
DWELLINGS — DAIRIES — CANNERIES — WINERIES AND LIVESTOCK BARN



U.S. Pat. No. 2,971,882

NET CONTENTS:

Active Ingredients: By weight — *Naled, 1%; Petroleum Distillates, 96%.

Inert Ingredients: By weight — 3%.

*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

CAUTION KEEP OUT OF REACH OF CHILDREN

See other warnings on side panel

EPA Reg. No. 5185-198

DAIRY BARN FOGGERS — Re Houseflies, Mosquitoes, Gnats N-100 Fly & Mosquito Spray doors and windows where possible during fogging operations. Directly at animals.

POULTRY PROCESSING AND Edible Product Areas Inside Buildings — Direct spray throughout as necessary. Exposed food products removed from the room or processing and utensils must be thoroughly cleaned before operations are resumed.

WINERIES, CANNERIES, CIGAR LOADING DOCKS, CULL PILE Spray as necessary contact insecticides on cull piles except feeds, food-stuffs and food products.

ROACHES (Water Bugs) — Non-Resistant Cock-roaches, and American Roaches in and Buildings where Roaches Exist by roaches to contact insecticide necessary, applying to crack and crevice surfaces where insects are present.

CONDITIONS OF SALE: 1. Bio-Sec N-100 Fly & Mosquito Spray is sold as directed hereon. It is not representative to make, any claim of MERCHANTABILITY, guarantee or representation.

2. Critical and unforeseen conditions may prevent it from eliminating all insects. Such risks include, but are not limited to, those to which the material is applied. The user assumes the responsibility for any damage caused by drift to other plants or animals. The product is reasonably fit for use if the label directions are followed. No liability (except those arising from handling, storage or transportation) shall be assumed by the manufacturer.

BIO-LAB, INC

IDE

DANCE WITH LABEL CAU-
TH APPLICABLE FEDERAL

DO NOT PUT INTO FOOD

CE

NEVER RE-USE.

ng. Harmful if swallowed.
Immediately remove con-
taminated clothing; for eyes,
flush with plenty of water; for nose,
rinse with plenty of water; for mouth,
rinse with plenty of water and drink
plenty of water; for food-stuffs and drink-
ing water, discard. Do not use in
food processing plants,
commercially prepared or pro-
cessed food is exposed. DO NOT
USE NEAR OPEN FLAME. Avoid wetting
equipment. Flush sprayers
thoroughly to prevent corrosion. This product
leaves no residues on crops.
© 1988 Cooperative Agricultural

able for use in Flit Guns,
Dairy Barn Foggers, Hydro-
equipment.

space spray using applica-
tor nozzle larger than 30 microns.

Air Theaters, Restaurants,
Livestock Barns, Pig Pens,
Stables, Garbage Dumps,
(EPA Registered and Federally Inspected) for
Houseflies, Lesser Houseflies,
in fly infested areas, spraying
around and above animals. Repeat as neces-

**FOR USE IN
DWELLINGS—DAIRIES—CANNERIES—WINERIES AND LIVESTOCK BARN**



U.S. Pat. No. 2,971,882

NET CONTENTS:

Active Ingredients: By weight — *Naled, 1%; Petroleum Distillates, 96%.

Inert Ingredients: By weight — 3%.

*1,2 dibromo 2,2 dichloroethyl dimethyl phosphate

CAUTION KEEP OUT OF REACH OF CHILDREN

See other warnings on side panel

EPA Reg. No 5185-198

DAIRY BARN FOGGERS — Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats: Use approximately 1 ounce of Bio-Sec N-100 Fly & Mosquito Spray to 3000 cubic feet of space. Close all doors and windows where possible before fogging. Cows may be in barn during fogging operations. Apply around and above animals but not directly at animals.

POULTRY PROCESSING AND PACKING PLANTS: Around Outside and in Inedible Product Areas Inside.

Buildings — Direct spray throughout the fly infested areas. Repeat as necessary. Exposed food products and packaging materials must be removed from the room or protected. After using this material, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

WINERIES, CANNERIES, CIDER MILLS, FOOD PROCESSING PLANTS, LOADING DOCKS, CULL PILES, REFUSE AREAS: Drosophila (Fruit Fly) — Spray as necessary contacting walls, floors, doorways, windows, refuse piles and cull piles except those for stock feed. Avoid contamination of feeds, food-stuffs and food processing machinery.

ROACHES (Water Bugs) — For Control of All Species of Resistant and Non-Resistant Cock-roaches, including German, Brown-Banded, Oriental and American Roaches in and around Dwellings, Dairies, Barns and Other Buildings where Roaches Exist — Apply as a coarse spray to areas infested by roaches to contact insects as much as possible. Treat daily or as necessary, applying to cracks, crevices, hiding places and adjacent exposed surfaces where insects may be contacted.

CONDITIONS OF SALE: 1. Bio-Lab, Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. It neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Bio-Lab, Inc.'s control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Bio-Lab, Inc. under 1 above) resulting from handling, storage, and use of this material.

BIO-LAB, INC., DECATUR, GEORGIA

SPRAY

LEADERSHIP THROUGH RESEARCH AND INTEGRITY

Bio-Lab



*Manufacturing Chemists
Microbiologists*

DECATUR

GEORGIA

U.S. Pat. No. 2,971,882

NET CONTENTS: _____

Active Ingredients: By weight — *Naled, 1%; Petroleum Distillates, 96%.

Inert Ingredients: By weight — 3%.

*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

CAUTION KEEP OUT OF REACH OF CHILDREN

See other warnings on side panel

EPA Reg. No. 5185-198

5185-198

...ntly remove con-
nty of water; for eyes,
, food-stuffs and drink-
food processing plants,
cially prepared or prod-
d is exposed. DO NOT
N FLAME. Avoid wetting
ipment. Flush sprayers
corrosion. This product
or residues on crops.
Cooperative Agricultural

e for use in Flit Guns,
y Barn Foggers, Hydro-
quipment.

ce spray using applica-
an 30 microns.

r Theaters, Restaurants,
Poultry Barns, Pig Pens,
Stables, Garbage Dumps,
(Federally Inspected) for
Flies. Lesser Houseflies,
infested areas, spraying
imals. Repeat as neces-

LOADING DI
Spray as ne
piles and c
feeds, food-
ROACHES (C
Non-Resista
and America
Buildings wh
by roaches
necessary, a
posed surfac
CONDITIONS
forms to th
use as dire
representati
ABILITY, gua
material.

2. Critical
prevent it fro
Such risks
to which th
caused by
the product
label directi
risks and lia
resulting fro

BI