

ACCEPTED

5185-206

MAY 07 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

5185-206

Bio-Guard[®] TCL CHLORINATING SANITIZER

STABLE • SOLUBLE • SANITIZER

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetrione..... 20.84%

Available Chlorine 12½%

*INERT INGREDIENTS..... 79.16%

*Including Water Softening Agent

KEEP OUT OF REACH OF CHILDREN DANGER

(See other precautions on back panel)

PRACTICAL TREATMENT (FIRST AID): If swallowed, feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

EPA Reg. No. 5185-206

BIO-LAB, INC.
DECATUR, GEORGIA 30031

EPA Est. No. 5185-GA-3

NET WEIGHT

25 POUNDS

DANGER: Highly corrosive. Causes skin and eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Recommended for sanitizing in dairies, dairy processing plants, food processing plants and other related areas.

Dissolve 1 oz. (2 tablespoonfuls) in 10 gallons water for 100 ppm available chlorine solution, or 1 tablespoonful in 5 gallons water.

All equipment, parts and utensils must be thoroughly cleaned before sanitizing. For all utensils and equipment, use 100 ppm solution to sanitize immediately before use. Allow sanitizing solution to remain in contact with surfaces for 2 minutes.

The sanitizing solution may be applied by spraying, soaking or recirculation.

Follow the recommendations of your local health department.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

051071981

11