



## n-bua P-56

## ORGANIC CHLORINE CON

EPA Reg. No. 5185-226

Net Contents:...

Adtive Ingredient:

Sodium dichloro-s-triazinetrione dihydrate..... 100%

(Available chlorine 56%)

DANGER: KEEP OUT OF REACH OF CHILDREN (See other precautions and First Aid Statement on Back, Panel

A product of BIO-LAB, INC., Decatur, Ga.

When used as directed, this product is effective as a pool water disinfecting agent

The filter system should be backwashed or properly cleaned and the pH adjusted between

It is recommended that the pool be stabilized with 40-50 ppm trihydroxy triazine to nullify the dissipation effect of sunlight on chlorine. When using this product, both chlorine and trihydroxy triazine are being added to the water, however, it is necessary to initially stabilize pools with 40-50 ppm of trihydroxy triazine to effectively maintain the desired concentration of stabilizer.

## **DIRECTIONS**

Use 4 ounces of this product per 10.000 gallons of water as an initial treatment. Repeat until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. Maintenance of an effective available chlorine residual is dependent on ambient temperatures, light intensity and bather load. Additional doses of this product may be required to maintain the chlorine residual between 1.0 and 2.0 ppm. A test kit must be used regularly to determine when additional doses of this product are required. An average daily dose requirement is 2 to 3 ounces of this product per 10 000 gallons of water.

The use of a quaternary ammonium type algicide will complement this total program of swimming pool maintenance

If a need for superchlorination is indicated, use 1 pound of this product per 10,000 gallons of water. Swimmers should not enter the pool until the available children residual falls to 2.0 ppm.

## DANGER: KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes eye damage Do not get in eyes Avoid contact with skin. Dust may be harmful if inhaled. Wear safety goggles or dust respirator and protective clothing when handling. May produce chemical burns. Avoid breathing dust. May cause skin. nose and throat irritation. DO NOT TAKE INTERNALLY! MAY BE FATAL IF SWALLOWED!

FIRST AID: Call a physician.

External: For skin and eyes, immediately flood with large amounts of water

Internal: Take large amounts of milk, followed by clive oil or cooking oil.

DANGER: Corrosive. Oxidizing material Contact with heat, moisture or foreign materials may result in fire. Will burn with the evolution of irritating and hazardous gases. Store in a cool dry place. Keep away from heat or open flame.

Rinse empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

EPA Est No 5185-GA-2

ACCEPTED

別から 13 1974

TORGICIDE AND AUDINTICIDE ACT FOR ECONOMIC POISON REGISTER ED UNIVER NO. 5/25 - 225