

**CONCENTRATED
POOL CHLORINE**



**Bio-Guard®
FRC-56**

SUPER SOLUBLE GRANULAR CHLORINE

E.P.A. REG. NO. 5185-227

Active ingredient: Trichloro-s-triazinetrione
EPA Reg. No. 5185-227
A. 100% chlorine

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel.)



BIO-LAB, INC., Decatur, Georgia 30031

BIO-GUARD FRC-56 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. BIO-GUARD FRC-56 Concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add STABILIZER 100 at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

BIO-GUARD FRC-56 concentrated Pool Chlorine should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of BIO-GUARD FRC-56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

DANGER:

KEEP OUT OF REACH OF CHILDREN

... ..
... ..
... ..

... ..
... ..
... ..

DANGER:
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..

NET CONTENTS 5 LBS FRC 56

E.P.A. Est. No. 5185-GA 2

ACCEPTED

AUG 5 1974

UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
OR ECONOMIC POISON REGISTER-
ED UNDER NO. 5185-227



Bio-Guard

DANGER: KEEP OUT OF REACH OF CHILDREN
(See test ad statement & other precautions on back panel.)



ACCEPTED

AUG 5 1954

U.S. DEPARTMENT OF AGRICULTURE
 NATIONAL BUREAU OF PLANT INDUSTRY
 GREENHOUSE INSECT RESEARCH
 WASHINGTON, D. C.

INSTRUCTIONS

QUARTZ HALOGEN LAMP...
 BIO-GUARD...
 STABILIZER...
 INSTRUCTIONS...
 KEEP OUT OF REACH OF CHILDREN...
 DANGER...

CONCENTRATED
POOL CHLORINE

Bio-Guard
FRC-56

SUPER SOLUBLE GRANULAR CHLORINE

EPA REG NO 5185 227

Active Ingredient: Sodium dichloro-s-triazetrione dihydrate 100%
(Available Chlorine 56%)

DANGER: KEEP OUT OF REACH OF CHILDREN
(See first aid statement & other precautions on back panel.)

BIO-LAB, INC., Decatur, Georgia 30031

BIO-GUARD FRC-56 concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. BIO-GUARD FRC-56 Concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add STABILIZER 100 at the rate of 4 oz. per 1,000 gallons to stabilize the pool. BIO-GUARD FRC-56 concentrated Pool Chlorine should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of BIO-GUARD FRC-56 concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

DANGER:

KEEP OUT OF REACH OF CHILDREN

Corrosive causes eye damage. Do not get in eyes or on skin. Do not breathe dust. Dust may be harmful if inhaled. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 5 LBS.

FRC-56

E.P.A. Est. No. 5185-GA-2

ACCEPTED

AUG 5 1974

UNDER THE FEDERAL INSECTICIDE
HERBICIDE AND RODENTICIDE ACT
OR ECONOMIC POISON REGISTERED
UNDER NO. 185 227