USE DIRECTIONS

FOR RESTROOMS AND GENERAL DISINFECTANT of Walls, Floors, Glass, Metal, Plastic, Porcelain, Synthetics and Finished Wood Surfaces and Furnishings, in institutions and industrial areas --- herever practical, rinse away surface soils with water For cleaning, use 4 ounces of THIS DISINFECTANT per gallon of water and thoroughly wet the surface to be cleaned. Cleaning may be accomplished with a clean mop, sponge, squeegee, wet vacuum system, or pressure sprayer. For disinfecting surfaces difficult to clean or contagious disease areas, use 8 ounces per gallon of water, thoroughly wetting all surfaces. Any food contact surfaces treated with THIS DISINFECTANT must be thoroughly rinsed with potable water before reuse.

FOR DISINFECTING AND DEODORIZING OF GARE CEPCANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably using a pressure sprayer, in order for the disinfectant to perform properly. Then apply a wetting solution of 8 ounces of THIS DISINFECTION TO per gallon of water.

FOR HAND CLEANING OR PRESSURE CLEANING OF WALLS, FLOORS AND INDUSTRIAL WORK AREAS. 4 ounces per gallon of water. The use of rubber gloves is recommended for personnel doing continuous hand cleaning.

THIS DISINFECTANT may be used through automatic floor scrubbing equipment.

Bio-Guard BO-100 Orange Bouquet

DISINFECTANT - DEODORANT - MILDEWCIDE

Phenol Coefficient 16 — Staphylococcus aureus ATCC 6538
Phenol Coefficient 13.3 — Salmonella typhosa ATCC 6539

DISINFECTANT — CLEANER — MILDEWCIDE* — DEODORIZER
BACTERICIDE — VIRUCIDE** — PATHOGENIC FUNGICIDE
REDUCES SURFACE TENSION — RESIDUAL BACTERIOSTAT
*Kills mildew fungi on contact.

**This Disinfectant is an effective virucide for Influenza virus, type A2, (Hong Kong) on inanimate environmental surfaces.

ACTIVE INGREDIENTS:

VE MUNEDIENTS.	
Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl 3,4-dichloro	benzyl
ammonium chloride	
Alkyl (C14, 58%; C16, 28%; C12, 14%) dimethyl benzyl	
ammonium chloride	0.625%
Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl ethyl	
ammonium bromide	0.625%
Sodium carbonate	0.500%
Sodium metasilicate	0.500%
Essential oils	0.250%
Ethylenediaminetetraacetic acid, tetrasodium salt	0.190%
Total Active Ingredients	3.940%
INERT INGREDIENTS: ***	96.060%

***Contains sodium nitrite

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

Manutactured by BIO-LA

. Decatur, Georgia 30031

EPA Reg. No. 5185-251

Net Contents:

Bio-Guard BO-100 Orange Bouquet

DISINFECTANT - DEODORANT - MILDEWCIDE

Phenol Coefficient 16 — Staphylococcus aureus ATCC 6538
Phenol Coefficient 13.3 — Salmonella typhosa ATCC 6539
DISINFECTANT — CLEANER — MILDEWCIDE* — DEODORIZER
BACTERICIDE — VIRUCIDE** — PATHOGENIC FUNGICIDE
REDUCES SURFACE TENSION — RESIDUAL BACTERIOSTAT
*Kills mildew fungi on contact.

**This Disinfectant is an effective virucide for Influenza virus, type A2, (Hong Kong) on inanimate environmental surfaces.

type A2, (Hong by ACTIVE INGREDIENTS: Alkyl (C14, 90%; C) ammonium chlo

VE INGREDIENTS:	
Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl 3,4-dichloro	benzyl
ammonium chloride	1.250%
Alkyl (C ₁₄ , 58%; C ₁₆ , 28%; C ₁₂ , 14%) dimethyl benzyl	
ammonium chloride	0.625%
Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl ethyl	
ammonium bromide	0.625%
Sodium carbonate	0.500%
Sodium metasilicate	0.500%
Essential oils	0.250%
Ethylenediaminetetraacetic acid, tetrasodium salt	0.190%
Total Active Ingredients	3.940%
INERT INGREDIENTS: * * *	96.060%

***Contains sodium nitrite

EPA Reg. No. 5185-251

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

Manufactured by BIO-LA

Decatur, Georgia 30031
Net Contents:

GENERAL INFORMATION

THIS DISINFECTANT reduces the surface tension or water improving its wettability. Microbes are capable of mass reproduction in sub-visible pores, scratches and cracks of surfaces. The exceptional wettability of THIS DISINFECTANT improves the penetration of the use dilution into areas that might not otherwise be reached. After the initial demand for disinfectant has been satisfied, any remaining DISINFECTANT will establish a residual bacteriostatic effect.

Using A.O.A.C. test methods, this Disinfectant will kill the following organisms at recommended use dilutions:

PATHOGENIC BACTERIA:

Escherichia coli
Pseudomonas aeruginosa
Salmonella choleraesuis
Salmonella typhosa

Salmonella choleraesuis Salmonella typhosa Staphylococcus aureus Streptococcus pyogenes FUNGI:

Aspergillus niger Candida albicans Trichophyton interdigitale

DANGER

Keep Out of Reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

EPA Est No. 5185-GA-1