#### **USE DIRECTIONS**

FOR RESTROOMS AND GENERAL DISINFECTION of Walls, Floors, Glass, Metal, Plastic, Porcelain, Synthetics and Finished Wood Surfaces and Furnishings and for Industrial and Institutional Uses. After proper precleaning, apply a wetting solution of 2 ounces of THIS DISINFECTANT per gallon of water. Apply with a clean mop, sponge, brush or low pressure sprayer having nozzles that will deliver soft, coarse sprays to surfaces. For surfaces difficult to clean or contagious disease areas, use 3 ounces per gallon of water. Any food contact surfaces treated with THIS DISINFECTANT should be thoroughly rinsed with potable water before reuse.

FOR DISINFECTING AND DEODORIZING OF GARBAGE CANS, INDUSTRIAL WASTE RECEPTACLES, GARBAGE TRUCKS AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably with pressure spray equipment, in order for the disinfectant to perform properly. Then, apply a wetting solution of 3 ounces of THIS DISINFECTANT per gallon of water.

FOR USE IN CONTROLLING THE SPREAD OF ATHLETE'S FOOT FUNGI on Environmental Surfaces. As a prophylactic agent to aid in preventing athlete's foot fungi in locker rooms, shower stalls, bathrooms and around swimming pools, use a solution of 2 ounces per gallon of water. Apply a wetting concentration on all treated surfaces.

FOR USE AS A DEODORANT LAUNDRY TREATMENT. After the laundry has been washed and a final rinse has been accomplished in the wash wheel, raise the water level to a point slightly above the wash load. Add 4 ounces of THIS PRODUCT per 100 pounds of wash load, or equivalent thereof. The minimum running time should be 5 minutes and the laundry may then be finished in the usual manner. DO NOT USE ON DIAPERS OR INFANT CLOTHING.

## Bio-Guard

### WOF-SUPRA 200 Orange Bouquet DISINFECTANT-DEODORIZER-MILDEWCIDE

# GUARANTEE: We justished this District to this a Phenoi Coefficient of 32 eggs of Stigns, for an increas ATCC his 35 end a Phenoi Coefficient of 32 eggs of Stigns, for an increas ATCC his 35 end a Phenoi Coefficient of 36 his constant Stigns a ATCC his 39 when rested hy the AIO AIC Official Metricial 11th Edition 1972 This Distriction is an effective Bir terroide. Modewicaet Principle Figuriae. Deador zero Viruciaett First Juai Bircteriostic. \*Kids medew fungland bathagen in funglion contact. \*This Distriction is an effective could be for Indicenzal coefficient. All this I Konn on in mate energy mental surfaces.

#### **ACTIVE INGREDIENTS**

Alkyl (C <sub>14</sub> 90% C <sub>12</sub> , 5% C <sub>16</sub> , 5%) dimethyl	
3. 4 dichlorobenzyl ammonium chloride	250
Alkyl (C14, 58% C16, 28%, C12, 14%)	
dimethyl benzyl ammonium chloride	1 25"
Alkyl (C <sub>14</sub> 90%, C <sub>12</sub> , 5%, C <sub>16</sub> , 5%)	
dimethyl ethyl ammonium bromide	1 25%
Sodium carbonate	1 00%
Ethylenediaminetetraacetic acid tetrasodium salt	0 38%
Essential oils	0 50%
TOTAL ACTIVE	6 88%

\*\*\* Contains sodium nitrite TOTAL INGREDIENTS 100 00%

#### **DANGER**

**KEEP OUT OF REACH OF CHILDREN** 

(See side panel for First Aid and other precautions)

Manufactured by BIO-LAB, INC. Decatur, Georgia 30031

EPA Reg. No. 5185-264

Net Contents: \_\_\_\_\_

#### GENERAL INFORMATION

THIS DISINFECTANT reduces the surface tension of water improving its wettability. Microbes are capable of mass reproduction in sub-visible pores, scratches and cracks of surfaces. The exceptional wettability of THIS DISINFECTANT improves the penetration of the use dilution into areas that might not otherwise be reached. After the initial demand for disinfectant has been satisfied, an remaining DISINFECTANT will establish a residual bacteriostatic effect.

Using A.O.A.C. test nethods, this Disinfectant will kill the following organisms on inanimate surfaces

#### PATHOGENIC BACTERIA

FUNGI

Escherichia coli
Pseudomonas aeruginosa
Salmonella choleraesus
Salmonella typhosa
Staphylococcus aureus
Streptococcus pyogenes

Aspergillus niger
Candida albicans
Trichophyton interdigitale

#### **DANGER**

Keep Out of Reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed Avoid contamination of foor

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at leas 15 minutes. For eyes, call a physician Remove and wash contaminated clothing before reuse

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of waler. Call a physician immediately

Rinse empty container thoroughly with water and discard it

FPA Est No. 5185-GA-1

ACC	EPTED
WT	Si5
UNDER FUNGICIO DE LA FOR ECONOMI RO UNDER NO	CHIDE  OF ACT  OF POISON REGISTERS  OF ACT  OF