


USE DIRECTIONS

FOR KITCHENS AND GENERAL DISINFECTANT of Walls, Floors, Glass, Metal, Plastic, Porcelain, Synthetics and Finished Wood Surfaces and Furnishings in institutions and industrial areas. Wherever practical, rinse away surface soils with water. For cleaning, use 2 ounces of THIS DISINFECTANT per gallon of water and thoroughly wet the surface to be cleaned. Cleaning may be accomplished with a clean mop, sponge, squeegee, wet vacuum system, or pressure sprayer. For disinfecting surfaces difficult to clean or contagious disease areas, use 4 ounces per gallon of water, thoroughly wetting all surfaces. Any food contact surfaces treated with THIS DISINFECTANT must be thoroughly rinsed with potable water before reuse.

FOR DISINFECTING AND DEODORIZING OF GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably using a pressure sprayer, in order for the disinfectant to perform properly. Then apply a wetting solution of 4 ounces of THIS DISINFECTANT per gallon of water.

FOR HAND CLEANING OR PRESSURE CLEANING OF WALLS, FLOORS AND INDUSTRIAL WORK AREAS. Use 2 ounces per gallon of water. The use of rubber gloves is recommended for personnel doing continuous hand cleaning.

THIS DISINFECTANT may be used through automatic floor scrubbing equipment.



Bio-Guard®

CBQ-200 *Cherry Bouquet*

DISINFECTANT – DEODORANT – MILDEWCIDE

Phenol Coefficient 32 – Staphylococcus aureus ATCC 6538
 Phenol Coefficient 26.6 – Salmonella typhosa ATCC 6539

**DISINFECTANT – CLEANER – MILDEWCIDE* – DEODORIZER
 BACTERICIDE – VIRUCIDE** – PATHOGENIC FUNGICIDE
 REDUCES SURFACE TENSION – RESIDUAL BACTERIOSTAT**

*Kills mildew fungi on contact.
 **This Disinfectant is an effective virucide for Influenza virus, type A2, (Hong Kong) on inanimate environmental surfaces.

ACTIVE INGREDIENTS:

| | |
|--|---------------|
| Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl 3,4-dichlorobenzyl ammonium chloride | 2.50% |
| Alkyl (C14, 58%; C16, 28%; C12, 14%) dimethyl benzyl ammonium chloride | 1.25% |
| Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl ethyl ammonium bromide | 1.25% |
| Sodium carbonate | 1.00% |
| Sodium metasilicate | 1.00% |
| Essential oils | 0.25% |
| Ethylenediaminetetraacetic acid, tetrasodium salt | 0.38% |
| Total Active Ingredients | 7.63% |
| INERT INGREDIENTS:*** | 92.37% |

***Contains sodium nitrite

DANGER

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

Manufactured by **BIO-1 AB, INC.**, Decatur, Georgia 30031

EPA Reg. No. 5185-268

Net Contents: _____

Bio-Guard®

CBQ-200 *Cherry Bouquet*

DISINFECTANT – DEODORANT – MILDEWCIDE

Phenol Coefficient 32 – Staphylococcus aureus ATCC 6538

Phenol Coefficient 26.6 – Salmonella typhosa ATCC 6539

DISINFECTANT – CLEANER – MILDEWCIDE* – DEODORIZER

BACTERICIDE – VIRUCIDE** – PATHOGENIC FUNGICIDE

REDUCES SURFACE TENSION – RESIDUAL BACTERIOSTAT

*Kills mildew fungi on contact.

**This Disinfectant is an effective virucide for Influenza virus, type A2, (Hong Kong) on inanimate environmental surfaces.

ACTIVE INGREDIENTS:

| | |
|--|--------------|
| Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl 3,4-dichlorobenzyl ammonium chloride | 2.50% |
| Alkyl (C14, 58%; C16, 28%; C12, 14%) dimethyl benzyl ammonium chloride | 1.25% |
| Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl ethyl ammonium bromide | 1.25% |
| Sodium carbonate | 1.00% |
| Sodium metasilicate | 1.00% |
| Essential oils | 0.25% |
| Ethylenediaminetetraacetic acid, tetrasodium salt | 0.38% |
| Total Active Ingredients | 7.63% |

INERT INGREDIENTS:*** 92.37%

***Contains sodium nitrite

DANGER

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

Manufactured by **BIO-AB, INC.**, Decatur, Georgia 30031

EPA Reg. No. 5185-268

Net Contents: _____

GENERAL INFORMATION

THIS DISINFECTANT reduces the surface tension of water, improving its wettability. Microbes are capable of mass reproduction in sub-visible pores, scratches and cracks of surfaces. The exceptional wettability of THIS DISINFECTANT improves the penetration of the use dilution into areas that might not otherwise be reached. After the initial demand for disinfectant has been satisfied, any remaining DISINFECTANT will establish a residual bacteriostatic effect.

Using A.O.A.C. test methods, this Disinfectant will kill the following organisms at recommended use dilutions:

PATHOGENIC BACTERIA:

Escherichia coli
Pseudomonas aeruginosa
Salmonella choleraesuis
Salmonella typhosa
Staphylococcus aureus
Streptococcus pyogenes

FUNGI:

Aspergillus niger
Candida albicans
Trichophyton interdigitale

DANGER

Keep Out of Reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

EPA Est No. 5185-GA-1

SEP 2 1973
 BIO-AB, INC.
 5185-268