

3

3


Emergency First Aid Procedures: **Eyes:** Immediately flush eyes with running water for at least 15 minutes. If pain and/or irritation persists, get medical attention. **Skin:** Remove contaminated clothing immediately and flush affected area with water for at least 15 minutes. If pain or irritation persists, get medical attention. Launder clothing before reusing. **Inhalation:** Move victim to fresh air. **Ingestion:** If swallowed, induce vomiting by giving a glass of salt water, touching fingers to back of throat, or by giving 30 cc (2 Tbs) Syrup of Ipecac. Keep victim warm and quiet. Get immediate medical attention. Do not give anything by mouth to an unconscious person.

Avoid contact with food. Rinse with water anything that will come in contact with baby's mouth. **KEEP OUT OF REACH OF CHILDREN.**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130F may cause bursting.

NOT FOR RESALE
FOR INDUSTRIAL USE ONLY

TO REORDER
Call TOLL-FREE: 1-800-527-9921
In Texas: 1-800-442-7950



Not Reviewed. Registrant claims to be in accordance with
EPA Registration of Pesticide under 25. (Date for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

5912-100 4-31-80

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
(and Domestic Animals)

DANGER

CAUSES EYE DAMAGE

CAUSES SEVERE SKIN IRRITATION,
ESPECIALLY TO BROKEN SKIN

HARMFUL IF SWALLOWED

Do not get in eyes, on skin or on clothing
Wear goggles or face shield and rubber gloves
when handling this product
Remove and wash contaminated clothing
Do not take internally

Storage and Disposal

- Do not contaminate water, food, or feed by storage or disposal
- Do not store on side
- Avoid creasing or impeding of side walls

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
(If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. But neither this warranty nor any other warranty or merchantability or fitness for a particular purpose express or implied extends to the use, storage or handling of this product in a manner other than as directed by label instructions or other abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

FORMULATION DC-100G

DISINFECTANT-CLEANER - DEODORANT

ACTIVE INGREDIENTS

n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl ammonium chloride 9.0%

INERT INGREDIENTS

Total

91.02
100.02

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 1/4 ounce of DC-100G per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas — mop or brush soiled surface with a solution containing 1-2 ounces of DC-100G per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard non-porous surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush with a fresh solution containing 1/4 ounce of DC-100G per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality. Do not reuse used solution.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard non-porous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 1 ounce of DC-100G per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection (follow directions for cleaning). Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces of DC-100G per gallon of water and then rinsed with a fresh solution containing 1 ounce of DC-100G per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against *Mycobacterium tuberculosis* and must not be relied upon when tuberculoid activity is intended by the user.

DEODORIZATION

Prior to deodorization of bathroom areas, garbage pails, diaper pails, food storage areas, kennel areas and other areas where obnoxious odors may develop, remove all garbage, refuse, food and/or animals. Pre-clean surfaces using pressurized water where possible before deodorization. To deodorize mop or brush surfaces thoroughly with a solution containing 1 ounce of DC-100G per gallon of water.

GENERAL INFORMATION

DC-100G is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, DC-100G will disinfect hard non-porous surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, diaper pails, food storage areas, animal quarters and other areas where obnoxious odors may develop. This product may be used as a general purpose anti-bacterial detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms and other places where efficient cleaning and antimicrobial action is desired.

LONZA

LONZA INC.
17-17 Route 208
Fair Lawn,
New Jersey 07410
(201) 794-2400

LONZA INC.
FAIR LAWN, NJ 07410
EPA Reg. No. 6836-105
EPA Est. No. 6836-ILI

NET CONTENTS _____