

A RIGHTAN PRODUCT
from BIO-LAB, INC., Decatur, Georgia 30031

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

When used as directed, this product disinfects spa and hot tub water.

The filter system should be backwashed or properly cleaned and the pH adjusted between 7.4 and 7.6. It is important that the pH be maintained within this range at all times

MAINTENANCE DOSES: With pump on, add one-half captul of this product per 400 gallons of water as an initial treatment. Repeat at 15 to 20 minute intervals until a residual of 1.0 to 2.0 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine the frequency of additional doses of this product needed to maintain the residual of 1.0 to 2.0 ppm of available colorine in the water.

SUPERCHLORINATION: For superchlorination, use one capful of this product per 200 gallons of water. Bathers should not enter the pool until the available chlorine residual falls to 2.0 ppm. Superchlorination should be done when the unit is not being used. Superchlorination may be needed on a nightly basis in a heavily used spa or as infrequently as once a week in a moderately used spa.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. Do not get in eyes, on skin or on clothing. Avoid breathing dust.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS - STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not use this product through any dispensing devices.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool dry well ventilated area away from heat or open flame. Contamination with moisture organic matter or other chemicals may start a chemical reaction with generation of heat liberation of hazardous gases, and possible generation of fire and explosion. In case of decomposition, isolate container if possible and flood with large amounts of water to dissolve all material before discarding. Place empty container in trash collection.

EPA Reg No 5185-316-AA

EPA Est No 5185-GA-2

5/85-3/6

33