

NOTICE OF PESTICIDE:☒ REGISTRATION
☐ REREISTRATION(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)**NAME OF PESTICIDE PRODUCT**

BioGuard RCL

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)Pholab, Inc.
P.O. Box 1139
Denham Springs, LA 70808

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is environmentally re-stored in accordance with the following instructions:

1. Submit 4/5 of all data or other material required for registration/reregistration of your product under FIFRA section 3/3/51 or FIFRA section 3/3/52 when the Agency requires all registrants of similar products to submit such data.

2. Review the label for changes listed below before printing or distributing for sale:

1. The word "EPA Registration No. 519-1151"

2. The word "DANGER" should be centered in bold type below the word "POISON" (front panel only).

3. The word "POISON" should be centered in bold type below the word "DANGER" (front panel only).

4. The word "POISON" should be centered in bold type below the word "DANGER" (back panel only).

**ATTACHMENT IS APPLICABLE****BEST AVAILABLE COPY****SIGNATURE OF APPROVING OFFICIAL****DATE**

e. Clearly indicate on front panel the major areas where product will be used - poultry houses and/or farm premises.

f. In the section "Disinfecting Hatcher trays . . ." add statements to declare:

- After cleaning - rinse with water prior to disinfecting application.
- Method of application
- To wet all surfaces thoroughly
- Contact time of ten minutes
- How product is removed after product is applied.

3. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY



BEST AVAILABLE COPY

BioGuard[®]

RCL[™]

HATCHERY AND EGG
EQUIPMENT
DISINFECTANT

FOR USE AS A HATCHERY EQUIPMENT DISINFECTANT AND
FOR DISINFECTING EGG PROCESSING EQUIPMENT

FOR AGRICULTURAL USE ONLY

ACTIVE INGREDIENTS:

Alkyl (C14, 58%; C16, 28%; C12, 14%) dimethyl benzyl ammonium chloride:	17.50%
Didecyldimethyl ammonium chloride	10.25%
Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl ethyl ammonium bromide:	2.25%

INERT INGREDIENTS:	70.00%
TOTAL INGREDIENTS:	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

(See Back Panel for Additional Precautionary
Statements)

BIO-LAB, INC., Decatur, Georgia 30031 USA

NET CONTENTS: 55 Gals. (208.45 l.)



BioGuard
Agricultural
Sanitation
Systems

BioGuard RCL is a disinfectant for hatching egg equipment in poultry hatcheries and egg processing areas of poultry farms.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTING EGG PROCESSING EQUIPMENT. BioGuard RCL is a general disinfectant at a solution of 1 ounce per 3 gallons of water. At the end of each day's use, clean the washer and egg processing equipment thoroughly. Follow by rinsing with clean water. Then, completely cover all wettable surfaces with the disinfecting solution of BioGuard RCL. Solution may be applied by flushing, mopping or sponging solution over surfaces. Solution must contact surfaces for at least 10 minutes. Rinsing of surfaces not coming into contact with food is not required. Surfaces coming into contact with food must be scrubbed with detergent and rinsed with potable water before use.

DISINFECTING HATCHER TRAYS, RACKS, PLASTIC CHICK BOXES, CRATES AND PLASTIC EGG FLATS. Add BioGuard RCL to disinfectant tank at the rate of 3 ounces per 7 gallons of water (1 gallon per 300 gallons). Fresh solutions should be prepared daily or more often if the solution becomes diluted or soiled.

EPA Reg. No. 5185-
EPA Est. No. 5185-GA-1

APR 20 1991
5185-395

BEST AVAILABLE COPY

STORAGE AND DISPOSAL: Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Do not reuse empty container.

Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive.

Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: This produce is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of raw egg whites, gelatin solution or, if these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate to use of gastric lavage.