5185-476

,

5-21-2003

1/7

{All text in brackets [xxx] is optional and may or may not be included on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

# SUPERPUCK PLUS

{Optional marketing statements that may be used with this	product.}
[New]	
[Contains Clarifiers And Buffers]	
[Now Contains Clarifiers And Buffers]	
[Contains [Algaecides] [Clarifiers] [and] [Buffers]]	
[Gives Clearer Water]	
[Provides Crystal Clear Water]	
[Swimming Pool Sanitizer]	
[Swimming Pool [Sanitizer] [Algaecide] [Clarifier] [Buffer]	and [Algaestat]]
[Sanitizer / Clarifier / Algae Protection]	
[Dual active system that sanitizes, suppresses algae, reduce	s contaminants, and provides clear water]
[Dual Active System]	
[Kills bacteria]	
[Suppresses algae]	
[Slow dissolving]	Malapa
[With Erosion Control Agents]	ACCEPTED
[Controlled release of chlorine]	
[Protected against UV light]	MAY 2 1 2003
[Protected against sunlight]	Under the Federal Inserticide Europicide
[Convenient to use]	
[Patented Technology] <sup>†</sup>	Pesticide, registered under EPA Reg. No. 5185-476
[Additional Patents Pending]	0,00 (10
[Once A Week Premium Application]	
[Enhanced Chlorinating Sticks For Once-A-Week Skimmer	
[Enhanced Chlorinating 3" Tablets For Once-A-Week Skim	•• -
[Enhanced Chlorinating 3" Tablets For Skimmer Applicatio	-
[Step 1] {This is to advise consumers that this product is S	tep 1 of a 3 step program to keep their swimming
pool water clean.}	
[Multi Action Formula [-Sanitizes] [-Kills Algae] [-Kil	lls Bacteria] [-Enhances Filtration] [-Protected
Against Sunlight] [-Clarifies] [-Buffers]]	
[Multi Action Tablet [-Sanitizes] [-Kills Algae] [-Kills Bad	cteria] [-Enhances Filtration] [-Protected Against
Sunlight] [-Clarifies] [-Buffers]]	
[Multi Action Stick [-Sanitizes] [-Kills Algae] [-Kills Bac	teria] [-Enhances Filtration] [-Protected Against
Sunlight] [-Clarifies] [-Buffers]]	
[All-In-One [-Sanitizes] [-Kills Algae] [-Kills Bacteria] [-E	inhances Filtration] [-Protected Against Sunlight]
[-Clarifies] [-Buffers]]	
[Multi-Functional]	· · · · · · · · · · · · · · · · · · ·
[Multi-Functional [-Sanitizes] [-Kills Algae] [-Kills Bach	teria] [-Enhances Filtration] [-Protected Against
Sunlight] [-Clarifies] [-Buffers]	х
[Improved formula]	

[Improved formulation] [Less Pool Maintenance] {This product contains clarifiers and algaestats reducing pool maintenance} [Reduces The Need For Other Maintenance Products] {This product contains clarifiers and algaestats reducing pool maintenance} [Less work] {This product contains clarifiers and algaestats reducing pool maintenance} [Reduces Operating Costs] [Less Chlorine Gassing] [Suitable for pools with longer pump run times] [Suitable for pools with shorter pump run times] [Suitable for all pump run times] [Suitable for all pool surface types] [Suitable for all pools] [Suitable for use with alternative devices such as ionizers, ozonators, and mineral feeders] [Suitable for use with ionizers] [Suitable for use with mineral systems] [Suitable for skimmers, feeders, and floaters] [Easy skimmer application]

A

[For use by Service Companies] {When sold in Professional Products Line} [For Commercial and Service Use] {When sold in Professional Products Line} [Sanitizing Tablet] [Sanitizing Stick] [Continuous Sanitization and Clarification]

[For Floater Application][For Erosion Feeders][Contains Clarifiers, Filter Aid, Buffer and Erosion control agents][Other Ingredients are Clarifiers, Filter Aid, Buffer and Erosion control agents]

[Each [stick] [tablet] weighs approximately 1/2 lb.]

KEEP OUT OF THE REACH OF CHILDREN DANGER

4

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor immediately for treatment advice. IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [IN CASE OF MEDICAL EMERGENCY, CALL [1-303-623-5716] [1-877-800-5553] [telephone number supplied by supplemental registrant].]

EPA REG. # 5185-476

EPA EST. # 5185-GA-1

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See [back] [side] panel for additional precautionary statements.

[<sup>†</sup>U.S. Patent No. [5,514,287] [5,478,482] [5,670,059] [5,674,429] [5,648,314] [4,594,091]]

BIO-LAB, INC. PO BOX 1489 DECATUR, GEORGIA 30031

Net Contents:

{Directions to be used as a <u>swimming pool sanitizer for Distributor Brands.</u>}

## SWIMMING POOL SANITIZER

This product is specially formulated to meet the rigorous demands of the [pool service professional] [discerning pool owner]. This patented multi action formula continually [sanitizes,] [clarifies,] [kills algae,] [kills bacteria,] [enhances filtration,] [protects against sunlight,] [clarifies,] [and] [buffers] - all in one easy to use [stick] [tablet].

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment is working properly. If necessary, backwash or clean the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum level of 30-40 ppm cyanuric acid to reduce the degradative effects of sunlight upon the chlorine residual. Superchlorinate the pool so a chlorine residual between 1-3 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.

This product contains a clarifier/flocculating agent that helps the filter system remove impurities from water via filtration. When necessary, backwash or clean the filter system following manufacturer's directions. [For chemically cleaning the filter, an acidic filter cleaner is recommended]

## WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS:

This product can be used in proportioning mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with this product and, following manufacturer's directions, adjust the feeding mechanism to assure a constant treatment level of 1-3 ppm available chlorine in the pool water. Use a test kit or test strips to monitor chlorine levels and adjust the feed mechanism as needed. Check and refill the automatic chlorinator or floater as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

## WHEN USED IN SKIMMERS:

Initially add [one stick] [one tablet] [8 ounces] of this product per 10,000 gallons of water or portion thereof. (\*\*See below) Add additional product as determined by a test kit or test strip to maintain available chlorine levels of 1-3 ppm. Divide number of sticks evenly for pools with multiple skimmers. [This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic.] Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. [Do not turn pump off for more than 8 hours in vinyl pools when [sticks] [tablets] are in skimmer.]

**\*\*** Operate pool recirculation system approximately 10 hours per day for best results. Adjusting the hours of pool recirculation or the number of [sticks] [tablets] added to the skimmer helps to regulate the sanitizer level. The number of [sticks] [tablets] required and frequency of addition will vary with the number of swimmers, water temperature, rain showers and pump operating time.

Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk cf bodily injury.

{Directions to be used as a <u>swimming pool sanitizer for BioGuard Brands.</u>}

#### SWIMMING POOL SANITIZER

This premium product is a unique and effective pool water sanitizer. It performs more functions than other sanitizers by using advanced patented technology. The multi action technology combines [sanitizer,] [clarifier,] [bacteria killer,] [algae killer,] [algae suppressant,] [enhanced filtration,] [and] [buffer,] into one product to provide crystal clear water. This product dissolves slowly, and is [added to the pool less frequently making it] more convenient to use. [This product is also ideal for use with alternative devices, such as ionizers, ozonators, and mineral feeders.]

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

**INITIAL START-UP**: Consult your [BioGuard] {or} [professional pool] dealer for initial water balance and start-up procedures. Ensure that pool equipment is operating properly. Backwash filter per filter manufacturer's directions. [BioGuard recommends the use of Strip Kwik® filter cleaner to clean filter.] {or} [An acidic filter cleaner is recommended for cleaning the filter.] Add [Stabilizer 100<sup>TM</sup>] {or} [cyanuric acid] {or} [stabilizer] to establish a minimum level of 30-40 ppm cyanuric acid. Superchlorinate pool water with [Burn Out® WP for white plaster or Burn Out® 35 for all other pool surfaces] {or} [a chlorinated product] to obtain a chlorine level of 1-3 ppm. Add initial dosage of [Back-Up® or Algae-All 60®] {or} [a preventative] algaecide. When using other products as outlined in directions for this product, always follow directions on those products.

WHEN USED IN SKIMMERS: Initially add one [stick] [tablet] to the pool skimmer basket for each 10,000 gallons of water or a portion thereof to provide a chlorine residual between 1-3 ppm. (\*\*See below) Divide number of [sticks] [tablets] evenly for pools with multiple skimmers. [This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic.] Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. [Do not turn pump off for more than 8 hours in vinyl pools when [sticks] [tablets] are in skimmer.]

Operate pool recirculation system a minimum of 10 hours per day for best results. Adjusting the hours of pool recirculation or the number of [sticks] [tablets] added to the skimmer helps to regulate the sanitizer level.

WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS: This product can be used in proportioning mechanisms such as automatic chlorinators and floaters as a maintenance treatment. Fill unit with this product and, following manufacturer's directions, adjust the feeding mechanism to assure a constant treatment level of 1-3 ppm available chlorine in the pool water. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed. Check and refill the automatic chlorinator or floater as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

**ROUTINE MAINTENANCE:** Test pool water periodically. Maintain pH of 7.2-7.6 and chlorine level of 1-3 ppm. Shock pool with a [premium] BioGuard® [shocking] [oxidizing] product per label directions and add maintenance dosage of [Back-Up® or Algae All 60®] *{or}* [preventative] algaecide per label directions. At least twice a season, have your [BioGuard] *{or}* [professional pool] dealer analyze for total water balance. This product contains a clarifying agent that helps the filter system remove impurities from water

via filtration. Backwash or clean the filter system following manufacturer's directions. For chemically cleaning the filter, [Kleen It®] {or} [an acidic filter cleaner] is recommended

\*\*The number of [sticks] [tablets] required and frequency of addition will vary with the number of swimmers, water temperature, rain showers and pump operating time. You should begin with one [stick] [tablet] per 10,000 gallon rate. For heavier bather loads or elevated water temperature adjust product dosage or product addition frequency to obtain a 1-3 ppm chlorine residual.

Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of bodily injury.

**STORAGE AND DISPOSAL:** Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not contaminate food or feed by storage or disposal. **CONTAINER DISPOSAL:** Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses, protective clothing and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Do not mix with any other chemicals except water. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to chlorinators. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.



{Environmental hazards statements for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid, dry weight).}

[ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.]

{Environmental hazards statements for end-use products in containers of equal to or greater than 5 gallons (liquid) or equal to or greater than 50 pounds (solid, dry weight).}

**[ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

{The following is optional text to be used at BioLab's discretion with swimming pool use directions. This information is non-essential and will be provided only as a courtesy. Will not appear on all swimming pool products.}

	ALCULATE POOL CAPACITY I Gallons of water
Rectangular	Average depth x average length x average width x 7.5
Circular	Diameter x diameter x average depth x 5.9
Oval	Full width x full length x average depth x 5.9
Irregular	Consult pool builder

{label/5185-476.doc}

