

5185-494

6212312009

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

FEB 23 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mark Jernigan
Federal Registration Manager
Bio-Lab, Inc.
P.O. Box 300002
Lawrenceville, GA 30049

FILE COPY

Subject: Notification in Accordance with PR Notice 98-10
the works Disinfectant Toilet Bowl Cleaner
EPA Registration Number: 5185-494
Application: January 28, 2009
Receipt Date: January 30, 2009

Dear Mr. Jernigan:

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA section 3 (c) 9.

Proposed Notification:

Add the claim "Kills 99.9% of household bacteria" to the label.

General Comment:

Based on a review of the material submitted, the following comment applies.

The notification is acceptable.

Should you have any questions concerning this letter, please contact me by telephone at (703) 308-7003 or email address at: mitchell.emily@epa.gov, or Lisa McKelvin by telephone at (703) 308-7496 or email address at: mckelvin.lisa@epa.gov during the hours of 8:00 am to 3:30 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Emily Mitchell
Emily Mitchell
(Acting) Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 5185-494	2. EPA Product Manager A. Heyward	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) the works Disinfectant Toilet Bowl Cleaner	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Bio-Lab, Inc. PO Box 300002 Lawrenceville, GA 30049 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below.

Resubmission in response to Agency letter dated _____

Notification - Explain below.

Final printed labels in response to Agency letter dated _____

"Me Too" Application.

Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Fee Determination: Fee Category - Not Applicable (Notification) mark.jernigan@chemtura.com

Add the marketing statement "Kills 99.9% of Household Bacteria" based on previously submitted AOAC Use-Dilution testing (MRID 44932403) for this registration per PR Notice 98-10, Section II (Labeling Notifications), Part N (Other Revisions). Please see attached page for certification.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions
 on label

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Mark Jernigan	Title Federal Registration Manager	Telephone No. (Include Area Code) 678-502-4149
-----------------------	---------------------------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature
Mark Jernigan

3. Title
Federal Registration Manager

4. Typed Name
Mark Jernigan

5. Date
1/28/09

6. Date Application Received (Stamped)



3
7

January 28, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

**Re: the works® Disinfectant Toilet Bowl Cleaner
EPA Registration No.: 5185-494**

Dear Sir/Madam:

Please process the enclosed notification for the above referenced product.

The purpose of this notification is to add the statement "Kills 99.9% of Household Bacteria" based on previously submitted and accepted AOAC Use-Dilution testing (MRID 44932403) for this registration.

Enclosed are:

1. Application for Pesticide (EPA Form 8570-1);
2. Notification Certification Statement; and
3. Proposed label with changes marked.

1/27/09


If you have any questions, please call me at 678-502-4149 or mark.jernigan@chemtura.com.

Thank you for your attention to this matter.

Sincerely,

Mark Jernigan
Federal Registration Manager

Enclosures



P.O. Box 300002
Lawrenceville, GA 30049-1002 USA
(678) 502-4000
(678) 502-4764 FAX

4/7

EPA Registration Number: 5185-494

Product: the works© Disinfectant Toilet Bowl Cleaner

Application for Pesticide dated: January 28, 2009


Section - II

Explanation (Continued)

Notification of additional marketing statements per PR Notice 98-10, Section II (Labeling Notifications), Part N (Other Revisions).

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Mark J. Geringer
1/28/09



{All text in brackets [xxx] is optional and may or may not be included on a final label.}
{All text in braces {xxx} is administrative and will not appear on a final label.}

The Works® Disinfectant Toilet Bowl Cleaner

[Kills 99.9% of Household Bacteria*
*See back panel for list of types]

} - added text, supported by
MRID 44932403

[Kills Household Bacteria*
*See back panel for list of types]
[Removes Rust, Lime Scale, & Hard Water Stains]

ACTIVE INGREDIENT:

Hydrogen Chloride	20.00%
OTHER INGREDIENTS	80.00%
TOTAL	100.00%


KEEP OUT OF REACH OF CHILDREN
DANGER

See First Aid and other precautionary statements on back label.

Bio-Lab, Inc.
P.O. Box 300002
Lawrenceville, GA 30049

EPA Reg. No. 5185-494
EPA Est. No. 5185-IN-01

Net Contents: 1 quart (32 fl. oz.) (946 mL)



The Works Disinfectant Toilet Bowl Cleaner

Removes Rust Stains and Lime Deposits

*Kills the following Household Bacteria

- *Salmonella choleraesuis*
- *Escherichia coli*
- *Staphylococcus aureus*

READ ENTIRE LABEL BEFORE USING

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ATTENTION: DO NOT MIX WITH CHLORINE-TYPE BLEACHES OR OTHER HOUSEHOLD CHEMICALS.

DIRECTIONS FOR USE:

To open- Hold bottle firmly, push down on cap and turn counter-clockwise. Be careful not to squeeze bottle when removing cap. To reseal, turn cap clockwise until tightly closed.

TO CLEAN BOWL: Flush toilet. Raise toilet seat. Open cap and point bottle down into bowl. Carefully direct product onto sides of the bowl and under the rim. Close cap. Brush to cover all surfaces of the bowl. Flush toilet. For heavily stained bowl, repeat above procedure.

TO CLEAN TANK: Empty tank and apply to sides. Do not apply directly to internal working parts. Brush than fill and flush.

The Works Disinfectant Toilet Bowl Cleaner can be use as a disinfectant in homes, schools, and offices.

DO NOT SPILL OR PLACE ON COUNTERTOP, CARPET, FLOORING, BATHTUB, SINK, ENAMEL OR CHROME SURFACES. CLEAN SPILLS IMMEDIATELY! FOR TOILET BOWL USE ONLY!


TO DISINFECT: Remove heavy soil from surfaces with bowl brush. Apply at least 6 fl. oz. of product onto all interior bowl surfaces. Let product remain 10 minutes before brushing, making sure to get under the rim. Flush with clean water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes skin burns and irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or safety glasses, protective clothing, and rubber (or chemical-resistant) gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

CHEMICAL HAZARDS: DO NOT mix with chlorine-type bleaches or other household chemicals.



FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [IN CASE OF MEDICAL EMERGENCY, CALL [1-303-623-5716] [1-877-800-5553] [telephone number supplied by supplemental registrant].]

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL: Keep this product in original tightly closed container when not in use. Store in a cool, dry, well ventilated area. **PESTICIDE STORAGE:** Store out of reach of children in original container. **CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions? Comments?
1-800-xxx-xxxx

Revision 0109, use claim

