

FOR CRAWLING INSECTS: (Roaches, ants, silverfish). Spray into cracks and crevices to drive them out. Spray directly on the insects. Use liberally and repeat weekly to maintain control. For ants: Spray trails, door sills and around window frames and other points of entry. For bedbugs: Spray cracks, baseboards and behind pictures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist. Provide adequate ventilation of the area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

NOTE TO PHYSICIAN

Atropine Sulfate is antidotal.

BEST AVAILABLE COPY

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting; get prompt medical attention.

IF INHALED: Move the person to fresh air and treat symptomatically.

IF ON SKIN: Wash with soap thoroughly. If skin irritation persists, see a physician.

IF IN EYES: Flush with water for fifteen minutes, then see a physician immediately.

STORAGE AND DISPOSAL

PHYSICAL OR CHEMICAL HAZARDS

Contents Under Pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F./54 C. may cause bursting. Never throw the container into a fire or incinerator.

CONTAINER DISPOSAL

Replace the cap and securely wrap the original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

Point valve opening away from face and push button holding can upright.

NOTE: Remove pets, birds, and cover or remove fish aquariums before using.

PRO
EPA
P2
CIF

FRONT PANEL

KEM

QUIKCID INSECTICIDE

HEAVY DUTY FOOD PLANT CONCENTRATE

For Use In Food Areas, Dairies, Bakeries, Meat Packing Plants, Flour Mills, Warehouses, and Wherever Food is Stored or Processed.

ACTIVE INGREDIENTS:

- N-octyl bicycloheptene dicarboximide.....0.336%
- Piperonyl Butoxide, technical*.....0.203%
- Pyrethrins I and II.....0.101%

****INERT INGREDIENTS:**99.360%

TOTAL100.000%

*Equivalent to 0.1624% (butylcarbityl) (6-propylpiperonyl ether, and 0.0406% related compounds.

**Contains Petroleum distillates

Registered Trademark Kem Manufacturing Corp.

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

EPA Reg. 5197-8

KEM Manufacturing
 Division of Systems General, Inc.
 P. O. Box 153170
 Irving, Texas 75015-2170

BEST AVAILABLE COPY

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FLIES, MOSQUITOES: Close doors and windows. Fill room with fog, directing spray towards ceiling. After 20 minutes open room and sweep up fallen insects. Repeat treatment as required.

ROACHES, WATERBUGS, SILVERFISH: Spray around baseboards, cracks, crevices, water pipe, entries, sills, and known hiding places. Spray directly on insects when possible. Frequent applications on infested areas are required for optional control.

BEST AVAILABLE COPY

SPIDERS: Spray directly on spiders and webs with a wet spray.

FLEAS: Spray floors and cracks, baseboards, carpets, upholstery. In addition, spray frequently the sleeping quarters of animals. Repeat applications as needed.

FLOUR BEETLES, CONFUSED FLOUR BEETLES, WEEVILS, CADELLE, FLOUR MOTH IN ACCESSIBLE STAGES: Remove all dirt and trash from floors and walls. Spray crevices, cracks and other hiding places. Spray sufficiently to wet all surfaces and down into cracks, crevices or floor holes where insects may hide.

NOTICE:

Entire air space to be sprayed should be filled with a heavy, dense fog. During spray applications exposed foodstuffs should be covered to prevent contamination from falling insects.

Do not remain in treated areas and ventilate the area after treatment is completed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not breathe spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARD: Do not use near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove the victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush the eyes with plenty of water. Call a physician immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

