

Reviewed. Registrant stated that in accordance with
Division of Pesticide Control, EPA Reg. No. 5197-25
EPA Est. No. 4140-TX-1

FRONT PANEL

KEM

QUIKCID

CONTACT INSECTICIDE

Kills Certain Flying and Crawling Insects

ACTIVE INGREDIENTS:

Pyrethrins.....	0.30%
Technical Piperonyl Butoxide*.....	1.51%
**INERT INGREDIENTS:	<u>98.19%</u>
TOTAL	100.00%

*Equivalent to 1.2% of (butylcarbityl) (6-propylpiperonyl) ether and 0.3% of related compounds.

** Contains Petroleum distillates

NET WEIGHT: 14.5 OZ. (411 grams)

CAUTION

KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE

See side panel for additional precautions.

EPA Reg. No. 5197-25,
EPA Est. No. 4140-TX-1

KEM Manufacturing
Division of Systems General, Inc.
P.O. Box 105061
Tucker, GA 30085-5061

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Point valve opening away from face and push button holding can upright.

FOR FLYING INSECTS: (Flies, mosquitoes, gnats, wasps). Spray toward ceiling and center of room to fill area with mist. For best results close doors and windows and leave room for fifteen minutes. Repeat as needed. Cover utensils, food and dishes before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

FOR CRAWLING INSECTS: (Roaches, ants, silverfish). Spray into cracks and crevices to drive them out. Spray directly on the insects. Use liberally and repeat weekly to maintain control. For ants: Spray trails, door sills and around window frames and other points of entry. For bedbugs: Spray cracks, baseboards and behind pictures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist. Provide adequate ventilation of the area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

NOTE TO PHYSICIAN

Atropine Sulfate is antidotal.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting; get prompt medical attention.

IF INHALED: Move the person to fresh air and treat symptomatically.

IF ON SKIN: Wash with soap thoroughly. If skin irritation persists, see a physician.

IF IN EYES: Flush with water for fifteen minutes, then see a physician immediately.

STORAGE AND DISPOSAL

PHYSICAL OR CHEMICAL HAZARDS

Contents Under Pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F./54 C. may cause bursting. Never throw the container into a fire or incinerator.

CONTAINER DISPOSAL

Replace the cap and securely wrap the original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

Point valve opening away from face and push button holding can upright.

NOTE: Remove pets, birds, and cover or remove fish aquariums before using.