

Not Reviewed. Registrant's use in accordance with
Registration of Pesticide Use for Pesticide
Use, Page 2, 12, 13

COLUMN 1

QUIKCID CONCENTRATE INSECTICIDE

Read entire label before using product.

Si usted no sabe ingles, pida a alguien que sepa lelea y explique completamente esta etiqueta antes de usar este producto.

ACTIVE INGREDIENTS:

Pyrethrins.....	1.10%
Technical Piperonyl Butoxide*.....	2.20%
N-octyl Bicycloheptene Dicarboximide.....	3.67%
**INERT INGREDIENTS:.....	<u>93.03%</u>
TOTAL.....	100.00%

*Consists of 1.76% (Butylcarbityl) (6-propylpiperonyl) ether and 0.44% other related compounds.

**Contains Petroleum distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements.

FOR INDUSTRIAL USE ONLY

EPA Registration No. 5197-31

NET CONTENTS: _____

Kem Manufacturing
Division of Systems General, Inc.
P. O. Box 152170
Irving, Texas 75015-2170

COLUMN 2

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Consult Physician. Do not induce vomiting unless directed by physician. Aspiration is a potential hazard. Do not apply directly to food.

In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packing plants, bakeries, and other food processing plants, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after treatment. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

When using in animal housing areas, do not apply directly to feed or water. Aerate dairy barns thoroughly before milking.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep container closed. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: 6, 20, 35, 55 and 65 gallon drums - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SMALLER CONTAINERS: Do not reuse container. Rinse thoroughly before discarding in trash.

COLUMN 3

A Double Synergized Pyrethrin Concentrate to be diluted with water or petroleum distillate.

For use in institutions, dairies, bakeries, canneries, meat packing plants, flour mills, bottling plants, creameries, cheese factories, peanut mills, candy factories, and other industrial establishments.

To Kill Flies, Mosquitoes and Gnats: Dilute one part concentrate plus up to 30 parts of water or spray base and spray vigorously in all parts of room, using about 2 ounces per 1,000 cu. ft. of

Leave room closed for 15 minutes. Sweep up and destroy fallen insects. Repeat as needed. Do not remain in treated areas and ventilate the area after treatment is completed.

To Kill Flies, Gnats and Mosquitoes in Livestock Barns and Poultry Houses: Cover or remove exposed feed and watering troughs, and close house as tightly as possible. Dilute QUIKCIDE CONCENTRATE 1 part concentrate plus 9 parts water, and spray entire area uniformly, directing spray toward ceilings and windows. Leave barn closed 10 - 30 minutes, then ventilate prior to entry. Repeat application as necessary.

Roaches and Waterbugs: Dilute one part concentrate with nine parts water or spray base and spray to point of run off into all cracks, crevices, underneath sinks, behind pipes, around base of all machinery, paying particular attention to dark areas in which roaches might hide or nest. Contact as many insects as possible while spraying. Repeat as necessary.

Fleas (Infesting Premises): Dilute one part concentrate with 15 parts water or spray base. Remove and destroy animals' bedding, and spray sleeping quarters liberally, forcing spray into all cracks in the floor and about the room. Repeat when necessary.

Carpet Beetles: Dilute one part concentrate with nine parts water or spray base. Spray liberally infested areas, paying particular attention to cracks, crevices and other hiding places. Spray liberally the undersides of carpets. Repeat when needed.

Granary Insects, Such as Accessible Stages of Weevils, Flour Meal Moth Larvae and Adults, Cadelle and Saw-Toothed Grain Beetles: Dilute one part concentrate plus nine parts water or spray base. To control crawlers, apply to point of run off to all areas infested by these insects. Pay particular attention to cracks and crevices in floors, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For flying moths, treat as for flies and other flying insects. See above.)

Bushes and Other Plants: Dilute with 15 parts of water to one part of concentrate. To control mosquitoes, spray a mist over and under bushes in the evening when insects tend to light. Do not use spray base for application on plants.

NOT FOR RESALE

EPA Est. No. 4140

CA-1 IN-1 NJ-1 PR-1 TX-1

9M001