

NORKEM 500

A Contact Non-Selective Vegetation Killer for The Control of Broadleaf Weeds, Grasses, and Aquatic Weeds

ACTIVE INGREDIENTS

Diquat dibromide (6,7-Dichlorodipyrido (1,2-a:3',5'-d)pyrazine-5,9-dione)

INERT INGREDIENTS

**Contains 0.18 lbs. salt per gallon (0.19 lb. water per gallon)

This product is a herbicidal chemical when used as directed will kill most all forms of plant growth without damage to the soil. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. This product is inactivated on contact with soil.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** IMMEDIATELY CALL A DOCTOR.
If conscious, give a large amount of water to drink and induce vomiting by placing fingers in back of throat. Never give anything by mouth to an unconscious person.
- IF INHALED:** If respiratory irritation, move to fresh air. If condition continues, see a doctor.
- IF ON SKIN:** Remove contaminated clothing. Wash skin thoroughly with soap and water. See a doctor if rash or burn occurs. Launder contaminated clothing. Discard contaminated non-waterproof shoes and boots.
- IF IN EYES:** Wash eyes immediately with fresh water for at least 15 minutes and see a doctor.

See Side Panel for Additional Precautionary Statements.

* Registered Trademark, KEM Manufacturing, Inc.
EPA Reg. No. 5197-37-AA

KEM MANUFACTURING CORPORATION

KEM INTERNATIONAL BUILDING, TUCKER, GEORGIA 30084 U.S.A.
ATLANTA, GEORGIA 30308 U.S.A.

Plants in: Europe, Latin America, Caribbean, Canada, U.S.A.

1. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

2. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

3. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

4. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

5. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

6. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

7. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

8. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

9. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

10. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

11. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

12. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

13. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

14. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

15. Broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds. Controls broadleaf weeds, grasses, and aquatic weeds.

AQUATIC USE DIRECTIONS

For application only to ponds, lakes, and drainage ditches where there is no or no outflow of water and which are totally under the control of the product user. Do not use the treated water for animal consumption, swimming, spraying, irrigation, or domestic purposes for 14 days after treatment. Do not apply to aquatic life in Florida.

WATER TREATMENTS

* Apply (Spraying and Ponds) spp.
Bladderwort (Utricularia spp.)
Coontail (Ceratophyllum demersum)
Eggs (Eggs) spp.
Hydrilla (Hydrilla spp.)
Pondweed (Najas spp.)
Watercress (Ranunculus spp.)

HOW TO APPLY: Make application from a boat or other suitable platform by directing the product below the water surface or by pouring it directly from the container into the water while moving slowly over the water surface. Repeat application may be necessary under conditions of heavy infestation or where reinfestation may result from seed fragmentation or escape.

** This product is by weight. (See dilution chart.)

NOTE: FISH PRECAUTION

Treatment of dense weed areas can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, when treating water areas, aquatic weed control should proceed stepwise — in bands. Treat only 1/3 to 1/2 of the water area in a single operation and wait 14 days between treatments. Consult your State Fish and Game Agencies before applying this product to public waters. Do not apply to muddy water. Do not apply to muddy water and do not apply water exclusively with outboard motor or propulsion equipment during application. Wash sprayer immediately after application with detergent and water, then rinse with clean water.

DILUTION CHART

Depth of Water (Feet)	Gallons	To Use Per Acre At Indicated PPM-Cation (By Wt.)	Amount/Acre
1	1.00	1.00	1.00
2	2.00	2.00	2.00
3	3.00	3.00	3.00
4	4.00	4.00	4.00
5	5.00	5.00	5.00
6	6.00	6.00	6.00
7	7.00	7.00	7.00
8	8.00	8.00	8.00
9	9.00	9.00	9.00
10	10.00	10.00	10.00

FOLIAGE SPRAY TREATMENTS
Savina (Savina) spp.
Watercress (Ranunculus spp.)
Watercress (Ranunculus spp.)

FOLIAGE SPRAY TREATMENTS should be applied in sufficient water (10-15 gal. per acre) to thoroughly wet foliage. As the season progresses and vegetation increases, the higher dosages indicated should be used. A thorough wetting of foliage is necessary for adequate control. The use of this chemical is restricted to the control of aquatic weeds. It is not to be used on land plants. Such recommendations should be followed as indicated on the label and in the manual.

NOT FOR RESALE