

**CARTON LABEL**

**COLUMN 1**

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Keep container closed. Store in a cool dry area away from heat or open flames.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not reuse container (bottle). Rinse thoroughly before discarding.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Deodorizing and Air Sanitizing:** Destroys and eliminates unpleasant odors such as food putrefactions, perspiration, smoke, garlic, etc. Sanitizes air in enclosed areas. Use as received. Do not dilute. Spray VIRO-PHENE toward the ceiling until a light fog covers the entire area, using a MISTKIMISTER II or other good atomizing type sprayer. Repeat before and after use by numbers of people to reduce airborne bacteria. Wait two hours after fogging before entering area.

**Disinfectant:** VIRO-PHENE is a powerful hospital disinfectant for such surfaces and air ducts, metal bed frames and springs, clean up carts, and mopheads. Use concentrated VIRO-PHENE. Holding or nozzle about 12" to 14" from surface to be disinfected. Spray until surface is wet. VIRO-PHENE controls antibiotic resistance and is an efficient deodorant and disinfectant and acts on germ laden surfaces such as laundry chutes, hospital light switches, toilet seats, wash basins, urinals, telephones, door knobs, refuse cans, office machinery and other equipment after the surface has been cleaned thoroughly.

\* Also kills influenza virus A1 and A2 on environmental surfaces.

**COLUMN 2**

**BEST AVAILABLE COPY**


**KEM**

**VIRO-PHENE**

**Fungicidal--Bactericidal--Virucidal  
Tuberculocidal--Deodorant--Disinfectant**

**ACTIVE INGREDIENTS**

**ACCEPTED.**  
APR 17 1989  
Under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 5197-40



Propylparathion.....	60.00%
Propylthionchloride.....	5.00%
Ortho-chlorophenol.....	0.10%
para-chlorophenol.....	0.05%
<b>INERT INGREDIENTS.</b> .....	<b>34.85%</b>
<b>Total</b> .....	<b>100.00%</b>

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

See side panel for additional precautions.

**NET CONTENTS: 18 U.S. QUARTS**

**KEM Manufacturing  
Division of Systems General, Inc.  
P.O. Box 105061  
Tucker, GA 30085-5061**

**COLUMN 3**

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

Harmful if swallowed. Causes eye irritation. Do not get in eyes. Avoid inhalation of mist. Do not use on surfaces that will come in prolonged contact with the skin.

**PHYSICAL OR CHEMICAL HAZARD**

**FLAMMABLE:** Do not use, pour, spill or store near heaters or open flame. Rinse empty container thoroughly with water and discard it.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove the victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush the eyes with plenty of water and get medical attention.

EPA Reg. No. 3197-40  
EPA Est. No. 1149-12-1, III-1

**ACCEPTED**  
APR 17 1989  
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended for this pesticide registered under EPA Reg. No. 3197-40