

DIRECCIONES PARA EL USO

Use **NORKEM 400 T** en espiguilla, hierba de las Bermudas 6 prados de zaisia y cesp d. Especialmente efectivo en todos machos los tipos de hierba de dif cil exterminaci n tales como macho negro, centinola y otras hierbas de hojas anchas que com nmente se encuentran en el cesp d.

Se puede usar en cualquier tipo de plantas ornamentales ya que no da a a las plantas. No da a a las plantas de cesp d de  nchura de hoja. No da a a las plantas de cesp d de  nchura de hoja. No da a a las plantas de cesp d de  nchura de hoja.

CUANDO DEBE USARSE: Use **NORKEM 400 T** en cualquier tipo de hierba de cesp d. Use **NORKEM 400 T** en cualquier tipo de hierba de cesp d. Use **NORKEM 400 T** en cualquier tipo de hierba de cesp d.

Ap lique por medio de rociadora de presi n o rociadora para obtener un resultado uniforme. Evite el uso de rociadores demasiado finos ya que el producto puede dispersarse causando da o a plantas ornamentales o de jard n.

CANTIDAD A APLICAR

Ap lique por medio de rociadora de presi n o rociadora para obtener un resultado uniforme. Evite el uso de rociadores demasiado finos ya que el producto puede dispersarse causando da o a plantas ornamentales o de jard n.

Made dentro de un tanque las cantidades indicadas de **NORKEM 400 T** y diluya con agua de acuerdo a la siguiente tabla de medidas:

Cantidad de NORKEM 400 T	Cantidad de Agua	Area a Cubrirse
2 onzas fluidas	1 1/2 galones	380 pies cuadrados
4 onzas fluidas	3 galones	760 pies cuadrados
1 cuartillo de gal�n	12 galones	6000 pies cuadrados

Para  reas grandes aplique 2 galones por acre en 40 galones de agua.

Para el carast  y hierba de San Agust n, use la mitad de las medidas arriba indicadas.

INSTRUCCIONES PARA ROCIAR HIERBAS MALAS SOLAMENTE

Para rociar una peque a  rea o hierbas individualmente en cesp d muy delicado, use el rociador port til **HALCO #98**. Mezcle en el rociador 2 onzas 4 onzas fluidas en un gal n de agua. Rocie como sea necesario asegur ndose de cubrir toda la hierba.

Un potente insecticida como el **NORKEM 100** puede usarse para controlar una infestaci n completa.

Para obtener m s instrucciones espec ficas:

PRECAUCION: Evite el contacto con ojos, nariz, boca, plantas ornamentales, arbustos, flores y plantas de  nchura de hoja. No cont mine el agua potable o el agua de riego. No permita la soluci n cerca de alimentos, animales, ni de plantas de  nchura de hoja.


Este producto no debe usarse en cesp d de  nchura de hoja. Este producto no debe usarse en cesp d de  nchura de hoja. Este producto no debe usarse en cesp d de  nchura de hoja.

Este producto puede ser da ino para el carast  y hierba de San Agust n.

PRECAUCION: Evite el contacto con ojos, nariz, boca, plantas ornamentales, arbustos, flores y plantas de  nchura de hoja. No cont mine el agua potable o el agua de riego. No permita la soluci n cerca de alimentos, animales, ni de plantas de  nchura de hoja.

NOTA: Este producto contiene un ingrediente activo que puede ser da ino para el carast  y hierba de San Agust n. Este producto puede ser da ino para el carast  y hierba de San Agust n.

PARA USO COMERCIAL SOLAMENTE
REVENTA PROHIBIDA



NORKEM 400T

NEW TERTIARY FORMULA
2,4-D, MCPP AND DICAMBA

Kills - Dandelion, Knotweed, Plantains, Ground Ivy, Poison Ivy and Most Other Broadleaf Weeds. New 3-Way Formula.

HEAVY DUTY LANDSCAPING
CONCENTRATE

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	2.77%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	6.10%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.64%
methylamine salts of related compounds	0.08%
INGREDIENTS	90.41%
Total	100.00%

- *2,2-methyl-4-chlorophenoxy-propionic acid equivalent to 2.22% (195 pounds per gallon, equivalent to 2.22%)
- **2,4-dichlorophenoxyacetic acid equivalent to 5.01% (432 pounds per gallon, equivalent to 5.01%)
- ***3,6-dichloro-o-anisic acid equivalent to 0.52% (4.45 pounds per gallon, equivalent to 0.52%)

CAUTION:

KEEP OUT OF REACH OF CHILDREN
See Side Panel for Additional Cautions

PRECAUCI N:

MANTENGASE FUERA DEL ALCANCE DE NI OS
Vea El Panel Lateral Para Precauciones Adicionales

1951 Registered Trade Mark of Kem Manufacturing Corporation
U.S. Patent No. 565,956
U.S. Patent No. 3,284,186

KEM MANUFACTURING CORPORATION

KEM INTERNATIONAL BUILDING, TUCKER, GEORGIA U.S.A.

PLANTA EAST BRIDGEWATER, NEW JERSEY

PLANTA PLANTA, ARIZONA, U.S.A.

DIRECTIONS FOR USE

Use **NORKEM 400T** in knobby bermuda, 2,4-D, daisy and other. Especially effective on many types of broadleaf weeds such as henbit, knotweed, chickweed, daisy, black medic.

Do not allow weeds to get so tall they are difficult to spray. Do not spray on windy days. Do not spray on wet grass. Do not spray on plants that are stressed or diseased.

WHEN TO USE: Spray when weeds are young and before they set seed. Spray when the weather is calm and the grass is dry. Do not spray on windy days. Do not spray on wet grass. Do not spray on plants that are stressed or diseased.

AMOUNT TO APPLY

Apply by means of a pressure sprayer or watering can to get uniform coverage. Avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

Measure indicated amount of **NORKEM 400T** into tank and dilute with water according to the following chart:

Anit 400T	Amount of Water	Area to be Covered
2 fl. oz.	1 1/2 gal.	380 ft.
4 fl. oz.	3 gal.	760 ft.
1 qt.	12 gal.	6000 ft.

For large areas apply 2 gallons per acre in 40 gallons of water. For bent grass and St. Augustine, use at 1/2 above rates.

SPOT SPRAY DIRECTIONS

To spray small areas or individual weeds in sensitive grasses, use **Halco #98** porta sprayer. Mix 2 oz. (4 tbsp.) in 1 gallon of water in a pressure sprayer. Spray as required, being certain to "wet" each

area. A spreader sticker such as **NORKEM 100** may be used to assure thorough wetting. Use according to directions.

CAUTION: Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domestic or irrigation water. Do not pour spray solution near these plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on carpetgrass, dichondra, nor lawns or turf where desirable clovers are present. When container is empty, wash thoroughly and destroy. Never re-use. Use only lawn sprayers for this use. Coarse sprays are less likely to drift. Do not apply to areas underlain by roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass.

CAUTION: Harmful if swallowed. Avoid skin and eye contact and clothing. In case of contact, flush with water. Avoid contamination of feed or foodstuffs.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.

EPA Reg. No. 5197-46 AA

E.1970

  0272

FOR COMMERCIAL USE ONLY
NOT FOR RESALE