

1/5 511-50 111 32

05 SEP 1986

Kem Manufacturing Corporation
2075 Tucker Industrial Road
Tucker, GA 30084

Attention: Elizabeth Bugg

Gentlemen:

Subject: GERMEX AEROSOL HOSPITAL DISINFECTANT DEODORANT
EPA Registration No. 5197-50
Your Amendment Application Dated January 23, 1986

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A), of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - Revise the Use Directions for disinfecting to include ~~instructions for precleaned surfaces.~~
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

90114:Jenkins:C-9:KENCO:8/22/86:9/2/86:dej:jh


CONCURRENCES

		CONCURRENCES						
SYMBOL ▶								
SURNAME ▶								
DATE ▶								

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Jeff Kempter
Acting Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)


Enclosure



GERMEX AERO

Hospital Disinfectant Deodorant

ACTIVE INGREDIENTS	57.9%
Ortho-phenylphenol	0.10%
Para-tertiary-amyphenol	0.05%
Essential Oils	0.75%
Alcohol	57.00%
INERT INGREDIENTS	42.1%



NET WEIGHT: 13 OZ. (369 grams)

WARNING
 KEEP OUT OF REACH OF CHILDREN
 FLAMMABLE MIXTURE.
 CONTENTS UNDER PRESSURE
 See side panel for additional precautions.

KEM MANUFACTURING CORPORATION
 KEM INTERNATIONAL BUILDING, TUCKER, GEORGIA 30084 U.S.A.
 ATLANTA / EAST BRUNSWICK, N.J.
 Plants in: Europe / Latin America / Caribbean / Canada / U.S.A.

ACCEPTED
 with COMMENTS
 in EPA Letter Dated
 5/19/75
 SEP 05 1986

This product will control the following organisms: Aspergillus Niger, Escherichia Coli, Pseudomonas Aeruginosa, Salmonella Choleraesuis, Salmonella Typhi, Staphylococcus Aureus, Trichophyton Interdigitale, Tubercle Bacilli on environmental surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Storage: Do not store near heat or open flame or expose to temperatures above 130°F.
- Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- Container Disposal: Do not reuse empty container. Replace cap and discard in trash. Do not incinerate or puncture.

For Disinfecting: Hold dispenser upright about 6 to 8 inches from surface and spray 3 seconds until surface is wet.

For Deodorizing: Hold dispenser upright — point the opening away from you and spray into air towards the center of the room for about 4 seconds.

For Mildew Control on Hard Surfaces: Clean surfaces before application. Spray until wet. Repeat application every week to maintain control.

This powerful hospital disinfectant and deodorant acts quickly on many hard surfaces, such as: refuse cans, toilet seats, urinals, laundry chutes, showers, air ducts and light switches after the surface has been properly cleaned. Reduces the danger of transmission of many infectious organisms from environmental surfaces. Effective on odors from many sources in hospitals, homes, ambulances.

NOTE: Do not use on rayon fabrics.

WARNING

Effects of Overexposure: Eyes: Contact may cause stinging or burning. Contact may cause drying of skin, cracking with irritation. Inhalation: May cause irritation and burning sensation of lips, mouth, and throat, gastro-intestinal irritation, stomach cramps, nausea and vomiting.

Emergency First Aid Procedures: Eyes: Immediately flush eyes with water for at least fifteen minutes. If pain and/or irritation persists, get medical attention. Skin: Remove contaminated clothing immediately and flush area with water for at least fifteen minutes. If pain or irritation persists, get medical attention. Launder clothing before reusing. Inhalation: Move victim to fresh air. Ingestion: If swallowed, induce vomiting by giving a glass of salt water, touching fingers to back of throat, or by giving 30 cc (2 Tbs) Syrup of Ipecac. Keep victim warm and quiet. Get immediate medical attention. Do not give anything by mouth to an unconscious person.

Avoid contact with food. Rinse with water anything that will come in contact with baby's mouth. **KEEP OUT OF REACH OF CHILDREN.**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

FOR INDUSTRIAL USE ONLY

EPA Reg. No. 5197-50.

© 1965

© KM

NOT FOR RESIDENTIAL USE

EPA Est. No. 4089

Under the Federal Insecticide, Fungicide, and Herbicide Act as amended