

PM 32 5197-50 1/3  
12 10-90

**LEFT PANEL**

**KEM MANUFACTURING**

**GERMEX AEROSOL**

**HOSPITAL DISINFECTANT DEODORANT**

**ACTIVE INGREDIENTS:**

Ortho-phenylphenol.....	0.10%
Para-tertiary-amylphenol.....	0.05%
Inert Ingredients.....	99.85%
	<u>100.00%</u>

**EPA REG. NO. 5197-50**

**EPA Est. 4140-TX-1**

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

**FLAMMABLE MIXTURE**

**CONTENTS UNDER PRESSURE**

See side panel for additional precautions.

**NET CONTENTS: 13OZ./369G.**

**KEM MANUFACTURING**

**A Division of Systems General. Inc.**

**P.O. Box 152170**

**Irving, TX 75015-2170**

**CENTER PANEL**


**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This product will control the following organisms: Aspergillus Niger, Escherichia Coli, Pseudomonas Aeruginosa, Salmonella... Choleraesuis, Salmonella Typhosa, Staphylococcus Aureus, Trichophyton Interdigitale, Tubercle Bacilli on environmental surfaces.

**For Disinfecting:** Hold dispenser upright about 6 to 8 inches from pre-cleaned surface to be disinfected and spray 3 seconds until surface is wet.

Not Reviewed. Disinfectant... with...  
Resistant to...  
EPA Reg. No. 5197-50



**For Deodorizing:** Hold dispenser upright-point the opening away from face. Spray into air towards the center of the room for about 4 seconds.

**For Mildew Control on Hard Surfaces:** Clean surfaces before application. Spray surface until wet. Repeat application every week to maintain control.


This powerful hospital disinfectant and deodorant acts quickly on many germ-laden surfaces, such as: refuse cans, toilet seats, urinals, laundry chutes, wheel chairs, air ducts and light switches after the surface has been properly cleaned. Reduces the danger of transmission of many infectious organisms from environmental surfaces. Effective on odors from many sources in hospitals, nursing homes, ambulances.

**NOTE:** Do not use on rayon fabrics.

#### RIGHT PANEL

#### **WARNING**

**Effects of Overexposure:** **Eyes:** Contact may cause stinging or burning. **Skin:** Contact may cause drying of skin, cracking with irritation. **Inhalation:** May cause irritation and burning sensation of lips, mouth and throat, gastro-intestinal irritation, stomach cramps, nausea and vomiting.



**Emergency First Aid Procedures:** **Eyes:** Immediately flush eyes with running water for at least 15 minutes. If pain and/or irritation persists, get medical attention. **Skin:** Remove contaminated clothing immediately and flush affected area with water for at least 15 minutes. If pain or irritation persists, get medical attention. Launder clothing before reusing. **Inhalation:** Move victim to fresh air. **Ingestion:** If swallowed, induce vomiting by giving a glass of salt water, touching fingers to back of throat, or by giving 30 cc (2 Tbs) Syrup of Ipecac. Keep victim warm and quiet. Get immediate medical attention. Do not give anything by mouth to an unconscious person.

Avoid contact with food. Rinse with water anything that will come in contact with baby's mouth. **KEEP OUT OF REACH OF CHILDREN.**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130F may cause bursting.

**NOT FOR RESALE  
FOR INDUSTRIAL USE ONLY**

**TO REORDER  
Call TOLL-FREE: 1-800-527-9921  
In Texas: 1-800-442-7950**

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100