

BEST AVAILABLE COPY

5197-63, PM-92, 1 of 2

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 5197-63	DATE OF ISSUANCE APR 23 1965
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT KEMTREET 8010	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ker Manufacturing Corporation
 2075 Tucker Industrial Road
 Tucker, GA 30084

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agen. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 5197-63" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 3(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

A. L. Castile
 A. L. Castile
 Product Manager (32)
 Disinfectants Branch
 Registration Division (WH-567C)

inclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

BEST AVAILABLE COPY

KEMTREET 8010

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 23 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5197-63

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethylamino) ethylene-
(dimethylamino) ethylene dichloride) 10.0 %

INERT INGREDIENT 90.0 %

This product contains 0.85 lb. of active ingredient per gallon and weighs
8.49 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KEMTREET 8010

and fungi in recirculating commercial and industrial air wash systems. Before use, to its use, systems must be cleaned to remove slimes, and other deposits. An initial slug addition of 4 fluid ounces of **KEMTREET 8010**

of water to provide a concentration of 48 **KEMTREET 8010**

in the system, is recommended. Repeat initial slug additions of 1.53

KEMTREET 8010 per 1000

120 parts per million of **KEMTREET 8010**

employed every 2 to 5 days, or as needed, upon the relative amount of bleedoff and the severity of the problem. Slug additions should be made in the

KEMTREET 8010 in the air-washing systems that maintain air flow

to its use, systems should be cleaned to remove deposits. An initial slug dose of 24.7

KEMTREET 8010

recommended. Repeat initial dosage until concentrations of 16.9 to 41.2 fluid ounces of

per 1000 gallons of water should be employed. Frequency of addition depends upon the relative severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking drums for disposal. Spills should be absorbed in sand or other inert material and disposed of in a sanitary landfill when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this pesticide should be disposed of in a sanitary landfill.

CONTAINER DISPOSAL:
PLASTIC: Triple rinse (or equivalent). Then offer for recycling or other recovery operations. If neither is available, burn in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.

METAL: Triple rinse (or equivalent). Then offer for recycling or other recovery operations. If neither is available, burn in a sanitary landfill, or by other procedures approved by state and local authorities.

Manufacturer

Kem Manufacturing Corp.

2075 Tucker Industrial

Tucker, GA 30084

EPA REG. NO. _____

NET CONTENTS _____

Mer Manufacturing Corporation
2075 Tucker Industrial Road
Tucker, GA 30084

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:


1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA Registration No. 5197-63" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to EPA-A-79 and insure for a further copy of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. (c). Your release for shipment of the product constitutes acceptance of these conditions.

A detailed copy of the label is enclosed for your review.



A. B. Attile
Branch Manager (32)
Disinfectants Branch
Registration Division (7-7-70)

TYPE OR PRINT

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

BEST AVAILABLE COPY

KEMTREET 8010

ACCEPTED
with COMMENTS
to EPA Letter Dated:

APR 23 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5197-63

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethylamino) ethylene-
(dimethylamino) ethylene dichloride) 10.0 %

INERT INGREDIENT 90.0 %

This product contains 0.85 lb. of active ingredient per gallon and weighs
8.49 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KEMTREET 8010 is used to control bacteria, algae, and fungi in recirculating commercial and industrial water systems. To its use, systems must be cleaned to remove slimes, and other deposits. An initial slug addition of fluid ounces of KEMTREET 8010 of water to provide a concentration of 48 KEMTREET 8010 per 1000 gallons of water is recommended. Repeat initial dosages of 1.53 KEMTREET 8010 per 1000 gallons of water are recommended every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the problem. Slug additions should be made in the summer months. KEMTREET 8010 is used for air-washing systems that maintain effective misting to its use, systems should be cleaned to remove deposits. An initial slug dose of 24.7 KEMTREET 8010 per 1000 gallons of water should be employed. Repeat initial dosage until control is achieved. Dosages of 16.9 to 41.2 fluid ounces of KEMTREET 8010 per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Lacking other instructions, store in a cool, dry place. Spills should be absorbed in sawdust or sand and disposed of in a sanitary manner when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be disposed of in a sanitary manner.

CONTAINER DISPOSAL:

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or other recovery operations, by incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.

METAL: Triple rinse (or equivalent). Then offer for recycling or other recovery operations, by incineration, or by other procedures approved by state and local authorities.

Manufactured by
Kem Manufacturing Corporation
2075 Tucker Industrial Road
Tucker, GA 30084

EPA REG. NO. _____ EPA

NET CONTENTS _____

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated

KENTREET 8010

APR 23 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
5197-63

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

KENTREET 8010

is used to control algae, bacteria,

and fungi in recirculating commercial and industrial water cooling tower systems. Prior to its use, systems must be cleaned to remove algal growth, microorganisms, and other deposits. An initial slug addition of 6.13 to 15.32 fluid ounces of **KENTREET 8010** per 1000 gallons of water to provide a concentration of 4.8 to 120 parts per million of **KENTREET 8010** based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.53 to 15.32 fluid ounces of **KENTREET 8010** per 1000 gallons of water (12 to 120 parts per million of **KENTREET 8010**) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of biofouling and the severity of the microbiological problem. Slug additions should be made in the sum of water cooling towers.

KENTREET 8010 is used to control bacteria in industrial air-washing systems that maintain effective mist abating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 26.7 to 41.2 fluid ounces of **KENTREET 8010** per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 16.9 to 41.2 fluid ounces of **KENTREET 8010** per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of biofouling and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store more than four drums (4). Labeling or damaged drums should be placed in separate drums for disposal. Spills should be absorbed in sand and disposed of in a sanitary landfill. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or burning and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or purchase and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Manufactured by:

Kem Manufacturing Corporation

2075 Tucker Industrial Road

Tucker, GA 30084

EPA REG. NO. _____

EPA EST. NO. _____

NET CONTENTS _____

ACTIVE INGREDIENT:

Poly(methylene (dimethylamino) ethylene-
(dimethylamino) ethylene dichloride) 10.0 %

INERT INGREDIENT 90.0 %

This product contains 0.85 lb. of active ingredient per gallon and weighs 8.49 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.


Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 5605-190" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


A.E. Castillo
Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE