

PURPOSE: To reduce the degreening time of citrus fruit when used in combination with ethylene gas, Refer to Bregdex Co. Bulletin 'C. ck Color and Vaporizer' for detailed instructions,

Directions:

Use two quarts of QUICK COLOR for each 1000 cubic feet of space in the coloring room. Use of QUICK COLOR dispensor and vaporizer are recommended. If not available, QUICK COLOR may be vaporized from cloth pads have in shallow trays. Keep doors and vents closed for 24 hours for best results, Room should be moderately tight with fans or other means of air circulation. Open doors and vents and allow air to circulate through chamber until odor of QUICK COLOR has completely disappeared before re-entering.

KEEP OUT OF REACH OF CHILDREN WARNING! Vapor Harmful

Keep the container closed. Avoid breathing Vapor, Avoid prolonged or repeated, contact with the skin. Harmful if swallowed.

ACTIVE INGREDIENTS

1,1,1-trichtorethane Methylene dichloride 50.63 % 49 37 %

Gallens

Net Contents

BROGDE X

1441 West Second Street, Pomona California

EPA Reg. No. 5202-4

. ,

EPA EST - 3207-CA-1

Folia 101-19



PURPOSE: To reduce the degreening time Refer to Brogdex Co. Bulletin 'Quick Col

Use two quarts of QUICK COLOR f Use of QUICK COLOR dispensor and vo COLOR may be vaporized from cloth p closed for 24 hours for best results. Ro means of air circulation. Open doors of until odor of QUICK COLOR has comp

KEEP OUT OF WARNIN

Keep the container closed. Avoid contact with th

1,1,1-trichloretha

AC

Methylene dichlor

Net Contents

1441 West Se

EPA Reg. No. 5202-4