

ACCEPTED
Dec 11 1970

ATTACHED STAMPS

MURPHY SARCOPTIC MANGE AND LICE OIL

In dipping tanks Murphy's Sarcop-
tic Mange and Lice Oil may be flood-
ed on top of water to a depth of 6 to
8 inches. Heads should be immersed
at least once while animals are swim-
ming through dipping tank, in an effort
to get oil into the ears. Water and oil
may be replenished as pigs will re-
move approximately 1 to 1 1/2 pts., and
hogs approximately 1 qt. of liquid
from the dipping tank during the dip-
ping process.

In large wallows 1 pt. per pig and
1 qt. per hog of Murphy's Sarcop-
tic Mange and Lice Oil should be added
to the water.

If desired, Murphy's Sarcop-
tic Mange and Lice Oil (for second and
third application) may be diluted one-
half with cylinder oil that does not
contain ingredients that may irritate
or blister the skin. Must not be diluted
with kerosene or gasoline.

USDA Registration No. 5212-1

ACTIVE INGREDIENTS 100%
Mineral Oil 99%
Sulphur 1%
INERT INGREDIENTS NONE

CAUTION KEEP OUT OF REACH OF CHILDREN

Keep clean herds away from mange and lice infested animals. Dipping is to be avoided in cold weather; do not allow the animals to become chilled. Avoid over-exertion, and exposing to direct sunlight, for at least 24 hours after oiling. Dipping tanks and wallows should be shaded to avoid over-heating the water that has been covered by oil. Supply ample drinking water so that animals will not drink the oil covered water in dips and wallows. Dipping tanks and wallows should be kept clean of mud and refuse. Sows heavy with pigs and very small pigs should not be dipped; the sprinkling can method or applications with mop or brush are advisable.

SUGGESTED METHODS OF CONTROLLING SARCOPTIC MANGE AND HOG LICE

Closely confine hogs in a pen or yard that has been bedded with clean straw sprinkled with Murphy's Sarcop-
tic Mange and Lice Oil. Rub on the ani-
mals with brush, rag or mop; spraying
against the hair; or applying with a
sprinkling can. Be sure the oil reaches
all areas, especially in and around the
ears, neck, head, and under the legs.
Crowding the animals in a small area
aids in spreading the oil over all parts
of their bodies by bodily contact with
other animals. Three administrations,
ten days apart, is advisable.

Application to the entire herd may
be made occasionally with the sprin-
kling can method. Rubbing posts can
be wrapped with burlap that has
been soaked with Murphy's Sarcop-
tic Mange and Lice Oil. May also be used
in hog oilers.

(Continued on Other Side)

MANUFACTURED FOR

MURPHY PRODUCTS COMPANY • BERLINGTON, WISCONSIN

W.A.