

DETERGENTS DISINFECTANTS



maid-easy OXYGEN STAIN REMOVERS

MITCHELL MANUFACTURING CORP.

Box 66, Rt. 91, Wood River Jct., R.I. 02894

401-364-7731

MITCHELL

HOSPITAL LAUNDRY BACTERIOSTAT

DANGER:

Keep Out of Reach of Children

See Right Panel for Additional Cautions

Active Ingredients


tetradecyl (C14) dimethyl benzyl ammonium chloride	5.0%
dodecyl (C12) dimethyl benzyl ammonium chloride	4.0%
hexadecyl (C16) dimethyl benzyl ammonium chloride	1.0%
ethylene diamine tetraacetic acid	0.5%
Inert Ingredients	89.4%

MANUFACTURED BY

MITCHELL MANUFACTURING CORP. 9 1973

Route 91, Box 66, Wood River Junction, Rhode Island 02894

CONTENTS



EPA Reg. No. 5225-3

DIRECTIONS FOR HOSPITAL LAUNDRY

To render bed linens, diapers and towels bacteriostatic:

1. All soap or detergent must be thoroughly rinsed and the sour bath dumped.
2. With about 4" water level in wash wheel at temperature low enough to pull load, add 3 to 5 ounces Bacteriostat for each 100 lbs. linens and run 5 to 10 minutes. Do not rinse after using Bacteriostat.

Do not use with soap or anionic detergent.

Rinse empty container thoroughly with water before discarding.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.