


MOCK SEED COMPANY

wholesalers · importers · processors



Specializing in seed, fertilizers and chemical materials for planting and maintaining lawns, golf courses, and other turfgrass areas.

13th & SMALLMAN STS. PITTSBURGH 30, PA. Telephone: Atlantic 1-3193 1-3194.

Rear panel Weed-L-Izer bag RECEIVED

Mock's Superturf Weed-L-Izer Jul 16 1967

14-7-7

Guaranteed Analysis Fertilizer Component 52331

Total Available Nitrogen.....	14%
Water Insoluble Natural organic nitrogen	3.50%
Water soluble nitrogen.....	2.10%
Water Insoluble Ureaform nitrogen.....	8.40%
Total available phosphoric acid.....	7%
Soluble potash.....	7%
Potential Acidity 340 Lbs Calcium Carbonate	
Active Herbicidal Ingredients	
Sodium 2,4-Dichlorophenoxyacetate Monohydrate....	1.25%
Equivalent to 1.056% of 2,4-dichlorophenoxyacetic acid	
Inert Ingredients	
Fertilizer, per above formula.....	98.75%
TOTAL.....	100.00%

Mock's Superturf Weed-L-Izer is a carefully formulated combination of 2,4-D weed killer and a special turfgrass fertilizer, designed for the most efficient control of broadleaf weeds in lawns. The weed killer will quickly destroy many broadleaf weeds, while the fertilizer will stimulate the growth of lawn grasses, thus filling in vacant spots formerly occupied by weeds, and encouraging a more uniform, weedfree turf.

RATE OF APPLICATION: This 25 pound bag will treat 5,000 feet of mature lawn area.

SPREADER SETTINGS:


Mock's --- 6 Lawn Beauty --- 6 Scotts --- 3

The above settings are approximate. For greater accuracy, measure out 100 square feet, and adjust your spreader to apply exactly one half pound (8 ounces). Rate of walk, moisture content, and spreader condition can vary the setting necessary to apply the correct amount.

HOW TO USE: Choose a warm day when there is little or no wind, and the lawn is growing well. (Spring or fall is best.) The grass blades should be dry, and the lawn should not have been mowed for two or more days before application. Use the marks made by the wheels of your spreader as a guide for even

MOCK SEED COMPANY

wholesalers · importers · processors



Specializing in seed, fertilizers and chemical materials for planting and maintaining lawns, golf courses, and other turfgrass areas.

13th & SMALLMAN STS. PITTSBURGH 30, PA. Telephone: Atlantic 1-3193 1-3194

Rear panel Weed-L-Izer -3-

distribution, overlapping slightly. Do not water for 24 hours after application.

KINDS OF WEEDS CONTROLLED: This product will control many broadleaf weeds; dandelion, plantain, lambs quarters, chicory, ground ivy, wild garlic and onion, and many others. Some weeds require two or three applications, two weeks apart. This product will not control "grass type" weeds, such as crabgrass, nimblewill or tall fescue.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes, or skin as 2,4-D causes skin irritation. Do not use on newly seeded lawns, white clover lawns, bentgrass or immediately after mowing. Avoid application on young grass that is less than six months old. Do not use in extremely hot, dry weather. Do not use more than recommended amounts. Avoid drift to susceptible trees, flowers and shrubs. Do not apply when wind is blowing. Do not store near other fertilizers, seeds, insecticides or fungicides.

MOCK SEED COMPANY, Pittsburgh, Pa. 15230

