

**TCL****CHLORINE SANITIZER****STABLE • SOLUBLE • SANITIZER • BACTERICIDE**ACTIVE INGREDIENT: Sodium Dichloro-s-triazinetriene ..... 20.84%  
(Sodium Dichloroisocyanurate)

\*INERT INGREDIENTS ..... 79.16%

\*Including Water Softening Agent

**YALE CHEMICAL CO.****NASHVILLE, TENNESSEE****DANGER****DANGER****KEEP OUT OF REACH OF CHILDREN ..****Read Antidote and Other Warning Statements on Back Panel.****NET WEIGHT 5 LBS.****Available Chlorine 12½ %****DIRECTIONS****TCL****SANITIZER**

Dissolve 1 oz. (2 tablespoonfuls) in 10 gallons water for 100 ppm available chlorine solution, or 1 tablespoonful in 5 gallons water.

All equipment and parts must be thoroughly cleaned before sanitizing. For all utensils and equipment use 100 ppm solution to sanitize, immediately before use. Allow sanitizing solution to remain in contact with surfaces for 2 minutes.

Follow the recommendations of your local health department.

**DANGER****ANTIDOTE — INTERNAL, CALL A PHYSICIAN. DRINK RAW EGG WHITES, MILK OR GRUEL, FOLLOW WITH EMETIC (TABLESPOONFUL MUSTARD IN GLASS OF WATER).****DANGER: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED—IRRITATING TO EYES, SKIN AND LUNGS****MAY CAUSE BURNS OR DAMAGE TO THE EYES. DO NOT GET IN EYES OR ON SKIN. IF CONTACT WITH EYES OCCURS FLUSH WITH PLENTY OF WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION. IF CONTACT WITH SKIN OCCURS FLUSH WITH WATER. AVOID CONTAMINATION OF FOOD.**

Keep package closed. Store in cool dry place. Strong oxidizing agent. Do not allow to come into contact with acids, combustible or oxidizable material. Will burn with evolution of chlorine and equally toxic gases. Do not mix with cleaners or other sanitizers. If spilled flush with hose. Avoid breathing dust. Do not take internally. Keep out of reach of children.

**ACCEPTED**

Feb/1/72

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 5185-266