

**DIRECTIONS:**

ALL EQUIPMENT AND PARTS MUST BE THOROUGHLY CLEANED BEFORE SANITIZING.

FOR DAIRY FARM UTENSILS CLEANED BY HAND. SANITIZE IMMEDIATELY BEFORE USE WITH FRESH 200 ppm TCL SOLUTION.

FOR PIPE LINES AND OTHER C.I.P. EQUIPMENT. SANITIZE JUST BEFORE USE WITH 100 ppm TCL SOLUTION. CONCENTRATION SHOULD NOT FALL BELOW 50 ppm AT ANY TIME.

DAIRY PLANT EQUIPMENT C.I.P. SANITIZE WITH 100 ppm SOLUTION AS ABOVE.



SOLUBLE CHLORINE BEARING POWDER  
NON PRECIPITATION

ACTIVE INGREDIENTS: 10% AVAILABLE CHLORINE  
INERT INGREDIENTS: 90%

NET WEIGHT 5 LBS. (2.27 KG.)

FOR USE IN WATER TREATMENT PLANTS

**SANITIZER • BACTERICIDE**

YALE CHEMICAL COMPANY NASHVILLE, TENN.

NET WEIGHT 5 LBS. (2.27 KG.)  
NON CORROSIVE

FOR SPRAY SANITIZING USE 200 ppm SOLUTION.

FOR SANITIZING GLASSES, SILVERWARE, DISHES, ETC., USE 100 ppm AVAILABLE CHLORINE. Test solution and add additional TCL if concentration falls to 50 ppm. The laws of some states require that utensils and equipment remain in contact with sanitizing solution for 2 minutes. Follow the recommendations of your local Health Department.

FOR SWIMMING POOLS USE 3 OZS. OF TCL FOR EACH 2,500 GALLONS OF WATER TO GIVE 1 ppm AVAILABLE CHLORINE. CONSULT YOUR LOCAL HEALTH DEPARTMENT FOR THEIR RECOMMENDATIONS.



SOLUBLE CHLORINE BEARING **POWDER** NON-PRECIPITATION

ACCEPTED

Dec/22/1960

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 5243-4

### DILUTION CHART

SOLUTION STRENGTH AMOUNT OF TCL AND WATER	
100 ppm *	1 TABLESPOONFUL TO 4 GALLONS OF WATER 1 OUNCE TO 8 GALLONS OF WATER
200 ppm *	2 TABLESPOONFUL TO 4 GALLONS OF WATER 2 OUNCES TO 8 GALLONS OF WATER

THIS PRODUCT SHOULD BE LABELED "POISON" BECAUSE IT CONTAINS MORE THAN 10% AVAILABLE CHLORINE. THE USE SOLUTIONS ARE NOT CLASSIFIED AS POISONOUS.

# POISON

ANTIDOTE - INTERNAL, CALL A PHYSICIAN. DRINK RAW EGG WHITES, MILK OR GRUEL, FOLLOW WITH EMETIC (TABLESPOONFUL MUSTARD IN GLASS OF WATER).  
EXTERNAL, WASH WITH WATER.

**CAUTION: IRRITATING TO EYES, SKIN AND LUNGS.**

KEEP PACKAGE CLOSED. STORE IN A COOL DRY PLACE. CONTACT WITH ORGANIC MATTER MAY CAUSE FIRE. WILL BURN WITH EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. DO NOT MIX WITH CLEANERS OR OTHER SANITIZERS. IF SPILLED FLUSH WITH HOSE. AVOID BREATHING DUST.