

20-10-5

TEXACO

TEXACO

Nu-turf



Feeds Lawns and Controls Weeds  
as PLANTAIN-DANDELION-BUCKHORN

COVERS 5,000 SQ. FT. (50'x100')

ACTIVE INGREDIENTS	
Dimethylamine Salts of	
2,4-Dichlorophenoxyacetic Acid.....	0.94%
Isortyl Ester of Silver	
(2-(2,4,5-Trichlorophenoxy) Propionic Acid)**	0.58%
INERT INGREDIENTS.....	98.48%
Total	100.00%

\*Equivalent to 78% 2,4-Dichlorophenoxyacetic Acid  
\*\*Equivalent to 41% Silver

CAUTION: Keep out of reach of children - see other caution on back panel.  
EPA Reg No 5200-55-011

NET WEIGHT 22 LBS.

FEED & WEED



20-10-5

Jan. 16,

**Nu-turf**  
**20-10-5**  
**FEED & WEED**

MINIMUM GUARANTEED ANALYSIS

LAWN FOOD	
Total Nitrogen (N)	20.00%
4.0% Ammoniacal Nitrogen 16.0% Urea Nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	10.00%
From Phosphoric Acid	
Soluble Potash (K <sub>2</sub> O)	5.00%
From Murate of Potash	
Potential acidity 900 lbs. calcium carbonate equivalent per ton.	
HERBICIDAL	
ACTIVE INGREDIENTS	
Dimethylamine Salts of	
2,4-Dichlorophenoxyacetic Acid*	0.94%
Isortyl Ester of Silver	
(2-(2,4,5-Trichlorophenoxy) Propionic Acid)**	0.58%
INERT INGREDIENTS	98.48%
Total	100.00%

\*Equivalent to 78% 2,4-Dichlorophenoxyacetic Acid  
\*\*Equivalent to 41% Silver

A Product of  
**FEDERAL CHEMICAL COMPANY**  
LOUISVILLE, KENTUCKY 40202  
A Subsidiary of TEXACO INC.

**INSTRUCTIONS**

This product is a 20-10-5 formula lawn feed for feeding grasses while controlling broad leaf weeds such as dandelion, plantain, buckhorn, pigweed, ragweed, sorgrass and many others. Can be used in Spring, Summer and Fall. Best results will be obtained when weeds are growing vigorously.

1. Spread the contents of this bag over 5000 sq. ft.
2. Apply when grass is wet from dew or sprinkling.
3. Do not apply when rain is predicted and do not water the lawn for 24 hours after application.
4. Do not treat new lawns until after third mowing.
5. Do not apply on windy days to avoid drift to surrounding plants.
6. Avoid application around or near evergreens, shrubs and other flowering plants.

**CAUTION**

Avoid contact with skin, eyes or clothing. Avoid inhalation and contamination of foodstuffs. Wash hands after use. Do not apply to flowers, vegetables or ornamentals. Do not apply to St. Augustine grass, bent grass, clover or Dichondra. Store away from seeds, feeds, fertilizers, insecticides and fungicides. Avoid contamination of irrigation ditches or water used for domestic purposes. Vapors from this product may injure susceptible plants in the immediate vicinity. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not reuse container. Destroy by burying in a safe place away from water supplies. Do not burn.

**SUGGESTED SPREADER SETTINGS**

CENTRAL	6	JACKSON	5	MARS	6
CYCLONE	5	MODERN 107	2	VAUGHAN 10	4
GREENWORLD 105	7	SCOTTS	6	WARDS	6

These spreader settings are suggested as a guide in applying this material. They are in no sense a guarantee of exact application, inasmuch as type, condition of spreader, speed of operation and roughness of terrain can cause variation in rates applied.

Copy for Lawn Master 20-10-5 Weed & Feed Bag:

Front of Bag:


Covers 5000 Sq. Ft. (50' x 100') \$5.45

LAWN MASTER  
WEED and FEED

Fertilizer Grass  
Controls Weeds

20-10-5  
Weed & Feed

Ingredient Statement  
Herbicide



Active Ingredients

Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid\* ----- 1.00%  
Inert Ingredients relative to Herbicide ----- 99.00%  
Total ----- 100.00%

\*Equivalent to 0.83% 2,4-Dichlorophenoxyacetic acid

CAUTION: (16 point caps) Keep out of reach of children. See other  
warnings on back panel. (12 point type)

U.S.D.A. Reg. No. 5288-56

Back of Bag:

Net Weight 22 Lbs.

LAWN MASTER  
WEED & FEED  
20-10-5

Ingredient Statement  
Herbicide

Active Ingredients

Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid\* ----- 1.00%  
Inert Ingredients relative to Herbicide ----- 99.00%  
Total ----- 100.00%

\*Equivalent to 0.83% 2,4-Dichlorophenoxyacetic acid

Guaranteed Analysis  
Fertilizer

Total Nitrogen (%) ----- 20.00%

4.00% Ammoniacal Nitrogen

16.00% Urea Nitrogen

Available Phosphoric Acid (%) ----- 10.00%

From Phosphoric Acid

Available Potash (%) ----- 5.00%

From Potash

Potential acidity 4.00 lbs. calcium carbonate equivalent per ton

GENERAL CHEMICAL CO. PAMM  
Louisville, Kentucky

INSTRUCTIONS

This product is formulated to provide a complete feeding for grasses while  
suppressing broad leaf weeds such as dandelion, plantain, buckhorn,  
pigweed, ragweed, goosegrass and many others. It can be used in Spring,  
Summer and Fall. Best results will be obtained when weeds are present  
visibly.

(over)