

Label of Lawn Fester 25-1 - to Used & Feed continued:


1. Spread the contents of this bag over 5000 sq. ft.
2. Apply when grass is wet from dew or sprinkling.
3. Apply when temperature is 70° F. or higher.
4. Do not apply when rain is predicted and do not water the lawn for 24 hours after application.
5. Do not treat one lawn until after third mowing.
6. Do not apply on windy days to avoid drift to surrounding plants.

Use spreader setting No. 9 for most push type spreaders

	Regular	Double
Lawn Beauty Spreader	6 1/2	7 1/2
Jackson Spreader	8 1/2	7
Scotts Spreader	6	9
N. K. Spreader	4	9

CAUTION

Avoid contact with skin, eyes or clothing. Avoid inhalation and contamination of foodstuffs. Wash hands after use. Do not apply to flowers, vegetables or ornamentals. Do not apply to bent grasses or Dichondra. Keep away from roads, feeds, fertilizers, insecticides and fungicides. Avoid contamination of irrigation ditches or water used for domestic purposes.



Copy of General Green Crabgrass Control Bag

Front of Bag:

Covers 2000 Sq. Ft. (40' x 50')

GENERAL
GREEN

Contains
Dacthal (R)

ACCEPTED

FEB 23 1971

Dacthal (R) Dacthal (R)

FUNGICIDE AND BUDOTIUSIN

FOR LEAF AND ROOT ROT

ED UNDER 05211-65

TO ATTACHED COMMENTS

CRABGRASS CONTROL

(R) Registered Trade
Mark of Diamond
Alkali Co.

Stops Crabgrass
Before it Starts

Apply late winter, spring

Ingredient Statement

Herbicide

Active Ingredient

Dimethyl ester of tetrachloroterephthalic acid*	-----	4.60%
Inert ingredients	-----	95.40%
Total	-----	<u>100.00%</u>

*Dacthal (R) registered trade mark of Diamond Alkali Company and licensed for use as a pre-emergence herbicide under U. S. Patent No. 2923634.

CAUTION: (18 point caps) Keep out of reach of children. See other cautions on back panel. (12 point letters)

U. S. D. A. Reg. No. 5288-61


Net Weight 10 Lbs.

Back of Bag:

Net Weight 10 Lbs.

GENERAL GREEN
CRABGRASS CONTROL

INGREDIENT STATEMENT
HERBICIDAL



ACTIVE INGREDIENT

Dimethyl ester of tetrachloroterephthalic acid* ----- 4.60%

INERT INGREDIENTS ----- 95.40%

Total ----- 100.00%

*Dacthal (R) registered trade mark of Diamond Alkali Company and licensed for use as a pre-emergence herbicide under U. S. Patent No. 2923634.

FEDERAL CHEMICAL COMPANY
Louisville, Kentucky

Stops Crabgrass Before it Starts
Apply late winter, spring

Also controls seedlings of common chickweed, Texas millet, Fall panicum, hairy crabgrass, purslane, carpetweed, green foxtail, Johnson grass, witch grass and lambs quarter.

INSTRUCTIONS

1. Rake up and remove debris and dead grass so that lawn is clean.
2. Apply before crabgrass seed germinates.
3. Spread the contents of this bag over 2,000 sq. ft. (40' x 50').
4. Delay seeding of lawn grass seed 60 days after spreading General Green Crabgrass Control to insure maximum germination of lawn grass seed.
5. Do not apply newly seeded areas until grasses have exhibited greening or preferably after first mowing.
6. Avoid raking lawn after application so as to maintain maximum cover and uniform distribution over all areas.
7. Lawn fertilizer may be applied before or after spreading crabgrass control.
8. Do not apply Dichondra.

Use spreader setting No. 4 for most push type spreaders

Lawn Beauty Spreader	5
Jackson Spreader	3
Scotts Spreader	4
N. K. Spreader	5

CAUTION

Avoid contamination of food, feedstuff, fish ponds, streams, irrigation ditches and water used for domestic purposes. Do not take internally. Avoid contact with skin and eyes. Wash with soap and water after using. Keep children and pets off treated areas until the product has been washed off the grass by sprinkling or rain. Do not reuse bag. Destroy when empty.