

(2-(2,4,5-Trichlorophenoxy) Propionic Acid)**	0.58%
INERT INGREDIENTS relative to Herbicide	98.48%
Total.....	100.00%

*Equivalent to .78% 2,4 Dichlorophenoxyacetic Acid
 **Equivalent to .41% Silver

A Product of
FEDERAL CHEMICAL COMPANY
 LOUISVILLE, KENTUCKY 40202
 A Subsidiary of TEXACO INC

INSTRUCTIONS

This product is a 20-10-5 formula lawn food for feeding grasses while controlling broad leaf weeds such as dandelion, plantain, buckhorn, pigweed, ragweed, sourgrass and many others. Can be used in Spring, Summer and Fall. Best results will be obtained when weeds are growing vigorously.

1. Spread the contents of this bag over 5000 sq. ft.
2. Apply when grass is wet from dew or sprinkling.
3. Do not apply when rain is predicted and do not water the lawn for 24 hours after application.
4. Do not treat new lawns until after third mowing.
5. Do not apply on windy days to avoid drift to surrounding plants.
6. Avoid application around or near evergreens, shrubs and other flowering plants.


CAUTION

Avoid contact with skin, eyes or clothing. Avoid inhalation and contamination of foodstuffs. Wash hands after use. Do not apply to flowers, vegetables or ornamentals. Do not apply to St. Augustine grass, bent grass, clover or Dichondra. Store away from seeds, feeds, fertilizers, insecticides and fungicides. Avoid contamination of irrigation ditches or water used for domestic purposes. Vapors from this product may injure susceptible plants in the immediate vicinity. This product is toxic to fish. Keep out of lakes, streams or ponds.

SUGGESTED SPREADER SETTINGS

SEARS	6	WARDS	6 1/2
SCOTTS	6	CENTRAL	6
GREENFIELD 105	7	ACE 20"	5
CYCLONE	5	McDERM 18"	2
JACKSON	5 1/2	VAUGHAN 18"	4

These spreader settings are suggested as a guide in applying this material. They are in no way a guarantee of exact application, as much as age, condition of spreader, speed of operation and roughness of terrain may cause variation in rates applied.



50 POUNDS NET WEIGHT

**12-4-8
TURF FERTILIZER
WITH WEED CONTROL**

LAKESHORE 12-4-8 TURF FERTILIZER with WEED CONTROL is a combination of a quality fertilizer and highly effective broadleaf herbicides that can be used to control unsightly weeds in Bluegrass, Ryegrass, Fescue, Bermuda or Zoysia lawns. This product is especially effective in controlling hard to kill weeds such as Chickweed, Knotweed, Spotted Spurge, Oxalis, Henbit, Black Magic and Sheep Sorrel. In addition to these, it will control most other common broadleaf weeds including Dandelions, Plantain, Buckhorn, Ground Ivy and Purslane.

DIRECTIONS FOR USE

Apply 360 pounds per acre or one fifty (50) pound bag to 6,000 square feet (60 x 100) of turf area. (See suggested spreader settings below). At this rate of application, one ton of LAKESHORE 12-4-8 TURF FERTILIZER with WEED CONTROL will cover 5.5 acres which will supply a minimum of three (3) pounds of herbicidal acid per acre and one (1) pound of nitrogen per 1,000 square feet of lawn area. For best results, the product should be applied when the weeds are growing vigorously which is usually in the spring and early fall of the year during periods of adequate soil moisture. Do not rake, mow or water the turf for at least twenty four (24) hours after applying this product. Avoid application just prior to expected showers or heavy rains. Do not apply to newly seeded lawns. Delay application until after the third or fourth mowing.

SUGGESTED SPREADER SETTINGS

<u>BRAND</u>	<u>SETTING</u>
Cyclone Model - B	No. 5
Gandy Turf Tender	No. 38

ACCEPTED
NOV 7 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE
FOR ECONOMIC POISON REGIST
ED UNDER NO. 55-85 8000
~~TO ATTACHED COMMENTS.~~

12-4-8

will control most other common broadleaf weeds including Dandelions, Plantain, Buckhorn, Ground Ivy and Purslane.

DIRECTIONS FOR USE

Apply 300 pounds per acre or one fifty (50) pound bag to 6,000 square feet (60 x 100) of turf area. (See suggested spreader settings below). At this rate of application, one ton of LAKESHORE 12-4-8 TURF FERTILIZER with WEED CONTROL will cover 5.5 acres which will supply a minimum of three (3) pounds of herbicide per acre and one (1) pound of nitrogen per 1,000 square feet of lawn area. For best results, the product should be applied when the weeds are growing vigorously which is usually in the spring and early fall of the year during periods of adequate soil moisture. Do not rake, mow or water the turf for at least twenty four (24) hours after applying this product. Avoid application just prior to expected showers or heavy rains. Do not apply to newly seeded lawns. Delay application until after the third or fourth mowing.

SUGGESTED SPREADER SETTINGS

<u>BRAND</u>	<u>SETTING</u>
Cyclone Model - B	No. 5
Gandy Turf Tender	No. 38
O. M. Scott Rotary	"L"

These suggestions are for your guidance in spreading and are in no sense a guarantee of exact application. Age, condition of spreader, speed of operation and roughness of terrain can cause variations in the rate applied. Always check spreader calibration for accuracy, on test area, prior to use.

CAUTION

HUMAN SAFETY

Avoid contact with skin, eyes or clothing. Avoid inhalation and contamination of food-stuffs. Wash hands after use. Avoid contamination of irrigation ditches or water used for domestic purposes. Store away from children and domestic animals. May be harmful if swallowed.

VEGETATIVE SAFETY

Do not use on Bentgrass or St. Augustine grass as injury may result. Do not use on Clover or Bichondra. Vapors from this product may injure susceptible plants in the immediate vicinity. Avoid drift of dust to desirable plants.


FISH, WILDLIFE, AND ENVIRONMENTAL SAFETY

Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Store away from seeds, feeds, fertilizers, insecticides and fungicides.

IMPORTANT

DO NOT REUSE CONTAINER; DESTROY WHEN EMPTY; DO NOT BURN

DISTRIBUTED BY
LAKESHORE EQUIPMENT AND SUPPLY CO.
CLEVELAND, OHIO 44102
BLOOMINGBURG, OHIO 43106



2-4-8
TURF FERTILIZER
WITH WEED CONTROL

A LONG LASTING
CONTAINING A C

LAKESHORE EQUIPMENT



50 P

HT

ER
OL

ombination of a
used to control
wns. This prod-
eed, Knotweed,
tion to these, it
Plantain, Buck-

feet (60 x 100)
application, one
cover 5.5 acres
acre and one (1)
rs, the product
ly in the spring
not rake, mow
product. Avoid
to newly seeded



ACCEPTED

NOV 7 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 355-85 SUBJECT
TO ATTACHED COMMENTS.

12-4-8

12-4-8

TURF FERTILIZER

WITH WEED CONTROL

**A LONG LASTING CHEMICALLY COMBINED GRANULAR FERTILIZER
CONTAINING A COMBINATION OF HIGHLY EFFECTIVE HERBICIDES.**

GUARANTEED ANALYSIS

12-4-8 TURF FERTILIZER WITH WEED CONTROL