



DUROVAP

FOR PEST CONTROL OPERATORS ONLY

ACTIVE INGREDIENTS

Chlorpyrifos [O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	23.4%
DDVP (2, 2-dichlorovinyl dimethyl phosphate)	10.9%
Related compounds	.8%
Aromatic Petroleum Derivative Solvent	54.2%

INERT INGREDIENTS

Contains 2 pounds chlorpyrifos (U.S. Patent Number 3,244,586) and 1 pound Vapona[®] insecticide (Trademark of Shell Chemical Company) per gallon.

EPA Reg. No. 5316-44-AA

DANGER  **POISON**
KEEP OUT OF REACH OF CHILDREN
 (See antidote statement and other precautions on the back/side panel)

NET CONTENTS

Manufactured By
NAMCO CHEMICALS
 (A Subsidiary of Allied Equities Corp.)
 765 Landess Avenue, Milpitas, California
 Fresno — Honolulu — Monrovia — Phoenix — Portland
 Sacramento — Watsonville

Apply only as specified on this label

DIRECTIONS

This concentrate may be diluted with either water or a low odor kerosene to obtain an insecticidal spray that controls both resistant and non-resistant cockroaches in and around residential and commercial buildings, including homes, apartment buildings, stores, warehouses and similar structures.

See PRODUCT BULLETIN(s) for additional uses. For a 0.5% chlorpyrifos and 0.25% Vapona insecticidal spray, mix 2 1/3 fl. oz. per gallon of water or 2 fl. oz. per gallon of low odor kerosene. A 0.25% chlorpyrifos and 0.125% Vapona spray may be formulated by mixing 1 1/3 fl. oz. per gallon of water or 1 fl. oz. per gallon of low odor kerosene. Use the higher concentration to quickly reduce heavy cockroach infestations and the lower concentration on light infestations.

Use as a spot treatment by applying as a coarse spray or with a paint brush, to areas where cockroaches normally are found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets, and around drainpipes. Remove pets and cover fish bowls before spraying. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they have become contaminated by the application of the product. Repeat treatment as needed.

DANGER



POISON

Poisonous if swallowed, inhaled or absorbed through skin or eyes. May be injurious to skin or eyes. Do not get on skin, eyes or clothing. Do not breathe vapors or spray mist. Handle concentrate in ventilated area. Do not wear contaminated clothing. Keep away from food, feedstuff, and water supplies. Wear natural rubber gloves, protective clothing and goggles. Wear mask or respirator of a type found by the U.S. Bureau of Mines to give adequate protection against DDVP (Vapona). Keep all unprotected persons out of operational area. Do not apply to areas that will be contacted by children. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking.

FIRST AID/ANTIDOTE: EXTERNAL: For skin, remove patient from the vicinity of the insecticide, remove all contaminated clothing and personal articles, and wash skin thoroughly with soap and running water. For eyes, flush thoroughly with water. **INTERNAL:** If swallowed, induce vomiting immediately! This may be done by introducing a finger into the throat or by giving warm salt water (1 tbs. of salt to a glass of water). Never give anything by mouth to an unconscious person. **START ARTIFICIAL RESPIRATION IMMEDIATELY IF PATIENT IS NOT BREATHING!** [Seek medical attention if this material is taken internally, contacts the eye, or when there is substantial contact with the skin — regardless of whether the following warning symptoms appear: weakness, headache, tightness in chest, blurred vision, non-reactive pupils, salivation, sweating, nausea, vomiting, diarrhea, abdominal cramps.] **NOTE TO PHYSICIAN:** The active ingredients in this product are cholinesterase inhibitors. Treat symptomatically. Atropine and 2-PAM are antidotal. Morphine is contraindicated. Clear chest by postural drainage. Observe patient closely for 48 hours.

NOTE: As repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of cholinesterase inhibitors, allow no further exposure until cholinesterase regeneration has occurred (as determined by blood test).

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store near heat or open flame. Keep container closed.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where permitted, destroy this container by perforating or crushing and then burying or discarding in a safe place away from water supplies. Empty drums may be sent to an approved reconditioner.


FISH AND WILDLIFE: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply, use, store, handle only as specified on this label or in appropriate PRODUCT BULLETIN(s). Buyer/User may be subject to civil and/or criminal penalties for failure to observe the label directions and precautions.

NAMCO CHEMICALS makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label or appropriate PRODUCT BULLETIN(s).

NAMCO[®], trademark of NAMCO CHEMICALS

550-133



DUROVAP

FOR PEST CONTROL OPERATORS ONLY

ACTIVE INGREDIENTS

Chlorpyrifos [O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	23.4%
DDVP (2, 2-dichlorovinyl dimethyl phosphate)	10.9%
Related compounds	.8%
Aromatic Petroleum Derivative Solvent	54.2%

INERT INGREDIENTS

10.7%
Contains 2 pounds chlorpyrifos (U.S. Patent Number 3,244,586) and 1 pound Vapona® insecticide (Trademark of Shell Chemical Company) per gallon.

EPA Reg. No. 5316-44-AA

DANGER  **POISON**
KEEP OUT OF REACH OF CHILDREN
(See antidote statement and other precautions on the back/side panel)

NET CONTENTS

Manufactured By
NAMCO CHEMICALS
(A Subsidiary of Allied Squirt Corp.)
786 Landess Avenue, Milpitas, California
Pacifica - Menlo Park - Menards - Phoenix - Portland
Sacramento - Watsonville

Apply only as specified on this label

DIRECTIONS

This concentrate may be diluted with either water or a low odor kerosene to obtain an insecticidal spray that controls both resistant and non-resistant cockroaches in and around residential and commercial buildings; including homes, apartment buildings, stores, warehouses and similar structures.

See PRODUCT BULLETIN(s) for additional uses. For a 0.5% chlorpyrifos and 0.25% Vapona insecticidal spray, mix 2 1/4 fl. oz. per gallon of water or 2 fl. oz. per gallon of low odor kerosene. A 0.25% chlorpyrifos and 0.125% Vapona spray may be formulated by mixing 1 1/2 fl. oz. per gallon of water or 1 fl. oz. per gallon of low odor kerosene. Use the higher concentration to quickly reduce heavy cockroach infestations and the lower concentration on light infestations.

Use as a spot treatment by applying as a coarse spray or with a paint brush, to areas where cockroaches normally are found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets, and around drainpipes. Remove pets and cover fish bowls before spraying. Apply in a manner to avoid spray or mist contacting food, feedstuffs and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they have become contaminated by the application of the product. Repeat treatment as needed.

DANGER



POISON

Poisonous if swallowed, inhaled or absorbed through skin or eyes. May be injurious to skin or eyes. Do not get on skin, eyes or clothing. Do not breathe vapors or spray mist. Handle concentrate in ventilated area. Do not wear contaminated clothing. Keep away from food, feedstuffs, and water supplies. Wear natural rubber gloves, protective clothing and goggles. Wear mask or respirator of a type found by the U.S. Bureau of Mines to give adequate protection against DDVP (Vapona). Keep all unprotected persons out of operational area. Do not apply to areas that will be contacted by children. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking.

FIRST AID/ANTIDOTE: EXTERNAL: For skin, remove patient from the vicinity of the insecticide, remove all contaminated clothing and personal articles, and wash skin thoroughly with soap and running water. For eyes, flush thoroughly with water. **INTERNAL:** If swallowed, induce vomiting immediately! This may be done by introducing a finger into the throat or by giving warm salt water (1 tbs. of salt to a glass of water). Never give anything by mouth to an unconscious person. **START ARTIFICIAL RESPIRATION IMMEDIATELY IF PATIENT IS NOT BREATHING!** [Seek medical attention if this material is taken internally, contacts the eye, or when there is substantial contact with the skin — regardless of whether the following warning symptoms appear: weakness, headache, tightness in chest, blurred vision, non-reactive pupils, salivation, sweating, nausea, vomiting, diarrhea, abdominal cramps.] **NOTE TO PHYSICIAN:** The active ingredients in this product are cholinesterase inhibitors. Treat symptomatically. Atropine and 2-PAM are antidotes. Morphine is contraindicated. Clear chest by postural drainage. Observe patient closely for 48 hours.

NOTE: As repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of cholinesterase inhibitors, allow no further exposure until cholinesterase regeneration has occurred (as determined by blood test).

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store near heat or open flame. Keep container closed.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where permitted, destroy this container by perforating or crushing and then burying or discarding in a safe place away from water supplies. Empty drums may be sent to an approved reconditioner.

FISH AND WILDLIFE: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply, use, store, handle only as specified on this label or in appropriate PRODUCT BULLETIN(s). Buyer/User may be subject to civil and/or criminal penalties for failure to observe the label directions and precautions.

NAMCO CHEMICALS makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label or appropriate PRODUCT BULLETIN(s).

NAMCO®, trademark of NAMCO CHEMICALS

