AN'S ONLY PRESSURIED SPRAY

ACTIVE INGREDIENTS:

U.S.A.

Z

PRINTED

<

ы

U V N

Pyrethrins	. 0.02% w/w
N-Octyl Bicycloheptene Dicarboximide	
Malathion	. 0.30%
Rotenone	0.10%
Other cabe entractives	
Petroleum distillate	
INERT INGREDIENTS	. 98.97%
	100.00%

*O, O-dimethyl phosphorodithioate of diethyl mercaptosuccinate from Malathion Premium Grade Technical.

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid breathing of spray mist. Avoid contamination of feed and foodstuffs. Avoid contact with skin. Wash thoroughly after using.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal wastes. Apply this product only as specified on this label.

E.P.A. Reg. No. 5332.3

DIRECTIONS FOR USE

Remove plastic cap. Hold container upright. Point spray opening away from you and press button. Apply sparingly in short bursts.

INDOORS: For house plants, spray in short bursts, holding can 18 inches from foliage of Philodendrom, English ivy and African violets. Spray both sides of the leaves lightly. Do not wet, Repeat as often as necessary, Cover or remove fish bowls for one hour.

When sprayed directly on insects, this spray kills sucking insects -- aphids, leafhoppers, spotted mites, thrips (exposed) and lace bugs. Kills chewing insects, climbing cutworms and Japanese beetles. Use a slow sweeping motion. Keep can 18 inches from plants. Avoid wetting foliage with the spray. Spray rows at the rate of one foot per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on FOIR young plants and new growth.

PHILODENDRON \bullet

5332-3 ACCEP

UN

FUNGI



