

dry granules easily spread
20 lbs. net weight


PATCO CRABOUT
SUGGESTED SPREADER SETTINGS

20 lbs. net weight
 Covers 3,000 sq. ft. NEW lawns
 Covers 2,500 sq. ft. OLD lawns

SPREADER	MODEL	SETTING NO.	
		NEW LAWN 5,000 sq. ft.	OLD LAWN 2,500 sq. ft.
PATCO	P220 thru P524	6	8
LAWN BEAUTY	18 & 24	6½	8½
SCOTT'S	35-8	6½	8½
JACKSON	20-56	6	8
MODERN	360G-1	6½	8½
*PATCO-Rotocast	"C"	4½	5½
*CYCLONE-Broadcast	"B"	4½	5½

NOTE: Above spreader settings are approximate. Allowances must be made for condition of spreader, moisture, variation of particle size, flow of material, rate of walk and quality of turf.

* Brisk walking



STOP CRABGRASS SEED GERMINATION
 also HAIRY CRABGRASS, BARNYARD GRASS, YELLOW AND GREEN FOXTAILS.

STOP CRABGRASS SEED GERMINATION
also HAIRY CRABGRASS, BARNYARD GRASS, YELLOW AND GREEN FOXTAILS.

**SAFELY and EFFECTIVELY
SEED GOOD GRASSES**

(except Bermuda Grass)

WILL NOT DAMAGE MOST LAWN GRASSES, EVEN IF APPLIED AT TIME OF SEEDING.

**APPLY SAFELY AT ANY STAGE OF GROWTH TO
BLUEGRASSES, FESCUES, RED TOP or RYEGRASSES.
BENTS - PENNCROSS, SEASIDE, HIGHLAND, ASTORIA, NIMISILA, C-1, C-7, C-19**

DIRECTIONS

Read entire label before using - Follow Recommendations

APPLY IN SPRING BEFORE CRABGRASS SEED GERMINATES:

(usually when lilacs bloom in the area)

Remove leaves, dead or tall grass and other debris before treatment. Measure size of lawn to be covered. Be sure that the correct amount of material is applied at the recommended rate over the measured area. DO NOT GUESS.

Uniform application is essential, apply with a good "drop-type" spreader. The best way to apply this material uniformly is to spread half the required amount over the area in one direction, then apply the remainder at right angles.

Avoid over or under application, skips and misses. Overlap joints slightly to avoid untreated streaks.

If rain is not impending, it is important to water lawn thoroughly, within three days.

SPRING SEEDING - NEW LAWNS:

Apply this bag as per above directions, to 5,000 sq. ft. of new lawn area, at time of sowing good seed.

Provide only enough water to germinate seed.

Re-treat about one month later to provide long term control.

ESTABLISHED, OVERSEEDED, REPAIRED LAWNS:

Apply this bag as per above directions to 2,500 sq. ft. of established lawn area.

CAUTION

KEEP OUT OF REACH OF CHILDREN and PETS.

Avoid over or under application, skips and misses. Overlap joints slightly to avoid untreated streaks.

If rain is not impending, it is important to water lawn thoroughly, within three days.

SPRING SEEDING — NEW LAWNS:

Apply this bag as per above directions, to 5,000 sq. ft. of new lawn area, at time of sowing good seed.

Provide only enough water to germinate seed.

Re-treat about one month later to provide long term control.

ESTABLISHED, OVERSEEDED, REPAIRED LAWNS:

Apply this bag as per above directions to 2,500 sq. ft. of established lawn area.

CAUTION

KEEP OUT OF REACH OF CHILDREN and PETS.

Avoid breathing dust. May irritate eyes, nose, throat and skin. Wash after use.

Avoid contamination of food and feedstuffs, drinking water, fish ponds and streams.

DO NOT use in vegetable garden.

DO NOT apply to Bermuda grass.

DISCLAIMER

Since weather and other conditions under which this product may be used will vary, the manufacturer or seller make no warranty of any kind, expressed or implied, concerning the use of this product or its merchantable quality. The user assumes all risks of use, handling or storage when not in accordance with directions or suggestions.


covers 5,000 sq. ft. of NEW lawns
covers 2,500 sq. ft. of OLD lawns

\$6.95

5348-10
JUN 30 1970
U.S. DEPARTMENT OF AGRICULTURE
NATIONAL CENTER FOR CRABGRASS CONTROL
ED IN WASHINGTON, D.C.

PATCO
CRABOUT

STOPS CRABGRASS
SEED GERMINATION



SEED GERMINATION

●
**ALLOWS SEEDING
GOOD GRASSES SAFELY
ANYTIME**



FORMULA STATEMENT

Applied to 5,000 square feet _____ NEW lawns
Applied to 2,500 square feet _____ OLD lawns
20 lbs. net weight

PATCO CRABOUT

ACTIVE INGREDIENT:

*SIDURON (1-(2-methylcyclohexyl)-3-phenylurea) — 2.8%
INERT INGREDIENTS _____ 97.2%

TOTAL 100.0%

*TUPERSAN® E. I. Du Pont de Nemours & Co.
U.S.D.A. Reg. No. 5348-10

CAUTION

KEEP OUT OF REACH OF CHILDREN
See back for other "CAUTIONS"

PATCO