

5,000

(50 ft. x 100 ft.)

ACCEPTED

By 30-1970

INSECTICIDE, FUNGICIDE,
AND RODENTICIDE ACT
FEDERAL POISON REGISTER

5348-13

PATCO.
ROUT.

**Sod Webworms
(Lawn Moths)**

Chinch Bugs

(Lawn Moths)



Chinch Bugs



KILLS CHINCH BUGS

**SOD WEBWORMS (lawn moths) ANTS, FLEAS, MOSQUITOES,
BERMUDA & CLOVER MITES, EARWIGS, MILLIPEDS, FALL
ARMY WORMS, CUTWORMS, LEAF HOPPERS . . .**

plus certain other surface feeding lawn insects

**Nothing to add! No water to mix! No spray to drift!
Easily applied to all lawn areas with any spreader.**

A new and effective insecticide in dry granular form.

Prevents surface feeding insect damage to lawns

Also use on all turf around ornamental plants, picnic areas, patios, etc.

"Grubproofing" primarily protects the root zone of a lawn. As new surface insects repeatedly attack grass areas they must be killed by additional applications of ROUT.

WHEN: Begin protection BEFORE lawn shows signs of surface insect injury. Serious damage can be prevented if the first application is made during late spring or early summer.

ROUT is most easily applied after mowing, when the grass is dry. If the infestation is very heavy a second application will be necessary. Repeat full treatment in 7 to 10 days.

HOW: Remove leaves, dead or tall grass and other debris before application. Measure lawn. Apply to measured area correct amount of ROUT at recommended rate with "drop-type" spreader. DO NOT GUESS!

Spread uniformly for best results. Criss-cross application is recommended — ½ material applied in one direction, the remainder at right angles. Avoid over or under application, skips or misses.

Thoroughly wet down grass a few hours before applying and use at the recommended rate for each 5,000 square feet.


CAUTION:

KEEP OUT OF REACH OF CHILDREN AND PETS! MAY BE ABSORBED THROUGH THE

Harmful if swallowed. Avoid breathing dust. Avoid contact with skin and eyes AND CLOTHES. In case of contact wash thoroughly. Do not contaminate feed, foodstuffs or drinking dishes of pets. Keep children and animals off treated areas. Wash after handling.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on the label. Dispose of empty container in safe place.

DISCLAIMER: Buyers guarantee limited strictly to label terms. User assumes all risks of use, handling or storage



5,000

\$10.95

PATCO.

ACCEPTED
July 30 1970
UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
EPA REG. NO. 5348-13

ROUT.

WT DIAZINON®



KILLS
CHINCH BUGS
SOD WEBWORMS

(LAWN MOTHS)

plus certain other
SURFACE FEEDING LAWN INSECTS