

WEST C-104 MICROBIOCIDES

INGREDIENTS:	
Chlorine dioxide	7.38%
N-sodium chlorate	10.18%
ADJUVANTS:	82.50%
	100.0%

1 gallon contains 1.67 lbs. of active ingredients per gallon and 5 lbs. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS ON TO HUMANS AND DOMESTIC ANIMALS

1) Avoid eye damage and skin irritation. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves. Wash thoroughly if swallowed. Avoid contact with

2) If eye contact, immediately flush eyes or skin with water for 15 minutes. For eyes, call a physician. Re-apply water frequently. If swallowed, give 1-2 glasses of water. If on skin, wash with soap and water. If on clothing, wash with soap and water. Call a physician immediately. Do not use in fish ponds or public waters unless in accordance with local health department regulations. For more information contact your Regional

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WEST C-104 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slimes, and other deposits. An initial slug addition of 3.3 to 6.6 fluid ounces of WEST C-104 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.1 to 6.6 fluid ounces of WEST C-104 per 1000 gallons of water should be employed every 1 to 6 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, feed, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture, or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place. Metal containers over 30 gallons should be recast before offering for reconditioning.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures.

ACCEPTED
27 FEB 1971
EPA REGIONAL OFFICE
SAN FRANCISCO, CALIF.

BEST DOCUMENT AVAILABLE

Manufactured by
WEST ENERGY SYSTEMS TECHNOLOGY, INC.
79 West Victoria Street
Gardena, CA 90248

EPA REG NO 43438-4

EPA EST NO 38852

19

MA

5362-23

ACCEPTED
5362-23
8 FEB 1980

NOTE: USE THIS LABEL FOR PLASTIC CONTAINERS

SOLVENTOL SAN CLEAR



SOLVENTOL CHEMICAL PRODUCTS, INC.
Manufacturers of Industrial, Institutional, Sanitation Cleaners
13177 HURON RIVER DRIVE, ROMULUS, MI 48174

ACTIVE INGREDIENT
Poly (oxyethylene (dimethylamino) ethylene-(dimethylamino) ethylene dichloride) 24.0 %
INERT INGREDIENT 76.0 %
This product contains 2.11 lb. of active ingredient per gallon and weighs 8.75 lb. per gallon.

BEST DOCUMENT AVAILABLE

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.
FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
SOLVENTOL SAN CLEAR is used to control the growth in swimming pools. For maximum effectiveness, pools of heavy growth of algae should be cleaned prior to using **SOLVENTOL SAN CLEAR**.
For pools having just visible algae growth add on initial dose 47.8 fluid ounces of **SOLVENTOL SAN CLEAR** per 10,000 water and remove settled algae debris by cleaning.
For treatment of a freshly cleaned and filled pool, add 1 to 30.8 fluid ounces of **SOLVENTOL SAN CLEAR** per 10,000 of water.
To maintain pools free of visible algae growth, subsequent additions of 5.6 to 11.2 fluid ounce of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water should be made every 5 to 7 days after initial treatment.
SOLVENTOL SAN CLEAR is compatible with those normally used to treat pools and effective at both acid and pH. **SOLVENTOL SAN CLEAR** can be used in pools free of chlorine chemicals and may reduce the amount of those normally required. However, do not mix **SOLVENTOL SAN CLEAR** with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage or cleaning of equipment. Do not reuse empty container. If (or equivalent) and dispose of container in an incinerator approved landfill, or bury in a safe place. Rinse if to be used of reprocessed should be disposed of in a landfill for pesticides or buried in a safe place away from water. Open dumping is prohibited.

Manufactured by:
SOLVENTOL CHEMICAL PRODUCTS, INC.
13177 Huron River Drive
Romulus, MI 48174

EPA REG. NO. 5362-23 EPA EST. NO. 5

NET CONTENTS:

24

NOTE: USE THIS LABEL FOR PLASTIC CONTAINERS

ACCEPTED
5362-23
8 FEB 1980

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR ECONOMIC PESTS REGISTERED
UNDER NO. 5362-23

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

SOLVENTOL SAN CLEAR



SOLVENTOL CHEMICAL PRODUCTS, INC.
Manufacturers of Industrial, Institutional, Specification Cleaners
13177 HURON RIVER DRIVE, ROMULUS, MI 48174

ACTIVE INGREDIENT
Poly (oxyethylene (dimethyliminio) ethylene-(dimethyliminio)
ethylene dichloride)..... 24.0 %
INERT INGREDIENT 76.0 %
This product contains 2.11 lb. of active ingredient per gallon and weighs
8.78 lb. per gallon.

BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.
FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

It is a violation of Federal law to use this product in a manner consistent with its labeling.

SOLVENTOL SAN CLEAR is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using **SOLVENTOL SAN CLEAR**.

For pools having just visible algae growth add an initial dose of 30 to 47.6 fluid ounces of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water and remove settled algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially to 30.8 fluid ounces of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water.

To maintain pools free of visible algae growth, subsequent additions of 5.6 to 11.2 fluid ounce of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water should be made every 5 to 7 days after initial treatment.

SOLVENTOL SAN CLEAR is compatible with those chemicals normally used to treat pools and effective at both acid and alkaline pH. **SOLVENTOL SAN CLEAR** can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix **SOLVENTOL SAN CLEAR** with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. Rinsate that can be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supply. Open dumping is prohibited.

Manufactured by:

SOLVENTOL CHEMICAL PRODUCTS, INC.
13177 Huron River Drive
Romulus, MI 48174

EPA REG. NO. 5362-23

EPA EST. NO. 5362-M

NET CONTENTS:

NOTE: USE THIS LABEL FOR PLASTIC CONTAINERS

ACCEPTED
5362-23
8 FEB 1980
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER FIF

T
0 2

SOLVENTOL SAN CLEAR

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SOLVENTOL SAN CLEAR is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using **SOLVENTOL SAN CLEAR**.

For pools having just visible algae growth add an initial dose of 30.8 to 47.6 fluid ounces of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water and remove settled algae debris by cleaning.

For treatment of a freshly cleaned and filled pool, add initially 19.6 to 30.8 fluid ounces of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water.

To maintain pools free of visible algae growth, subsequent additions of 5.6 to 11.2 fluid ounce of **SOLVENTOL SAN CLEAR** per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment.

SOLVENTOL SAN CLEAR is compatible with those chemicals normally used to treat pools and effective at both acid and alkaline pH. **SOLVENTOL SAN CLEAR** can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix **SOLVENTOL SAN CLEAR** with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL: Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

Manufactured by:

SOLVENTOL CHEMICAL PRODUCTS, INC.
13177 Huron River Drive
Romulus, MI 48174

EPA REG. NO. 5362-23

EPA EST. NO. 5362-MI-1

NET CONTENTS:

24



SOLVENTOL CHEMICAL PRODUCTS, INC.

Manufacturers of Industrial, Institutional, Specification Cleaners
13177 HURON RIVER DRIVE, ROMULUS, MI 48174

INGREDIENT
ethylene (dimethyliminio) ethylene-(dimethyliminio)
dichloride)..... 24.0 %
INGREDIENT 76.0 %
Product contains 2.11 lb. of active ingredient per gallon and weighs
per gallon.

BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN

CAUTION

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid breathing vapors. Avoid contact with
skin, or clothing.

If swallowed, drink promptly a large quantity of milk, egg whites,
or water, or, if these are not available, drink large quantities
of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of
streams, or ponds. Permits may be required for discharges containing this
product into lakes, streams, ponds or public water. For guidance, contact the
office of the Environmental Protection Agency.