

EPA-PR

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
DANGER**

5.00

May be fatal if swallowed, inhaled or absorbed through skin. Causes skin and eye irritation. Causes delayed chemical burns. Do not get either the dry material or solutions prepared from it in eyes, on skin or on clothing. Do not breathe vapors, spray mist, or dust. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

Environmental Hazards

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical and Chemical Hazards

Do not use or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Vulcan Glazd® Penta is used for the preparation of fungicidal and insecticidal solutions. Recommended concentrations for such solutions vary according to the end uses and methods of applying solutions to get the desired biological control.

Each formulator is responsible for obtaining EPA registration for his end use product(s). For the preparation of wood preservation formulations and methods of applying them to wood, consult the American Wood-Preservers' Association Manual of Recommended Practice or contact Vulcan Chemicals.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Vulcan

GLAZD® PENTA

PENTACHLOROPHENOL

ORM-E

NA2020, RQ

TECHNICAL GRADE

For Manufacturing Purposes Only

ACTIVE INGREDIENTS.....	96%
Pentachlorophenol.....	86%
Other Chlorophenols and Related Compounds.....	10%
INERT INGREDIENTS.....	4%

Unt
mus
glo
cov
fla
l,
mix

A c
the
nal
anc
cle
bre

NOI
mez
or
ocq
mat
jac
of
chl
adc
dus

F
a
o
l
s
z
t
j
t

STORAGE:
secure are
sources of
punctured
product oc
respirator
come into

PESTICIDE

preparation of fungicidal and insecticidal solutions. Recommended concentrations for such solutions vary according to the end uses and methods of applying solutions to get the desired biological control.

Each formulator is responsible for obtaining EPA registration for his end use product(s). For the preparation of wood preservation formulations and methods of applying them to wood, consult the American Wood-Preservers' Association Manual of Recommended Practice or contact Vulcan Chemicals.

This product and solutions prepared from it are for exterior use only. Do not use this product for preparation of solutions intended for home and farm use. Do not use on picnic tables, children's playground structures or horticultural lumber. Do not apply to logs used in construction of log homes. Do not use treated wood in farm buildings in areas contacted by farm animals or in structures to contain animal feed or agricultural produce. Products treated with or containing this chemical are not to be used in food packaging material or in areas where food is processed, handled or stored.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who manually open cylinder doors must wear gloves and a respirator.

Individuals who enter, clean or repair pressure treatment cylinders, vats, tanks, and other related equipment that is contaminated with wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment solution) must wear a respirator, goggles and protective clothing (including overalls, jacket, gloves, boots, and head covering) impervious to the wood treatment formulation.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly treated wood).

Protective clothing must be changed when it shows signs of contamination. Applicators must leave all protective clothing, workshoes or boots, and equipment at the plant. Worn-out protective clothing and workshoes or boots must be left at the treatment plant and disposed of in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

For Manufacturing Purposes Only

ACTIVE INGREDIENTS..... 96%
Pentachlorophenol..... 86%
Other Chlorophenols
and Related Compounds 10%
INERT INGREDIENTS 4%

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin - Wash immediately with soap and water. Wash thoroughly with soap and water after handling.

If in eyes - Flush with water for at least fifteen (15) minutes and contact a physician.

If inhaled - Remove victim to fresh air. Get medical attention.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Causes hyperthermia. Treat symptomatically.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONS

Vulcan Materials Company

CHEMICALS DIVISION / P. O. BOX 7689 • BIRMINGHAM, ALABAMA 35253

EPA Reg. No. 5382-16
EPA Est. No. 5382-KS-1

STORAGE:
secure at
sources o
punctured
product o
respirato
come into

PESTICIDE
excess pe
Law. If
instructi
Agency, o
regional

CONTAINER
equipment
incinerat
burning.