

TROYSAN POLYPHASE ANTI-MILDEW
A Fungicide for Use in the Manufacture of Coatings

PRODUCT: Troysan Polyphase Anti-Mildew is a liquid, non-metallic compound designed for use as an additive to interior and/or exterior protective coatings to inhibit the growth of mildew on the film surface.

USE: Troysan Polyphase Anti-Mildew may be used in both aqueous and solvent based paints. It should be added towards the end of the production cycle with good agitation to prevent possible mechanical losses.

Troysan Polyphase Anti-Mildew will generally impart protection when used at levels of 4 to 12 lbs. per 100 gallons of paint. More may be required in hot humid areas where mildew is a particularly severe problem, up to a maximum of 20 lbs. per 100 gallons.

For use in interior paints, levels of 1 to 4 lbs. per 100 gallons will usually be adequate.

The services of the Troy Microbiological Laboratory are always available to assist in determining optimum levels for specific systems.

SPECIFICATIONS:

Active Ingredient.....	40%
(3-Iodo-2-Propyl Butyl Carbamate)	
Appearance.....	Amber mobile liquid
Color.....	13 max.
Viscosity.....	C maximum
Specific Gravity.....	1.18 - 1.24
Lbs./Gal.	9.82 - 10.33
Odor	Characteristic
Solubility	Soluble in aromatics and alcohols. Dispersible in aqueous and solvent based paints.

TROYSAN POLYPHASE ANTI-MILDEW
A Fungicide for Use in the Manufacture of Coatings

PRODUCT: Troysan Polyphase Anti-Mildew is a liquid, non-metallic compound designed for use as an additive to interior and/or exterior protective coatings to inhibit the growth of mildew on the film surface.

USE: Troysan Polyphase Anti-Mildew may be used in both aqueous and solvent based paints. It should be added towards the end of the production cycle with good agitation to prevent possible emulsification.

Troysan Polyphase Anti-Mildew will generally impart protection when used at levels of 4 to 12 lbs. per 100 gallons of paint. More may be required in hot humid areas where mildew is a particularly severe problem, up to a maximum of 20 lbs. per 100 gallons.

For use in interior paints, levels of 1 to 4 lbs. per 100 gallons will usually be sufficient.

The services of the Plant Microbiological Laboratory are always available for determining optimum levels for specific applications.

SPECIFICATIONS:

Active Ingredient	40%
(3-Trifluoromethyl-4-nitrophenyl) propylamine	
Appearance	Clear, colorless to light yellow liquid
Color	max. .13 max.
Viscosity	10 maximum
Specific Gravity	1.10 - 1.24
lbs / Gal	10.80 - 10.90
Odor	Characteristic
Solubility	Soluble in alcohols, dispersible in solvent based paints

D A N G E R

Keep out of the reach of children.


Corrosive. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly after handling.

In case of contact, immediately flush eyes or skin with plenty of water for 15 minutes. For eyes, call a physician immediately.

PACKAGING:

5 gallon pails:	50 lbs. net
55 gallon drums:	525 lbs. net

our greatest product is service



Bartel's
REDYCOAT

"BARTEL . . . quality products since 1932"

Commercial Creosote

451

ACTIVE INGREDIENTS:
AWPA Grade 1 Creosote... 35%
INERT INGREDIENTS:
Petroleum Distillates... 65%
Total..... 100%

Warning: Poison Flammable
See side panel for additional cautions.

KEEP OUT OF REACH OF CHILDREN

USDA Reg. No. 5831

Manufactured By
THE GILSONITE COMPANY

ACC
Mar. 12, 1968
5831-7

TROYSAN POLYPHASE ANTI-MILDEW

A FUNGICIDE FOR USE IN THE MANUFACTURE OF COATINGS

CAUTION

Product is toxic to fish. Do not
contaminate water by cleaning
equipment or disposal of waste.

DIRECTIONS FOR USE

Troysan Polyphase Anti-Mildew is a
manufacturing process and is
sold only for use in a single applica-
tion to the directions furnished by the
manufacturer. Technical Bulletin
Troysan Polyphase Anti-Mildew.

DO NOT REUSE EMPTY DRUM
RETURN TO DRUM RECONDI-
TIONER OR DESTROY BY FIRE.
POUNDRING OR CRUSHING
AND BRETTING IN A SAFE
PLACE.

E. P. A. REG. NO. 5383-18
E. P. A. EST NO. 5383-NJ-1

INDUSTRIAL FUNGICIDE

Recommended for use in oleoresinous and latex paints.

ACTIVE INGREDIENT

3-Iodo-2-Propynyl Butyl Carbamate 40%

INERT INGREDIENTS: 60%

DO NOT USE POUR, SPILL OR
STORE NEAR HEAT OR
OPEN FLAME.

SOLD FOR MANUFACTURING USE ONLY

MANUFACTURED BY
TROY CHEMICAL CORPORATION
NEWARK, NEW JERSEY 07105

5383-18

FOR FURTHER INFORMATION
AND INSTRUCTIONS, SEE
TECHNICAL BULLETIN
"TROYSAN POLYPHASE
ANTI-MILDEW"

DANGER

KEEP OUT OF REACH
OF CHILDREN

Corrosive. Causes eye damage. Do
not get in eyes or on skin or on glass.
Wear goggles or face shield when
handling. Wash face promptly after use.
Flush.

In case of contact immediately flush
eyes or skin with plenty of water for
15 minutes.

For eyes, call a physician im-
mediately.

CONTENTS LBS. NET