



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

APR 4 2013

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Adrian Krygsman
Troy Corporation
8 Vreeland Road
P.O. Box 955
Florham Park, NJ 07932-0955

Subject: **Troysan Polyphase P100**
EPA Registration No.: 5383-50
Application Date: March 10, 2013
Receipt Date: March 12, 2013

Dear Mr. Krygsman:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c) 9.

Proposed Notification:

Adding Alternate Brand Name: TROYGUARD® IP99


General Comment:

Based on a review of the material submitted, the following comment applies: your notification to update as referenced above is acceptable and a copy has been inserted in your file for future reference.

A copy of this accepted notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at campbell-mcfarlane.jacqueline@epa.gov or Stacey Grigsby by telephone at (703) 305-6440 or by e-mail at grigsby.stacey@epa.gov during the hours of 8:00am to 4:00pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,



Jacqueline McFarlane
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)



3/6

TROY CORPORATION

March 10, 2013

Via Courier

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Antimicrobial Division (AD)
U.S. EPA
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Jackie Campbell-McFarlane
PM 34

RE: Troysan Polyphase P100
EPA Reg. No. 5383-50
Submission of Alternate Brand Name (ABN)

Dear Mr. Swindell:

Troy Corporation is submitting this notification of an alternate brand name for the product referenced. We enclose the following documents for this purpose:

- EPA Form 8570-1 Application for Registration
- Four (4) copies of the Proposed Label with the ABN
- Certification per PR Notice 98-10

The alternate brand name for this product is "TroyGuard IP99"

Please contact me directly should you have any questions concerning this action. I can be reached via email or phone at krygsmaa@Troycorp.com or 973-443-4200, X2249. Thank you.

Sincerely,

Adrian Krygsman
Director, Product Registration



4/6

TROY CORPORATION

Notification of Alternate Brand Name (ABN): Troysan Polyphase P100
Per PR Notice 98-10:
Proposed Alternate Brand Name: TroyGuard IP99

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Adrian Krygsman

3/10/2013

Date

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Harmful if swallowed, absorbed through skin, or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing dust. Wear goggles, face shield or safety glasses. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTION EQUIPMENT: Applicators and other handlers must wear long sleeved shirts, long pants, chemical-resistant gloves and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Requirements

Users must wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users must remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly.

FIRST AID	
IF IN EYES:	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. - Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	- Move person to fresh air. - If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage.	

TROYGUARD® IP99

This product is toxic to fish and aquatic life. Do not dispose of equipment washwater into lakes, streams, ponds, estuaries, or other bodies of water. Follow the requirements of a National Pollution Discharge Elimination Act (NPDES) permit and the permitting authority has the authority to enforce the permit conditions. Do not apply this product to the local sewage treatment plant. Board or Regional Office of the EPA.

DIR

It is a violation of Federal Law to use this product without proper labeling. Do not apply this product without proper labeling.

APPLIC

The following are suggested use levels for the various applications indicated. All suggestions are in percentage order to determine the most cost effective field trials are suggested.

PAINTS AND STAINS: Generally For interior paints use 0.1-0.32%.

PLASTICS: Use in PVC plastics level of 0.05-0.6%.

CUTTING OILS: Use 0.03-0.3%.

HOME CLEANERS AND LAUNDRY SOFTENERS: stain removers): 0.025-0.05%.

WOOD: For above ground use desired. For sapstain control use 0.3%-0.5%. Do not use on wood in contact with soil.

TEXTILES: Use for coatings or for wear.

PAPER COATINGS: Use in aqueous solutions. 0.025-0.05%.

CANVAS AND CORDAGE: Use 0.025-0.5%.

ADHESIVES: Use 0.025-0.5%.

INKS: Use 0.05-0.5%.

STOR

Do not contaminate water, food, or feed.

PESTICIDE STORAGE: This material should be stored in a cool, dry, well-ventilated place. Storage temperatures below 60°F (15°C) are recommended.

PESTICIDE DISPOSAL: Pesticide residues should be disposed of by use according to label directions. Do not dispose of in the control agency or the hazardous waste control agency.

CONTAINER HANDLING: Completely empty liner by shaking and residue into application equipment. Do not reuse container for any other purpose. Landfill or by incineration if allowed by State or local regulations. Do not reuse, dispose of in the same manner as the original container.

157

6

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, Canvases and Cordage, Home Care Cleaning Products including Floor Cleaners, Waxes, Polishers, and Surface Cleaners, Laundry Additives including Liquid Laundry Detergents, Fabric Softeners, and Stain Removers

EPA Reg. No.	5383-50
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:% Weight
3-Iodo-2-Propynyl Butyl Carbamate 98.0%
INERT INGREDIENTS 2.0%
TOTAL 100.0%

NOTIFICATION 11/12
Date Reviewed 4/11/12
Reviewed By: [Signature]

DANGER

SOLD FOR INDUSTRIAL USE
See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:
CALL 1-800-424-9300

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYGUARD® and POLYPHASE® are registered trademarks

IS ANIMALS

orbed through skin, or dust. Wear goggles, es. Wash thoroughly oo, or using the toilet

handlers must wear s plus socks. Follow instructions exist for separately from other

tobacco, or using the inside. Then wash protective equipment before removing. As

id gently with contact lenses, ntinue rinsing. for treatment

r of water for 15- for treatment

enter or doctor. l to do so by a o not give any nylthing by

or an ambulance, rarily mouth-to- for further

a poison control

astric lavage.

TROYGUARD® IP99

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, Canvas and Cordage, Home Care Cleaning Products including Floor Cleaners, Waxes, Polishes, and Surface Cleaners, Laundry Additives including Liquid Laundry Detergents, Fabric Softeners, and Stain Removers

EPA Reg. No.	5383-50
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:% Weight
3-Iodo-2-Propynyl Butyl Carbamate..... 98.0%
INERT INGREDIENTS 2.0%
TOTAL 100.0%

NOTIFICATION 11/3
Date Reviewed: 4/16/97
Reviewed By: [Signature]

DANGER

SOLD FOR INDUSTRIAL USE
See Side Panel for Additional Precautionary Statements
KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:
CALL 1-800-424-9300

Net Weight:
[Produced for/Manufactured for]
Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

TROYGUARD® and POLYPHASE® are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not contaminate water when disposing of equipment, washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

APPLICATION INSTRUCTIONS

The following are suggested use levels for TroyGuard IP99. Typical use levels are given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product TroyGuard IP99. In order to determine the most cost effective use level for TroyGuard IP99 in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.3-0.5%. For hot, humid areas use up to 1.0%. For interior paints use 0.1-0.32%. For wood protective stains use 0.3-0.5%.

PLASTICS: Use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 0.05-0.6%.

CUTTING OILS: Use 0.03-0.3%.

HOME CLEANERS AND LAUNDRY ADDITIVES (e.g. waxes, cleaners, fabric softeners, stain removers): 0.025-0.5%

WOOD: For above ground use only at rates of 0.3-0.5% depending on protection desired. For sapstain control use 0.3% within 24 hours of cutting. For millwork use 0.3%-0.5%. Do not use on wood that comes in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase® P100.

TEXTILES: Use for coatings or dyes at 0.05-0.5%. Not for use in fabrics for human wear.

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.025-0.05%.

CANVAS AND CORDAGE: Use 0.05-0.5%

ADHESIVES: Use 0.025-0.5%

INKS: Use 0.05-0.5%

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This material has a tendency to pack into hard lumps due to its low melting point. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Offer for recycling if available or dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.