

Front Panel

**POLYPHASE ANTI-MILDEW WD.**

A Fungicide for Use in Aqueous Systems  
Such as Latex Paints, Wood Preservation Systems  
and for Sap-stain Control

EPA Reg. No. 5383-  
EPA Est. No. 5383-NJ-1

**Industrial Fungicide**

Active Ingredient:		
3-Iodo-2-Propynyl Butyl Carbamate	.....	17%
Inert Ingredients:	.....	83%
	Total	100%

KEEP OUT OF REACH OF CHILDREN (12 pt)  
DANGER (18 pt)

See Side Panel for Precautionary and First Aid Statements

Sold for Manufacturing Use Only

Manufactured by  
Troy Chemical Corporation  
Newark, NJ 07105

ACCEPTED  
WITH COMMENTS  
In EPA Letter Dated:

OCT 29 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5383-35

Right Side Panel

For Further Information  
and Instructions, See  
Technical Bulletin  
"Troysan Polyphase Anti-Mildew WD-17"

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS  
(AND DOMESTIC ANIMALS)

Corrosive. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly after handling. In case of contact, immediately flush eyes or skin with plenty of water for 15 minutes. For eyes, call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

1002  
0402

Left Side Panel

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

(12 pt)

**Pesticide Disposal:** Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**Container Disposal:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other approved State and local procedures.

Do not store below 60° F. Optimum storage temperature of 65°-90° is recommended.

Net Contents: lbs.

1002  
1180

BEST DOCUMENT AVAILABLE