PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS DANGER

Corrosive. Causes irreversible eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapor or spray mist and contact with skin, eyes and clothing. Wear goggles, faceshield or safety glasses, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

POLYPHASE® WD-17

A Fungicide for Use in Aqueous Systems such as Latex Paints, Wood Products, Cutting Oils, Oleo-Resinous Paints, and Textiles

> EPA Reg. No. 5383-55 EPA Est. No. 5383-NJ-1

ACTIVE INGREDIENT:

3-Iodo-2-Propynyl Butyl Carbamate	. 17.0%
INERT INGREDIENTS.	. <u>83.0%</u>

FIRST AID IF IN EYES: Hold eye open and rinse slowly and KEEP OUT OF REACH OF CHILDREN gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. DANGER • Call a poison control center or doctor for SOLD FOR INDUSTRIAL USE ONLY treatment advice. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY Take off contaminated clothing. IF ON SKIN OR ٠ **STATEMENTS CLOTHING:** Rinse skin immediately with plenty of ACCEPTED ٠ water for 15-20 minutes. Call a poison control center or doctor for • NOV 2 6 2002 treatment advice. Immediately call a poison control center **IF SWALLOWED:** • or doctor. Do not induce vomiting unless inder the Federal Insecticide, Fungicide, and TROY told to do so by a poison control center or fodenticide Act as amended, for the Pesticide, registered under doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IN CASE OF EMERGENCY CALL 1-800-CHEMTREC **IF INHALED:** • Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration TROY CHEMICAL CORPORATION preferably mouth-to-mouth if possible. ONE AVENUE L Call a poison control center or doctor for NEWARK, N.J. 07105 further treatment advice. Have the product container or label with you when calling a poison Net Weight: control center or doctor, or going for treatment. **®TROYSAN AND POLYPHASE ARE REGISTERED TRADEMARKS** NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate - vomiting may cause a ration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutatu Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION

PAINTS: Generally use 0.6-2.0%. For hot, humid areas use up to 2.4%. For interior paints use 0.2-1.0%.

WOOD: For above ground use only at rates of 0.1-3.0% depending on protection desired. A one-minute dip at ambient temperatures in a solution or aqueous dispersion containing 1.0% should be adequate to control the development of fungal organisms to the lumber. For freshly sawn lumber, a concentration of 1.0% is suggested. For millwork use rates of 0.25-2.0%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase®WD17. Wood protective stains will use 1.0-4.0%.

CUTTING OILS: Use 0.1-1.0%.

TEXTILES: Use for coatings or dyes at 0.2-2.0%. Not for use in fabrics for human wear. PLASTICS: For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 1.0-4.0%. Polyphase@WD17 should not be used in a polyvinyl chloride plastic that will be in contact with food.

IN-CAN PRESERVATIVE: Polyphase®WD17 can be used as an in-can preservative for nonfood use agricultural products such as fertilizers and pesticides at 0.2-1.0%.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PHYSICAL AND CHEMICAL HAZARDS Do not use or store near heat or open flame.

126/2 00

<u>(</u>)

ί

00

ω

S

S

clo

D

Je Je