



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV 4 2010

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Peko Rasic
Troy Chemical Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Polyphase Anti-Mildew WD-17
EPA Registration No.: 5383-55
Notification Date: 10/28/2010
EPA Receipt Date: 11/03/2010

Dear Mr. Peko Rasic,

This letter acknowledges receipt of your notification submitted under the provisions of FIFRA section 3(c)9 and PR Notice 98-10.

Proposed Notification


- Revised Container Handling section on label

General Comments

Based on a review of the submitted materials, your notification for the revisions of the container handling section on the label is acceptable and apart of the records on file.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at campbell-mcfarlane.jacqueline@epa.gov or Jaclyn Carl by telephone at (703) 347-0213 or by e-mail at carl.jaclyn@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,



Jacqueline Campbell-Mcfarlane
Product Manager
Regulatory Management Branch
Antimicrobials Division (7510P)



United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
 Amendment
 Other:

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|--|---|--|
| 1. Company/Product Number 5383-55 | 2. EPA Product Manager Jacqueline McFarlane | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Polyphase® Anti-Mildew WD-17 | PM# 34 | |
| 5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____
 Resubmission in response to Agency letter dated _____ "Me Too" Application
 Notification - Explain below. Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

| | | | | | |
|---|---|--|--|---|--|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | If "Yes" Unit Packaging wgt. No. per container | | <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) |
| *Certification must be submitted | | If "Yes" Package wgt. No. per container | | | |
| 3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container | | 5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product | |
| 6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Other _____ <input type="checkbox"/> Stenciled | | | | | |

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

| | | |
|---------------------------|--|---|
| Name Peko Rasic | Title Product Registration Specialist | Telephone No. (Include Area Code) (973) 443-4200 ext 2285 |
|---------------------------|--|---|

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

| | | |
|-----------------------------|--|--|
| 2. Signature | 3. Title Product Registration Specialist | 6. Date Application Received (Stamped) |
| 4. Typed Name Peko Rasic | 5. Date 10/28/2010 | |



TROY CORPORATION

Hand Delivered

October 28, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Jacqueline McFarlane
PM 34

Subject: Polyphase® Anti-Mildew WD-17
EPA Reg. No.: 5383-55
Submission of Labeling Revisions per PR Notice 2007-4

Dear Ms. McFarlane:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:

- application form #570-1;
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,

Peko Rasic
Product Registration Specialist

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Corrosive. Causes irreversible eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapor or spray mist and contact with skin, eyes and clothing. Wear goggles, faceshield or safety glasses, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

POLYPHASE® ANTI-MILDEW W

A Fungicide for Use in Aqueous Systems such as Latex Pa
Wood Products, Cutting Oils, Oleo-Resinous Paints, and Te

| | |
|--------------------------|---------|
| EPA Reg. No. | 5383-5 |
| EPA Establishment Number | 5383-NJ |

ACTIVE INGREDIENT:%
 3-Iodo-2-Propynyl Butyl Carbamate.....
 INERT INGREDIENTS
 TOTAL 1

| FIRST AID | |
|--|---|
| IF IN EYES: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice. |
| IF ON SKIN OR CLOTHING: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED: | <ul style="list-style-type: none"> • Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. |
| IF INHALED: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice. |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. | |
| NOTE TO PHYSICIAN: | |
| Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate -- vomiting may cause aspiration pneumonia. | |

NOTIFICATION
 Date Reviewed: 11/2/10
 Reviewed By: S. J. Cole

DANGER
SOLD FOR INDUSTRIAL USE ONLY
 See Side Panel for Additional Precautionary Statement
KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
 CALL 1-800-424-9300**

Net Weight:

Troy Chemical Corporation
 One Avenue L, Newark, N.J. 07105

®TROYSAN and POLYPHASE are registered trademarks

HEALTH HAZARDS

Causes skin irritation. Harmful if swallowed, inhaled or by contact with vapor or spray. Wear goggles, gloves and rubber gloves. Remove contaminated clothing.

Wash thoroughly and gently with soap and water. Remove contact lenses, if present, and continue rinsing. Consult a physician or doctor for treatment.

Flush with plenty of water for 15-30 minutes. Consult a physician or doctor for treatment.

Control center or doctor. As directed. Do not give any food or drink to anyone who has been poisoned.

Call 911 or an ambulance, if necessary. Preferably mouth-to-mouth resuscitation. Consult a physician or doctor for further treatment.

Call a poison control center.

Signs and symptoms of gastric lavage. Irritation pneumonia.

POLYPHASE[®] ANTI-MILDEW WD-17

A Fungicide for Use in Aqueous Systems such as Latex Paints, Wood Products, Cutting Oils, Oleo-Resinous Paints, and Textiles

| | |
|--------------------------|-----------|
| EPA Reg. No. | 5383-55 |
| EPA Establishment Number | 5383-NJ-1 |

ACTIVE INGREDIENT: % Weight
3-Iodo-2-Propynyl Butyl Carbamate..... 17.0%
INERT INGREDIENTS 83.0%
TOTAL 100.0%

NOTIFICATION
Date Reviewed: 11/3/10
Reviewed By: [Signature]

DANGER

SOLD FOR INDUSTRIAL USE ONLY
See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:
CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

[®]TROYSAN and POLYPHASE are registered trademarks

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic life. Do not discharge into lakes, streams, rivers, or other bodies of water, unless in accordance with the requirements of the National Pollutant Discharge System (NPDES) permit and the permitting agency. Do not discharge effluent containing this pesticide into any water body without previously notifying the local sewage treatment plant, your State Water Board or Regional office of the EPA. Do not use for disposing of equipment washwaters.

DIRECTION OF USE

It is a violation of Federal Law to use this pesticide in a manner inconsistent with its labeling.

APPLICATION

PAINTS: Generally use 0.6-2.0%. For hot, humid climates use 1.0%.

WOOD: For above ground use only at rates of 0.2-2.0%. For wood preservative use adequate to control the development of fungal growth. For millwork a concentration of 1.0% is suggested. For millwork surfaces that come in contact with food, surface should be coated with a varnish, or lacquer after treatment. Wood protective stains will use 1.0-4.0%.

CUTTING OILS: Use 0.1-1.0%.

TEXTILES: Use for coatings or dyes at 0.2-2.0%.

PLASTICS: For use in PVC plastics such as shower stalls. Polyphase[®] ANTI-MILDEW WD-17 should not be in contact with food.

IN-CAN PRESERVATIVE: Polyphase[®] ANTI-MILDEW WD-17 is a preservative for non-food use agricultural products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed.

PESTICIDE STORAGE: This material should be stored at moderate temperatures. Storage temperatures below 40°F are suggested.

PESTICIDE DISPOSAL: Pesticide wastes of excess pesticides, spray mixture, or rinsate cannot be disposed of by use of a septic tank, sump pump, or other means. Pesticide or environmental control agency nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable. Clean container promptly after emptying. Do not reuse. Do not use for other purposes. Do not use for disposal. Replace and tighten closures. Tip container for at least one complete revolution, for 30 seconds back and forth several times. Turn the container for several times. Empty the rinsate into a container for later use or disposal. Repeat this process until the container is empty. Do not recycle or reconditioning if available, or place in incineration, or, if allowed by state and local regulations, burn in a controlled environment.

PHYSICAL AND CHEMICAL PROPERTIES

Do not use or store near heat or open flame.

HASE® ANTI-MILDEW WD-17

Use for Use in Aqueous Systems such as Latex Paints, Adhesives, Cutting Oils, Oleo-Resinous Paints, and Textiles

| | |
|---------------------|-----------|
| No. | 5383-55 |
| Registration Number | 5383-NJ-1 |

| | |
|--------------------------|----------|
| INGREDIENT: | % Weight |
| Propynyl Butyl Carbamate | 17.0% |
| INERTS | 83.0% |
| | 100.0% |

NOTIFICATION
 Date Reviewed: 4/3/19
 Reviewed By: [Signature]

DANGER

READ LABEL FOR INDUSTRIAL USE ONLY
 See Panel for Additional Precautionary Statements
KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:
CALL 1-800-424-9300

Net Weight:

Truoy Chemical Corporation
 One Avenue L, Newark, N.J. 07105

GLYSAN and POLYPHASE are registered trademarks

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION

PAINTS: Generally use 0.6-2.0%. For hot, humid areas use up to 2.4%. For interior paints use 0.2-1.0%.

WOOD: For above ground use only at rates of 0.1-3.0% depending on protection desired. A one-minute dip at ambient temperatures in a solution or aqueous dispersion containing 1.0% should be adequate to control the development of fungal organisms to the lumber. For freshly sawn lumber, a concentration of 1.0% is suggested. For millwork use rates of 0.25-2.0%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase® ANTI-MILDEW WD-17. Wood protective stains will use 1.0-4.0%.

CUTTING OILS: Use 0.1-1.0%.

TEXTILES: Use for coatings or dyes at 0.2-2.0%. Not for use in fabrics for human wear.

PLASTICS: For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 1.0-4.0%. Polyphase® ANTI-MILDEW WD-17 should not be used in a polyvinyl chloride plastic that will be in contact with food.

IN-CAN PRESERVATIVE: Polyphase® ANTI-MILDEW WD-17 can be used as an in-can preservative for non-food use agricultural products such as fertilizers and pesticides at 0.2-1.0%.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.