

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS

**DANGER**

Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses, protective clothing and rubber gloves. Do not breathe vapors or spray mist. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"><li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"><li>Take off contaminated clothing.</li><li>Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
IF SWALLOWED:	<ul style="list-style-type: none"><li>Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</li></ul>
IF INHALED:	<ul style="list-style-type: none"><li>Move person to fresh air.</li><li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.</li><li>Call a poison control center or doctor for further treatment advice.</li></ul>
Keep the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

**TROYSAN® POLYPHASE® P-20T**

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, and Canvas and Cordage

EPA Reg. No. 5383-74

EPA Est. No. 5383-NJ-1

INDUSTRIAL FUNGICIDE

**ACTIVE INGREDIENT:**

3-Iodo-2-Propynyl Butyl Carbamate. . . . . 20.0%

**INERT INGREDIENTS** . . . . . 80.0%

TOTAL . . . . . 100.0%

KEEP OUT OF REACH OF CHILDREN

**DANGER**

SOLD FOR INDUSTRIAL USE

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**ACCEPTED**

OCT 25 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 5383-74



IN CASE OF EMERGENCY CALL 1-800-CHEMTREC

TROY CHEMICAL CORPORATION

ONE AVENUE L

NEWARK, N.J. 07105

Net Weight: \_\_\_\_\_

®TROYSAN AND POLYPHASE ARE REGISTERED TRADEMARKS

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**APPLICATION INSTRUCTIONS**

The following are suggested use levels for Troysan®Polyphase®P-20T. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Troysan®Polyphase®P-20T. In order to determine the most cost effective use level for Troysan®Polyphase®P-20T in a given use, field trials are suggested.

**PAINTS AND STAINS:** Generally use 0.5-1.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.

**PLASTICS:** For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 0.25-3.0%

**CUTTING OILS:** Use 0.15-0.5%.

**WOOD:** For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase®P-20T.

**TEXTILES:** Use for coatings or dyes at 0.25-2.0%. Not for use in fabrics for human wear.

**PAPER COATINGS:** Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.

**ADHESIVES:** Use 0.125-0.5%

**INKS:** Use 0.25-2.5%

**PHYSICAL AND CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

5383-74

10-25-2002

11