



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

January 19, 2005

Carrie Buck
Product Reregistration Coordinator
Troy Chemical Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Notification in Accordance with PR Notice 98-10
Polyphase P-20T
EPA Registration Number 5383-74
Fax dated January 18, 2005

Dear Ms. Buck:

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA section 3 (c) 9.

Proposed Notification:

- Additional alternate brand names: **Troyshield FX 20, Troyshield FX 30**

General Comment:

Based on a review of the material submitted, the following comment apply.

The notification application is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely,

A handwritten signature in cursive script, appearing to read "Adam Heyward".
Adam Heyward
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510C)

Please read instructions on reverse before comp

form.

Form Approved

19 No. 2070-0060



EPA

United States
Environmental Protection Agency
 Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 5383-74	2. EPA Product Manager Adam Heyward	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Polyphase P-20T	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(1), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

"Notification of Alternate Brand Names
TROYSHIELD FX20 and TROYSHIELD FX30"

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. § 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under §12 and §14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)	
	If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 1 gallon to bulk		5. Location of Label Directions. <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Carrie M. Buck	Title Product Registration Coordinator	Telephone No. (Include Area Code) (973) 443-4200 Ext. 2205
Certification		6. Date Application Received (Stamped)
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		
2. Signature 	3. Title Product Registration Coordinator	
4. Typed Name Carrie M. Buck	5. Date September 22, 2004	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses, protective clothing and rubber gloves. Do not breathe vapors or spray mist. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate - vomiting may cause aspiration pneumonia.

TROYSHIELD®FX30

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, and Canvas and Cordage

EPA Reg. No. 5383-74
EPA Est. No. 5383-NJ-1
INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:
3-Iodo-2-Propynyl Butyl Carbamate..... 20.0%

INERT INGREDIENTS..... 80.0%

TOTAL..... 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

**SOLD FOR INDUSTRIAL USE
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

NOTIFICATION

Date Reviewed: _____
Reviewed By: _____

NOTIFICATION

Date Reviewed: 1-19-05
Reviewed By: PLW/ta/re

IN CASE OF EMERGENCY CALL 1-800-CHEMTREC

**TROY CHEMICAL CORPORATION
ONE AVENUE L
NEWARK, N.J. 07105**

Net Weight: _____

®TROYSAN AND TROYSHIELD ARE REGISTERED TRADEMARKS

ENVIRONMENT

This product is toxic to fish. Do not discharge into lakes, streams, ponds, estuaries, or accordance with the requirements of a Elimination System (NPDES) permit notified in writing prior to discharge. Do not use this product to sewer systems without treatment plant authority. For guidance contact Regional office of the EPA

DIRECTIONS

It is a violation of Federal Law to use this product without its labeling.

APPLICATION

The following are suggested use levels for Troyshield®FX30 various applications indicate the approximate levels are in percentage by weight and refer to the product most cost effective use level for Troyshield®FX30. **PAINTS AND STAINS:** Generally use 0.5-1.5% interior paints use 0.2-0.8%. Wood protective stains use 0.25-3.0%. **CUTTING OILS:** Use 0.15-0.5%. **WOOD:** For above ground use only at rates of millwork use rates of 1.5-2.5%. Do not use on surfaces which may be in continuous contact with lacquer after treatment with Troyshield®FX30. **TEXTILES:** Use for coatings or dyes at 0.25-2.5%. **PAPER COATINGS:** Use in aqueous and solvent systems. **ADHESIVES:** Use 0.125-0.5%. **INKS:** Use 0.25-2.5%.

STORAGE

Do not contaminate water, food, or feed. **PESTICIDE STORAGE:** This material should be stored at moderate temperatures. Storage temperatures are suggested. **PESTICIDE DISPOSAL:** Pesticide wastes are considered hazardous. Pesticide disposal of excess pesticides, spray containers, or other wastes should be done by your State pesticide or environmental representative at the nearest EPA representative. **CONTAINER DISPOSAL:** Triple rinse, if allowed, or recycling or re-conditioning, or incineration, or, if allowed by state or local authority, burning. Do not burn, stay out of smoke.

PHYSICAL AND CHEMICAL

Do not use or store near heat or open flame.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses, protective clothing and rubber gloves. Do not breathe vapors or spray mist. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate - vomiting may cause aspiration pneumonia.

TROYSHIELD® FX20

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, and Canvas and Cordage

EPA Reg. No. 5383-74
EPA Est. No. 5383-NJ-1
INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:
3-Iodo-2-Propynyl Butyl Carbamate..... 20.0%
INERT INGREDIENTS..... 80.0%
TOTAL..... 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

**SOLD FOR INDUSTRIAL USE
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

NOTIFICATION
Date Reviewed: 1-14-05
Reviewed By: S. J. [Signature]

IN CASE OF EMERGENCY CALL 1-800-CHEMTREC

**TROY CHEMICAL CORPORATION
ONE AVENUE L
NEWARK, N.J. 07105**

Net Weight: _____

©TROYSAN AND TROYSHIELD ARE REGISTERED TRADEMARKS

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for Troyshield®FX20. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Troyshield®FX20. In order to determine the most cost effective use level for Troyshield®FX20 in a given use, field trials are suggested.
PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.
PLASTICS: For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 0.25-3.0%.
CUTTING OILS: Use 0.15-0.5%.
WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Troyshield®FX20.
TEXTILES: Use for coatings or dyes at 0.25-2.0%. Not for use in fabrics for human wear.
PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.
ADHESIVES: Use 0.125-0.5%
INKS: Use 0.25-2.5%

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

4/5

01/18/05 TUE 16:21 FAX 19734430258 TROY



TROY CORPORATION

Via Courier

September 21, 2004

U.S. Environmental Protection Agency
Office of Pesticide Programs
1801 Bell Street
Arlington, VA 22202
ATTN: Mr. Adam Heyward

**RE: Troy Chemical Corporation
Polyphase AF3 (EPA Reg. No. 5383-77)
Polyphase P-20T (EPA Reg. No. 5383-74)
Polyphase LA33 (EPA Reg. No. 5383-118)
Notification of Alternate Brand Name per PR Notice 98-10**

Dear Mr. Heyward:

Troy Corporation submits herewith applications for Pesticide Notification to propose alternate brand names for the above-referenced products in accordance with PR Notice 98-10. The alternate brand names are as follows:

“Troyshield FX40; Troyshield FX20; Troyshield FX30; and Troyshield LA33

To support these Notifications of Alternate Brand Names, I am submitting Applications for Pesticide Notification, which includes a signed statement certifying compliance with PR Notice 98-10. Also enclosed is a copy of each of the labels with the changes clearly marked.

If you should have any questions or require additional information, please feel free to contact me directly at (973) 443-4200 Ext. 2206, or by email at buckc@troycorp.com.

Sincerely,

Carrie M. Buck
Product Registration Coordinator

Encls.