

5383-74

09-29-2009

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

SEP 29 2009

Adrian Krygsman
Director, Product Registration
Troy Chemical Corporation c/o
Troy Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Notification in Accordance with PR Notice 98-10
Troyson Polyphase P20T
EPA Registration No. 5383-74
Application Date: August 31, 2009
Receipt Date: September 1, 2009

Dear Mr. Krygsman:

This acknowledges receipt of your application, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

Label change due to PR Notice 2007-4

General Comments

Based on a review of the material submitted, the following comments apply:

At the next printing of your label, please include the batch code information.

The notification is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Renae Whitaker by telephone at (703) 308-7003 or email at whitaker.renae@epa.gov during the hours of 8:00 am to 3:30 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in black ink, appearing to read "ShaRon Carlisle".

ShaRon Carlisle
(Acting) Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

 EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other:	OPP Identifier Number 289751
---	--	--

Application for Pesticide - Section I

1. Company/Product Number 5383-74	2. EPA Product Manager Ms. ShaRon Carlisle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Troysan Polyphase P20T	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Company Ltd. c/o Troy Corporation 8 Vreeland Road Florham Park, N.J. 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(l), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	


Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Adrian Krygsman	Title Director, Product Registration	Telephone No. (Include Area Code) 973-443-4200, X2249
--------------------------------	---	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Director, Product Registration	6. Date Application Received (Stamped)
4. Typed Name Adrian Krygsman	5. Date 08/29/09	

00000
00000
00000
00000
00000
00000
00000
00000
00000
00000

34

3/5



TROY CORPORATION

August 31, 2009

Via FEDEX

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. EPA
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA. 22202-4501

RE: Troysan Polyphase P20T
EPA Reg. No. 5383-74
Submission of Label Revisions to Address PR Notice 2007-4

Attention: Ms. ShaRon Carlisle
PM Team 34


Dear Ms. Carlisle:


Enclosed please find documents to address label revisions which address the requirements of PR Notice 2007-4. Please note that no other changes have been made to this label aside from those specified PR Notice 2007-4 with regards to the Storage and Disposal Section. Revisions have been highlighted to address label changes. We enclose the following documents as per PR Notice 2007-4:

- EPA application form 3570-1 (OPP Identifier No. 289751)
- One copy of product label with revisions highlighted

Please contact me directly via phone or email should you require any additional information on this action.

Sincerely,


Adrian Krygsman
Director, Product Registration



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Causes skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses, protective clothing and rubber gloves. Do not breathe vapors or spray mist. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate – vomiting may cause aspiration pneumonia.

POLYPHASE® P20T

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT: % Weight
3-Iodo-2-Propynyl Butyl Carbamate..... 20.0%
INERT INGREDIENTS. 80.0%
TOTAL 100.0%

NOTIFICATION
 Date Reviewed: 9/29/09
 Reviewed By: *Whitaker*

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

ENVIRO

This product is toxic to fish. Do not streams, ponds, estuaries, oceans requirements of a National Pollutant the permitting authority has been no effluent containing this product to s sewage treatment plant authority, Regional office of the EPA.

DIREC

It is a violation of Federal law to its labeling.

APPLICA

The following are suggested use le for the various applications indicate All suggestions are in percentage b In order to determine the most cost use, field trials are suggested.

PAINTS AND STAINS: Gene 2.5%. For interior paints use 0.2-0.8

CUTTING OILS: Use 0.15-0.5%

WOOD: For above ground use i desired. For millwork use rates of 1. contact with food. Surfaces which coated with a varnish, or lacquer affe

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PAPER COATINGS: Use in ac at 0.25-1.0%.

PHYSICAL AI

Do not use or s

STORA

Do not contaminate water

PESTICIDE STORAGE: This r temperatures.

PESTICIDE DISPOSAL: Pestic disposal of excess pesticides, s law. If these wastes cannot be dis contact your State pesticide or e waste representative at the neares

CONTAINER HANDLING: Nonr container.

Triple rinse (or equivalent). Then or puncture and dispose of in a s state and local authorities, by burn

5/12

POLYPHASE® P20T

Fungicide for Use in Aqueous and Solvent Systems such as Oleo- and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

Reg. No.	5383-74
Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
2-Propynyl Butyl Carbamate.....	20.0%
INERT INGREDIENTS.	80.0%
.....	100.0%

NOTIFICATION
 Date Reviewed: 9/29/09
 Reviewed By: *W. Baker*

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
 CALL 1-800-424-9300**

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation
 One Avenue L, Newark, N.J. 07105

ROYSAN® and POLYPHASE® are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for Polyphase® P-20T. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Polyphase® P-20T. In order to determine the most cost effective use level for Polyphase® P-20T in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.

CUTTING OILS: Use 0.15-0.5%.

WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Polyphase® P-20T.

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.
CONTAINER HANDLING: Nonrefillable container: Do not reuse or refill this container.
 Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

7/5