

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 7, 2015

Maureen Miksztal Troy Corporation 8 Vreeland Road P.O. Box 955 Florham Park, NJ 07932-0955

Subject: PRIA Label Amendment – New Inhalation Studies

Product Name: TROYSAN® POLYPHASE® P-20T

EPA Registration Number: 5383-74 Application Date: March 13, 2015

Decision Number: 502526

Dear Ms. Miksztal:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 5383-74 Decision No. 502526

with FIFRA section 6. If you have any questions, please contact Stacey Grigsby by phone at 703.305.6440, or via email at grigsby.stacey@epa.gov

Sincerely,

Jacqueline Hardy, Product Manager 34 Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

of Stacey Strips

Enclosure

ACCEPTED

08/07/2015

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5383-74

MASTER LABEL -

POLYPHASE® P-20T

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING-1.5 oz., 7.5 oz. AND 4.95 lb. CONTAINERS

A Fungicide for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

RESISTS MILDEW AND MOLD ON THE DRY FILM/LOW ODOR

Treats 52 Gallons For Canister Use

Alternate small container label for 2.0 oz. container that contains 1.5 oz. of product

A Fungicide for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

RESISTS MILDEW AND MOLD ON THE DRY FILM/LOW ODOR

Treats 5 Gallons

Alternate label language for Home Packaging- 1.5 oz. and 7.5 oz. containers.

A Fungicide for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

RESISTS MILDEW AND MOLD ON THE DRY FILM/LOW ODOR Treats One Gallon

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-lodo-2-Propynyl Butyl Carbamate	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100 0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Produced for/Manufactured for:

Troy Chemical Corporation One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks **CENTER PANEL**

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS**

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

Wear goggles or face shield.

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves such as Nitrile, Viton, Neoprene and/or Barrier laminate
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

ALTERNATE LABEL LANGUAGE FOR RETAIL AND HOME PACKAGING USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

	FIRST AID	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 	
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. 	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.		

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

APPLICATION INSTRUCTIONS

The following are suggested use levels for POLYPHASE P-20T. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product POLYPHASE P-20T. In order to determine the most cost effective use level for POLYPHASE P-20T in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.

CUTTING OILS: Use 0.15-0.5%.

WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin must be coated with a varnish, or lacquer after treatment with POLYPHASE P-20T.

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.

ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING-1.5 oz., 7.5 oz. AND 4.95 lb. CONTAINERS

MIXERS AND HANDLERS: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply the coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best results, follow coating manufacturer's instructions for cleaning and preparing the surface. Use of POLYPHASE P-20T is for protecting the applied film and paint not the substrate.

For 1.5 oz. container: Pour entire contents into 1 gallon of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 7.5 oz. container: Pour entire contents into 5 gallons of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 4.95 lbs. plastic containers with pump: Add 1 oz. (2 pumps) per gallon of paint or other coating. Shake or stir thoroughly.

For 2.48 lb. and 4.95 lb. plastic containers: Pour POLYPHASE P-20T into color canister. Dispense as shown in Table A. Shake or stir thoroughly.

Table A: In store dispenser calibration chart for POLYPHASE P-20T:

Dispenser Calibration	16ths.	32nds.	48ths.	64ths.
For 5 gallon	5 8/16	5 16/32	5 24/48	5 32/64
For 1 gallon	1 2/16	1 3/32	1 5/48	1 6/64
For 1 quart	5/16	9/32	14/48	18/64

Alternate small container label for 2.0 oz. container that contains 1.5 oz. of product

NOTE: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

Alternate label language for Home Packaging- 1.5 oz. and 7.5 oz. containers

NOTE: Read Precautionary Statements prior to handling product.

Do not apply this product in a way that will contact any person or pet.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

For 1.5 oz. and 7.5 oz. containers: Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING-1.5 oz., 7.5 oz. AND 4.95 lb. CONTAINERS, 2.0 oz. CONTAINER THAT CONTAINS 1.5 oz. of PRODUCT, AND HOME PACKAGING- 1.5 oz and 7.5 oz. CONTAINERS

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MM- Master Label 5/26/15

SUB LABEL A – INDUSTRIAL PACKAGING

POLYPHASE® P-20T

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-lodo-2-Propynyl Butyl Carbamate	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Produced for/Manufactured for:

Troy Chemical Corporation One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

CENTER PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

Wear goggles or face shield.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves such as Nitrile, Viton, Neoprene and/or Barrier laminate
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for POLYPHASE P-20T. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product POLYPHASE P-20T. In order to determine the most cost effective use level for POLYPHASE P-20T in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas, use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.

CUTTING OILS: Use 0.15-0.5%.

WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin must be coated with a varnish, or lacquer after treatment with POLYPHASE P-20T.

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PAPER COATINGS: Use in aqueous and solvent based coatings applied to

paper at 0.25-1.0%.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for quidance.

CONTAINER HANDLING: Nonrefillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SUB LABEL B - HOME PACKAGING - 1.5 oz. and 7.5 oz. containers.

A Fungicide for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

RESISTS MILDEW AND MOLD ON THE DRY FILM/LOW ODOR

Treats One Gallon

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-lodo-2-Propynyl Butyl Carbamate	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Produced for/Manufactured for:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

CENTER PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

Wear goggles or face shield.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Have the product co	ontainer or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

For 1.5 oz. and 7.5 oz. containers: Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MM Home packaging 05/26/2015

POLYPHASE®P-20T

A Fungicide for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

RESISTS MILDEW AND MOLD ON THE DRY FILM/LOW ODOR

Treats 52 Gallons For Canister Use

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-lodo-2-Propynyl Butyl Carbamate	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Produced for/Manufactured for:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks CENTER PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

Wear goggles or face shield.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

	FIRST AID	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 	
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. 	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.		

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MIXERS AND HANDLERS: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply the coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best results, follow coating manufacturer's instructions for cleaning and preparing the surface. Use of POLYPHASE P-20T is for protecting the applied film and paint not the substrate.

For 1.5 oz. container: Pour entire contents into 1 gallon of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 7.5 oz. container: Pour entire contents into 5 gallons of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 4.95 lbs. plastic containers with pump: Add 1 oz. (2 pumps) per gallon of paint or other coating. Shake or stir thoroughly.

For 2.48 lb. and 4.95 lb. plastic containers: Pour POLYPHASE P-20T into color canister. Dispense as shown in Table A. Shake or stir thoroughly.

Table A: In store dispenser calibration chart for POLYPHASE P-20T:

Dispenser Calibration	16ths.	32nds.	48ths.	64ths.
For 5 gallon	5 8/16	5 16/32	5 24/48	5 32/64
For 1 gallon	1 2/16	1 3/32	1 5/48	1 6/64
For 1 quart	5/16	9/32	14/48	18/64

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MM Retail - 1.5 oz., 7.5 oz. and 4.95 lb.05262015

SUBLABEL D - RETAIL PACKAGING 2.0 oz. Container that contains 1.5 oz. of product

POLYPHASE®P-20T

A Fungicide for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Inks, Adhesives, and Paper Coatings

RESISTS MILDEW AND MOLD ON THE DRY FILM/LOW ODOR

Treats 5 Gallons

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-lodo-2-Propynyl Butyl Carbamate	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Produced for/Manufactured for:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

CENTER PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

Wear goggles or face shield.

USER SAFETY RECOMMENDATIONS

Hears should

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- · Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

	FIRST AID	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 	
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. 	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.		

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: Read Precautionary Statements prior to handling product.

Do not apply this product in a way that will contact any person or pet.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MM Retail -2 oz with 1.5 oz. product.05262015