



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 1, 2020

Patti Golick
Troy Chemical Corp. c/o
Troy Corporation
8 Vreeland Road
Florham Park, New Jersey 07932

Subject: Notification per PRN 98-10 – Adding marketing language, a graphic to the master label and sub labels
Product Name: POLYPHASE P-20T
EPA Registration Number: 5383-74
Application Date: May 12, 2020
Decision Number: 563352

Dear Ms. Golick:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, please contact Stacey Grigsby by phone at 703.305.6440, or via email at grigsby.stacey@epa.gov .

Sincerely,

A handwritten signature in cursive script that reads "Stacey Grigsby".

Stacey Grigsby
Regulatory Risk Manager, 34
Regulatory Management Branch II
Antimicrobials Division (7510P)

POLYPHASE® P-20T

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Metalworking, Cutting Fluids, Cooling, and Lubricating Fluids, Inks, Adhesives, and Paper Coatings

ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING-1.5 oz., 7.5 oz. AND 4.95 lb. CONTAINERS

[A Fungicide] for Use in *Interior/Exterior Aqueous and Oil-Solvent Systems* such as Oleo-Resinous and Latex Paints and Adhesives.



RESISTS MILDEW AND MOLD ON THE DRY FILM **[RESISTS MOLD AND MILDEW ON DRY PAINT]** **[PLUS] LOW ODOR**
[INHIBITS MOLD AND MILDEW]
[ADD TO PAINT AND STAIN]
*Treats 52 Gallons
For Canister Use*

*[For use in aqueous, latex and oil-based paints]
[works with oil-based and latex paints]
[Dried paint film resists attack by mildew]
[Gives mildew-resistant coating]
[Dried paint film resists stains by mold]
[Dried paint film resists mold fungus]
[Dried coating of this paint mildew resistant]
[Will help paint resist deterioration from mildew]
[Will help paint resist deterioration by mold fungus]
[A fungistatic agent to help paint become resistant to stains caused by mildew]
[Mildew Resistant-A fungistatic additive which inhibits the growth of mildew on the surface of the paint]
[Resists/Inhibits Mold and Mildew on Dry Paint Film]
[Resists/Inhibits Mold and Mildew on Interior/Exterior Painted and Stained surfaces]*

Alternate small container label for 2.0 oz. container that contains 1.5 oz. of product

[A Fungicide] for Use in *Interior/Exterior Aqueous and Oil-Solvent Systems* such as Oleo-Resinous and Latex Paints and Adhesives



RESISTS MILDEW AND MOLD ON THE DRY FILM **[PLUS] LOW ODOR**
[INHIBITS MOLD AND MILDEW]
[ADD TO PAINT AND STAIN]
[PAINT AND STAIN ADDITIVE]
Treats 5 Gallons

*[For use in aqueous latex and oil-based paints]
[works with oil-based and latex paints]
[Dried paint film resists attack by mildew]
[Gives mildew-resistant coating]
[Dried paint film resists stains by mold]
[Dried paint film resists mold fungus]
[Dried coating of this paint mildew resistant]
[Will help paint resist deterioration from mildew]
[Will help paint resist deterioration by mold fungus]
[A fungistatic agent to help paint become resistant to stains caused by mildew]
[Mildew Resistant-A fungistatic additive which inhibits the growth of mildew on the surface of the paint]
[Resists/Inhibits Mold and Mildew on Dry Paint Film]
[Resists/Inhibits Mold and Mildew on Interior/Exterior Painted and Stained surfaces]*

Alternate label language for Home Packaging- 1.5 oz. and 7.5 oz. containers.

[A Fungicide] for Use in *Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paint and Adhesives*



RESISTS MILDEW AND MOLD ON THE DRY FILM/ **[RESISTS MOLD AND MILDEW ON DRY PAINT]** **[[PLUS]LOW**
ODOR]

[INHIBITS MOLD AND MILDEW]

[ADD TO PAINT AND STAIN]

[PAINT AND STAIN ADDITIVE]

Treats One Gallon

[For use in aqueous, latex and oil-based paints]

[works with oil-based and latex paints]

[Dried paint film resists attack by mildew]

[Gives mildew-resistant coating]

[Dried paint film resists stains by mold]

[Dried paint film resists mold fungus]

[Dried coating of this paint mildew resistant]

[Will help paint resist deterioration from mildew]

[Will help paint resist deterioration by mold fungus]

[A fungistatic agent to help paint become resistant to stains caused by mildew]

[Mildew Resistant-A fungistatic additive which inhibits the growth of mildew on the surface of the paint]

[Resists/Inhibits Mold and Mildew on Dry Paint Film]

[Resists/Inhibits Mold and Mildew on Interior/Exterior Painted and Stained surfaces]

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT: % Weight
3-Iodo-2-Propynyl Butyl Carbamate20.0%
INERT INGREDIENTS80.0%
TOTAL.....100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements
[See Precautionary Statements on Back Panel]
[First Aid continued on Back Panel]

IN CASE OF EMERGENCY:
CALL 1-800-424-9300 (CHEMTREC)

Net Weight:

Produced for/Manufactured for[Manufactured by] [Sold by] [Distributed by]:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

CENTER PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

[Wear goggles or face shield.]

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves such as Nitrile, Viton, Neoprene and/or Barrier laminate
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

PEEL HERE

ALTERNATE LABEL LANGUAGE FOR RETAIL AND HOME PACKAGING

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
[For medical emergencies, call your poison control center at 1-800-222-1222.]

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

APPLICATION INSTRUCTIONS

The following are suggested use levels for POLYPHASE P-20T. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product POLYPHASE P-20T. In order to determine the most cost effective use level for POLYPHASE P-20T in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.

METALWORKING: To inhibit the growth of fungi in metalworking, cutting fluids, cooling, and lubricating fluids add Polyphase P-20T to metalworking concentrate that will result in a 0.15 – 0.5%% concentration in the diluted fluid or add 0.15 -0.5% of Polyphase P-20T to the use dilution of the fluid.

WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin must be coated with a varnish, or lacquer after treatment with POLYPHASE P-20T.

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.

PEEL HERE

ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING-1.5 oz., 7.5 oz. AND 4.95 lb. CONTAINERS

MIXERS AND HANDLERS: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply the coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best results, follow coating manufacturer's instructions for cleaning and preparing the surface. Use of POLYPHASE P-20T is for protecting the applied film and paint not the substrate.

For 1.5 oz. container: Pour entire contents into 1 gallon of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 7.5 oz. container: Pour entire contents into 5 gallons of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 4.95 lbs. plastic containers with pump: Add 1 oz. (2 pumps) per gallon of paint or other coating. Shake or stir thoroughly.

For 2.48 lb. and 4.95 lb. plastic containers: Pour POLYPHASE P-20T into color canister. Dispense as shown in Table A. Shake or stir thoroughly.

Table A: In store dispenser calibration chart for POLYPHASE P-20T:

Dispenser Calibration	16ths.	32nds.	48ths.	64ths.
For 5 gallon	5 8/16	5 16/32	5 24/48	5 32/64
For 1 gallon	1 2/16	1 3/32	1 5/48	1 6/64
For 1 quart	5/16	9/32	14/48	18/64

Alternate small container label for 2.0 oz. container that contains 1.5 oz. of product

NOTE: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

Alternate label language for Home Packaging- 1.5 oz. and 7.5 oz. containers

NOTE: Read Precautionary Statements prior to handling product.

Do not apply this product in a way that will contact any person or pet.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

For 1.5 oz. and 7.5 oz. containers: Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ALTERNATE LABEL LANGUAGE FOR INDUSTRIAL PACKAGING

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ALTERNATE LABEL LANGUAGE FOR RETAIL PACKAGING-1.5 oz., 7.5 oz. AND 4.95 lb. CONTAINERS, 2.0 oz. CONTAINER THAT CONTAINS 1.5 oz. of PRODUCT, AND HOME PACKAGING- 1.5 oz and 7.5 oz. CONTAINERS

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

POLYPHASE[®] P-20T

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Metalworking, Cutting Fluids, Cooling, and Lubricating Fluids, Inks, Adhesives, and Paper Coatings

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-Iodo-2-Propynyl Butyl Carbamate	20.0%
INERT INGREDIENTS	80.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements
[See Precautionary Statements on Back Panel]
[First Aid continued on Back Panel]

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300 (CHEMTREC)**

Net Weight:

Produced for/Manufactured for / [Manufactured by / [Sold By] [Distributed by]:

**Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105**

TROYSAN[®] and POLYPHASE[®] are registered trademarks

CENTER PANEL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

Wear goggles or face shield.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves such as Nitrile, Viton, Neoprene and/or Barrier laminate
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. <small>[For medical emergencies, call your poison control center at 1-800-222-1222.]</small></p>	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for POLYPHASE P-20T. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product POLYPHASE P-20T. In order to determine the most cost effective use level for POLYPHASE P-20T in a given use, field trials are suggested.

PAINTS AND STAINS: Generally use 0.5-1.5%. For hot, humid areas, use up to 2.5%. For interior paints use 0.2-0.8%. Wood protective stains will use 1.0-1.5%.

METALWORKING: To inhibit the growth of fungi in metalworking, cutting fluids, cooling, and lubricating fluids add Polyphase P-20T to metalworking concentrate that will result in a 0.15 – 0.5%% concentration in the diluted fluid or add 0.15 - 0.5% of Polyphase P-20T to the use dilution of the fluid.

WOOD: For above ground use only at rates of 2.5-6.0% depending on protection desired. For millwork use rates of 1.5-2.5%. Do not use on wood surfaces that come in contact with food. Surfaces which may be in continuous contact with skin must be coated with a varnish, or lacquer after treatment with POLYPHASE P-20T.

ADHESIVES: Use 0.125-0.5%

INKS: Use 0.25-2.5%

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.25-1.0%.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Industrial.040502020AK

SUB LABEL B – HOME PACKAGING - 1.5 oz. and 7.5 oz. containers.

POLYPHASE® P-20T

[A Fungicide] for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, Adhesives



RESISTS MILDEW AND MOLD ON THE DRY FILM/[RESISTS MOLD AND MILDEW ON DRY PAINT] [[PLUS]LOW ODOR]

[INHIBITS MOLD AND MILDEW]

[ADD TO PAINT AND STAIN]

[PAINT AND STAIN ADDITIVE]

Treats One Gallon

[Treats 5 Gallons]

[For use in aqueous latex and oil-based paints]

[works with oil-based and latex paints]

[Dried paint film resists attack by mildew]

[Gives mildew-resistant coating]

[Dried paint film resists stains by mold]

[Dried paint film resists mold fungus]

[Dried coating of this paint mildew resistant]

[Will help paint resist deterioration from mildew]

[Will help paint resist deterioration by mold fungus]

[A fungistatic agent to help paint become resistant to stains caused by mildew]

[Mildew Resistant-A fungistatic additive which inhibits the growth of mildew on the surface of the paint]

[Resists/Inhibits Mold and Mildew on Dry Paint Film]

[Resists/Inhibits Mold and Mildew on Interior/Exterior Painted and Stained surfaces]

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

FUNGICIDE

ACTIVE INGREDIENT: % Weight
 3-Iodo-2-Propynyl Butyl Carbamate20.0%
 INERT INGREDIENTS80.0%
 TOTAL.....100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements
 [See Precautionary Statements on Back Panel]
 [First Aid continued on Back Panel]

IN CASE OF EMERGENCY:
CALL 1-800-424-9300 (CHEMTREC)

Net Weight:

Produced for/Manufactured for /[Manufactured by [Sold By] [Distributed by]:

Troy Chemical Corporation
 One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

CENTER PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

[Wear goggles or face shield].

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
[For medical emergencies, call your poison control center at 1-800-222-1222.]

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

For 1.5 oz. and 7.5 oz. containers: Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Home packaging .04052020.AK

POLYPHASE® P-20T

[A Fungicide] for Use in *Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints, and Adhesives*



RESISTS MILDEW AND MOLD ON THE DRY FILM/[RESISTS MOLD AND MILDEW ON DRY PAINT] [[PLUS]LOW ODOR]

[INHIBITS MOLD AND MILDEW]

[ADD TO PAINT AND STAIN]

[PAINT AND STAIN ADDTIVIE]

Treats 52 Gallons

For Canister Use

[Treats 5 Gallons]

[For use on aqueous, latex and oil-based paints]

[works with oil-based and latex paints]

[Dried paint film resists attack by mildew]

[Gives mildew-resistant coating]

[Dried paint film resists stains by mold]

[Dried paint film resists mold fungus]

[Dried coating of this paint mildew resistant]

[Will help paint resist deterioration from mildew]

[Will help paint resist deterioration by mold fungus]

[A fungistatic agent to help paint become resistant to stains caused by mildew]

[Mildew Resistant-A fungistatic additive which inhibits the growth of mildew on the surface of the paint]

[Resists/Inhibits Mold and Mildew on Dry Paint Film]

[Resists/Inhibits Mold and Mildew on Interior/Exterior Painted and Stained surfaces]

HEPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

FUNGICIDE

ACTIVE INGREDIENT: % Weight
 3-Iodo-2-Propynyl Butyl Carbamate20.0%
 INERT INGREDIENTS80.0%
 TOTAL.....100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

[See Precautionary Statements on Back Panel]

[First Aid continued on Back Panel]

IN CASE OF EMERGENCY:

CALL 1-800-424-9300 (CHEMTREC)

Net Weight:

Produced for/Manufactured for // [Manufactured by [Sold By] [Distributed by]:

Troy Chemical Corporation

One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

CENTER PANEL

PEEL HERE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

[Wear goggles or face shield].

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. [For medical emergencies, call your poison control center at 1-800-222-1222.]	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MIXERS AND HANDLERS: Read Precautionary Statements prior to handling product.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply the coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best results, follow coating manufacturer's instructions for cleaning and preparing the surface. Use of POLYPHASE P-20T is for protecting the applied film and paint not the substrate.

For 1.5 oz. container: Pour entire contents into 1 gallon of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 7.5 oz. container: Pour entire contents into 5 gallons of paint or other coating. Shake and stir thoroughly for 2-3 minutes.

For 4.95 lbs. plastic containers with pump: Add 1 oz. (2 pumps) per gallon of paint or other coating. Shake or stir thoroughly.

For 2.48 lb. and 4.95 lb. plastic containers: Pour POLYPHASE P-20T into color canister. Dispense as shown in Table A. Shake or stir thoroughly.

Table A: In store dispenser calibration chart for POLYPHASE P-20T:

Dispenser Calibration	16ths.	32nds.	48ths.	64ths.
For 5 gallon	5 8/16	5 16/32	5 24/48	5 32/64
For 1 gallon	1 2/16	1 3/32	1 5/48	1 6/64
For 1 quart	5/16	9/32	14/48	18/64

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Retail – 1.5 oz., 7.5 oz. and 4.95 lb..004052020.AK

SUBLABEL D - RETAIL PACKAGING
2.0 oz. Container that contains 1.5 oz. of product

POLYPHASE[®]P-20T

[A Fungicide] for Use in Interior/Exterior Aqueous and Oil-Solvent Systems such as Oleo-Resinous and Latex Paints and Adhesives



RESISTS MILDEW AND MOLD ON THE DRY FILM/[RESISTS MOLD AND MILDEW ON DRY PAINT] [[PLUS]LOW

ODOR]

[INHIBITS MOLD AND MILDEW]

[ADD TO PAINT AND STAIN]

[PAINT AND STAIN ADDITIVE]

Treats 1 Gallon

[For use in aqueous, latex and oil-based paints]

[works with oil-based and latex paints]

[Dried paint film resists attack by mildew]

[Gives mildew-resistant coating]

[Dried paint film resists stains by mold]

[Dried paint film resists mold fungus]

[Dried coating of this paint mildew resistant]

[Will help paint resist deterioration from mildew]

[Will help paint resist deterioration by mold fungus]

[A fungistatic agent to help paint become resistant to stains caused by mildew]

[Mildew Resistant-A fungistatic additive which inhibits the growth of mildew on the surface of the paint]

[Resists/Inhibits Mold and Mildew on Dry Paint Film]

[Resists/Inhibits Mold and Mildew on Interior/Exterior Painted and Stained surfaces]

EPA Reg. No.	5383-74
EPA Establishment Number	5383-NJ-1

FUNGICIDE

ACTIVE INGREDIENT: % Weight
3-Iodo-2-Propynyl Butyl Carbamate20.0%
INERT INGREDIENTS80.0%
TOTAL.....100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

[See Precautionary Statements on Back Panel]

[First Aid continued on Back Panel]

IN CASE OF EMERGENCY:
CALL 1-800-424-9300 (CHEMTREC)

Net Weight:

Produced for/Manufactured for // [Manufactured by [Sold By] [Distributed by]:

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

CENTER PANEL

PEEL HERE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes moderate eye irritation. Causes skin irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing.

[Wear goggles or face shield].

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
[For medical emergencies, call your poison control center at 1-800-222-1222.]

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: Read Precautionary Statements prior to handling product.

Do not apply this product in a way that will contact any person or pet.

Add POLYPHASE P-20T as directed below to the coating for maximum protection against mold and mildew. Mix thoroughly, stirring POLYPHASE P-20T into the coating for 2-3 minutes. Apply this coating to the surface as directed by the coating manufacturer. In all cases, mix the coating prior to applying to the surface. To ensure best coverage and results, follow coating manufacturer's instructions for cleaning and preparing the surface. POLYPHASE P-20T is for protecting the applied film and paint, not the substrate.

Pour entire contents of container into 1 gallon of paint or other coating. Shake or stir thoroughly for 2-3 minutes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store at low or extreme temperatures.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash and offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING: Non-refillable container: Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Retail -2 oz with 1.5 oz. product.04052020.AK