

5383-77

03/10/2009

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

MAR 10 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Auria Trelles
Registration Coordinator
Troy Chemical Corporation
c/o Troy Corporation
8 Vreeland Road
Florham Park, NJ 07932

Subject: Polyphase AF3
EPA Registration No. 5383-77
Application Date: February 10, 2009
Receipt Date: February 12, 2009

Dear Ms. Trelles:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

Addition of Alternate Brand Name "Troyshield F35"

General Comments

Based on a review of the material submitted, the following comments apply:

The notification is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact me by telephone at (703) 308-8583 or email address at: Mitchell.Emily@epa.gov during the hours of 8:00 am to 3:30 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in cursive script that reads "Emily Mitchell".

Emily Mitchell
(Acting) Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98



EPA

United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other:

OPP Identifier Number
304078

Application for Pesticide - Section I

1. Company/Product Number 5383-77	2. EPA Product Manager Adam Heyward	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Polyphase AF3	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Troy Chemical Corporation c/o Troy Corporation 8 Vreeland Road Florham Park, NJ 07932 <u>PLEASE SEND ALL CORRESPONDENCE TO</u> <u>"CONTACT POINT" LISTED BELOW</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Submission of Alternate Brand Name (ABN)

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Auria Trelles	Title Registration Coordinator	Telephone No. (Include Area Code) (973) 413-4200 ext 2206
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Coordinator	
4. Typed Name Auria Trelles	5. Date 2/10/09	



TROY CORPORATION

February 10, 2009

Via Fedex Courier

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Antimicrobial Division (AD)
U.S. EPA
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Mr. Adam Heyward
PM 34

RE: Submission of Notification
Polyphase AF3
EPA Reg. No. 5383-77

Dear Mr. Heyward:

Troy Corporation is submitting a product notification for the Polyphase AF3. We are proposing an alternate brand name for the product as indicated below

Alternate Brand Name: Troysield F35

In order to process this request we enclose the following documents:

- EPA Pesticide Application EPA Form (8570-1)- OPP Identifier No. 304078
- Four (4) copies of the revised product label with the ABN
- Certification Statement as required by PR Notice 98-10

If you should have any questions or require additional information, please contact me directly at (973) 443-4200 Ext (2206) or at Trellesa@troycorp.com

Sincerely,

Auria Trelles
Registration Coordinator




4/6

TROY CORPORATION

Notification of Alternate Brand Name for: Polyphase AF3
Alternate Brand Name Troysield F35
EPA Reg. No.: 5383-77
Per PR Notice 98-10:

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



Auria Trelles

2/10/09

Date

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

DANGER

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed, absorbed through skin, or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapors spray mist. Wear goggles, face shield or safety glasses, protective clothing and chemically resistant rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF ALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate – vomiting may cause aspiration pneumonia.	

TROYSHIELD® F35

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, Canvas and Cordage

EPA Reg. No.	5383-77
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:% Weight
 3-Iodo-2-Propynyl Butyl Carbamate..... 30.0%
 INERT INGREDIENTS 70.0%
 TOTAL 100.0%

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

TROYSHIELD® and POLYPHASE® are registered trademarks

ENVIRO

This product is toxic to fish. Do not use in streams, ponds, estuaries, ocean requirements of a National Pollute Discharge Permit and the permitting authority has to discharge effluent containing this product to the local sewage treatment plant, Board or Regional office of the EPA

DIRE

It is a violation of Federal Law to use this product without proper labeling.

APPLIC

The following are suggested use levels for the various applications indicate in the label. All suggestions are in percentage. In order to determine the most cost effective use, field trials are suggested.

Do not apply this product in a way that F35 is not to be used in formulation

PAINTS AND STAINS: General use 2.5%. For interior paints use 0.4-0.8%

PLASTICS: For use in PVC plastic use a level of 0.17-2.0%.

CUTTING OILS: Use 0.1-1.75%

WOOD: For above ground use use 1.6-6.0%. Do not apply to surfaces which may be in continuous contact with water or lacquer after treatment with Troy

TEXTILES: Use for coatings or for fabric protection.

PAPER COATINGS: Use in aqueous solution at 0.5-2.0%.

CANVAS AND CORDAGE: Use 0.09-2.0%

ADHESIVES: Use 0.09-2.0%

INKS: Use 0.2-3.5%

STOR

Do not contaminate water, food, or feed. **PESTICIDE STORAGE:** This product should be stored at the temperatures suggested. Storage temperature should be between 40°F and 100°F.

PESTICIDE DISPOSAL: For disposal of excess pesticides, see your State pesticide or environmental representative at the nearest EPA office.

CONTAINER DISPOSAL: Do not reuse or reuse for other purposes. If allowed by state and local authorities, containers may be recycled.

5/5

TROYSHIELD® F35

A Fungicide for Use in Aqueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics, Adhesives, Canvas and Cordage

EPA Reg. No.	5383-77
EPA Establishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:% Weight
3-Iodo-2-Propynyl Butyl Carbamate..... 30.0%
INERT INGREDIENTS 70.0%
TOTAL 100.0%

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Net Weight:

[Produced for/Manufactured for]

Troy Chemical Corporation
One Avenue L, Newark, N.J. 07105

TROYSHIELD® and POLYPHASE® are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for Troyshield® F35. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Troyshield® F35. In order to determine the most cost effective use level for Troyshield® F35 in a given use, field trials are suggested.

Do not apply this product in a way that will contact workers or other persons. Troyshield® F35 is not to be used in formulations for materials that will come in contact with food.

PAINTS AND STAINS: Generally use 1.0-2.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.4-0.5%. For wood protective stains use 1.0-3.0%.

PLASTICS: For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 0.17-2.0%.

CUTTING OILS: Use 0.1-1.75%

WOOD: For above ground use only at rates of 1.6-6.0% depending on protection desired. For sapstain control use 0.1-0.15% within 24 hours of cutting. For millwork use 1.6-6.0%. Do not apply to wood surfaces that come into contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or lacquer after treatment with Troyshield® F35.

TEXTILES: Use for coatings or dyes at 0.2-4.0%. Not for use in fabrics for human wear.

PAPER COATINGS: Use in aqueous and solvent based coatings applied to paper at 0.5-2.0%.

CANVAS AND CORDAGE: Use 1.0-4.0%

ADHESIVES: Use 0.09-2.0%

INKS: Use 0.2-3.5%

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32°C) and above 32°F (0°C) are suggested.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

6/6