4/6/2010

UN D STATES ENVIRONMENTAL PROTECTIN AGENCY





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

APR - 6 2010

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Peko Rasic **Troy Corporation** 8 Vreeland Road P.O. Box 955 Florham Park, NJ 07932-0955

Subject:

Troysan Polyphase® AF3

EPA Registration No.: 5383-77 Application Date: January19, 2010 Receipt Date: March 8, 2010

Dear Mr. Rasic:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c) 9.

Proposed Notification:

Update Container Disposal per PRN 2007-4

General Comment:

Based on a review of the material submitted, the following comment applies:

A copy of this accepted notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at campbell-mcfarlane.jacqueline@epa.gov or Stacey Grigsby by telephone at (703) 305-6440 or by e-mail at grigsby.stacey@epa.gov epa.gov during the hours of 8:00am to 4:00pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Jacqueline McFarlane (Acting) Product Manager (34)

Regulatory Management Branch II

	Regulatory Management Dianomi							
	сонсиканизстоbials Division (7510P)							
SYMBOL		·		,			• • • • • • • • • • • • • • • • • • • •	
SURNAME								
DATE				· ·				

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

FFICIAL FILE COP

Please read instructions on reverse bel	ore co. ting form.		Form Appro	, OMB No. 2070	-0060, Approval expires 05-31-98	
O EDA	United States		☐ Registr		OPP Identifier Number	
EPA En	vironmental Protect	ion Agency			296873	
	Washington, DC 2	0460	⊠ Other:		200010	
	Applica	tion for Pe	sticide - Section			
Company/Product Number	7.104		Product Manager		3. Proposed Classification	
5383-77		ShaRon			o. Tropocoa olassinoation	
4. Company/Product (Name)	ro.	PM# 34			None Restricted	
Troysan Polyphase® A 5. Name and Address of Applicant (adited Daview In	accordance	with EIEBA Section 2(a)(2)	
Troy Chemical Corporati					vith FIFRA Section 3(c)(3) n composition and labeling	
8 Vreeland Road		to:	to:			
Florham Park, NJ 07932		1	EPA Reg. No			
PLEASE SEND ALL COR		Produc	t Name			
"CONTACT POINT" I						
Check if this is a new a	ddress					
		Section				
Amendment – Explain below.				-	Agency letter dated	
Resubmission in response to A Notification - Explain below.	Agency letter dated		"Me Too" Applica Other - Explain		V	
Explanation: Use additiona	I page(s) if necessary	/. (For Section				
statement to EPA. I further	understand that if the ame 156, this product may be	ended label is no	ot consistent with the r	equirements of 4	to willfully make any false 0 CFR §§ 156.10, 156.140, nent action and penalties under	
		Sectio	n – III			
1. Material This Product Will Be Pa	ckaged In:					
Child-Resistant Packaging	Unit Packaging		Water Soluble Packaging		2. Type of Container	
∐ Yes* □ No	│		Yes No		Metal Plastic	
	If "Yes"	No. per	If "Yes"	No. per	Glass	
*Certification must	Unit Packaging wgt.	container	Package wgt.	container	Paper	
be submitted	<u> </u>				Other (Specifiy)	
3. Location of Net Contents Inform	ation 4. Size(s	i) Retail Contain	er	5. Location of On Labe	f Label Directions	
	namer			==	ing accompanying product	
6. Manner in Which Label is Affixed	===	ograph er glued	Other_			
		ciled				
		Sectio	n – IV			
1. Contact Point (Complete items d			to be contacted, if nec	essary, to proces		
Name Peko Rasic		itle Product Regist	ration Specialist	6.6	Telephone No. (Include Area Code) (973),443-4200 ext 2285	
I certify that the statements I have a acknowledge that any knowingly fal under applicable law.		attachments the It may be punisl		and complete. I	Control Con	
	ic		egistration Specia	alist :		
4. Typed Mame Peko Rasic		5. Date	01/19/2010		(() () () () () () () () () (

TROY CORPORATION

Via FedEx Courier

January 19, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Ms. ShaRon Carlisle

PM Team 34

Subject:

Troysan Polyphase® AF3

EPA Reg. No.: 5383-77

Submission of Labeling Revisions per PR Notice 2007-4

Dear Ms. Carlisle:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:

- application form 3570-1 (OPP Identifier No.: 296873);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at <u>rasicp@troycorp.com</u> should you have any questions or require any additional information.

With kind regards,

Peko Rasic

Product Registration Specialist

Enclosure

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

DANGER

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed, absorbed through skin, or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapors spray mist. Wear goggles, face shield or safety glasses, protective clothing and chemically resistant rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

, , , , , , , , , , , , , , , , , , , ,	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
ALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate – vomiting may cause aspiration pneumonia.

TROYSAN POLYPHASE®

A Fungicide for Use in Agueous and Solvent Systems such as Oleo-Re Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, In Adhesives, Canvos and Cordage

EPA Reg. No.	5383
EPA Establishment Number 3 3	5383-

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	6
3-lodo-2-Propynyl Butyl Carbamate	
INERT INGREDIENTS	•••
ΤΟΤΔΙ	

NOTIFICATION DO Date Reviewed: 2120 DO Reviewed By: Salary

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation One Avenue L, Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

NTS

e or skin burns. r inhaled. Do not breathing vapors safety glasses, ber gloves when er after handling. re reuse.

wly and gently with love contact lenses, continue rinsing. doctor for treatment

enty of water for 15-

doctor for treatment

rol center or doctor. told to do so by a r. Do not give any t give anything by in.

call 911 or an rificial respiration ssible.

or doctor for further

ng a poison control

of gastric lavage.

TROYSAN POLYPHASE® AF3

A Fungicide for Use in Agueous and Solvent Systems such as Oleo-Resinous and Latex Paints, Wood Products, Cutting Oils, Textiles, Paper Coatings, Inks, Plastics,

Adhesives, Canves and Cordage

EPA Reg. No.	5383-77
EPA Establishment, Number 3	5383-NJ-1

INDUSTRIAL FUNGICIDE

ACTIVE INGREDIENT:	% Weight
3-Iodo-2-Propynyl Butyl Carbamate	30.0%
INERT INGREDIENTS	70.0%
TOTAL	100.0%

NOTIFICATION Dete Reviewed: 220 Dete Reviewed By: Schuller

DANGER

SOLD FOR INDUSTRIAL USESee Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

Troy Chemical Corporation
One Avenue L. Newark, N.J. 07105

TROYSAN® and POLYPHASE® are registered trademarks

ENVIRONMENTAL

This product is toxic to fish. Do not discharge effi streams, ponds, estuaries, oceans or other w requirements of a National Pollutant Discharge and the permitting authority has been notified discharge effluent containing this product to sew the local sewage treatment plant authority. Fo Board or Regional office of the EPA.

DIRECTIONS FO

It is a violation of Federal Law to use this prolabeling.

APPLICATION INST

The following are suggested use levels for Troysan Pc the various applications indicate the approximate I suggestions are in percentage by weight and refer to the to determine the most cost effective use level for Troysa are suggested.

Do not apply this product in a way that will contact work to be used in formulations for materials that will come in PAINTS AND STAINS: Generally use 1.0-2.5%.

interior paints use 0.4-0.5%. For wood protective stains **PLASTICS:** For use in PVC plastics such as showel 0.17-2.0%.

CUTTING OILS: Use 0.1-1.75%

WOOD: For above ground use only at rates of 1.6-1 sapstain control use 0.1-0.15% within 24 hours of cuttin to wood surfaces that come into contact with food. So with skin should be coated with a varnish, or lacquer aft

TEXTILES: Use for coatings or dyes at 0.2-4.0%. No **PAPER COATINGS:** Use in aqueous and solvent be paper at 0.5-2.0%.

CANVAS AND CORDAGE: Use 1.0-4.0%

ADHESIVES: Use 0.09-2.0%

INKS: Use 0.2-3.5%

STORAGE AND DI

Do not contaminate water, food, or feed by stora **PESTICIDE STORAGE**: This material hat temperatures. Storage temperatures below 90° suggested.

PESTICIDE DISPOSAL: Pesticide waste disposal of excess pesticides, spray mixture, or these wastes cannot be disposed of by use a your State pesticide or environmental contrepresentative at the nearest EPA regional offic CONTAINER HANDLING: Nonrefillable container. Clean container promptly after empthe remaining contents into application equipmfull with water. Replace and tighten closures. The and forth, ensuring at least one complete recontainer on its end and tip it back and forth sonto its other end and tip it back and forth sapplication equipment or a mix tank or store rir this procedure two more times. Then offer for

or puncture and dispose of in a sanitary landfill and local authorities, by burning. If burned, stay


SAN POLYPHASE® AF3

Use in Aqueous and Solvent Systems such as Oleo-Resinous and od Products; Cutting Olis, Textiles, Paper Coatings, Inks, Plastics, Adhesives, Canves and Cordage

No.	5383-77
olishment Number	5383-NJ-1

INDUSTRIAL FUNGICIDE

SREDIENT:	% Weight
opynyl Butyl Carbamate	30.0%
REDIENTS	70.0%
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	100.0%



DANGER

SOLD FOR INDUSTRIAL USE e Panel for Additional Precautionary Statements

OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY: CALL 1-800-424-9300

Net Weight:

roy Chemical Corporation
One Avenue L, Newark, N.J. 07105

SAN® and POLYPHASE® are registered trademarks

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

The following are suggested use levels for Troysan Polyphase®AF3. Typical use levels given for the various applications indicate the approximate levels for the particular application. All suggestions are in percentage by weight and refer to the product Troysan Polyphase®AF3. In order to determine the most cost effective use level for Troysan Polyphase®AF3 in a given use, field trials are suggested.

Do not apply this product in a way that will contact workers or other persons. Polyphase[®] AF3 is <u>not</u> to be used in formulations for materials that will come in contact with food.

PAINTS AND STAINS: Generally use 1.0-2.5%. For hot, humid areas use up to 2.5%. For interior paints use 0.4-0.5%. For wood protective stains use 1.0-3.0%.

PLASTICS: For use in PVC plastics such as shower curtains, tarpaulins, umbrellas at a level of 0.17-2.0%.

CUTTING OILS: Use 0.1-1.75%

WOOD: For above ground use only at rates of 1.6-6.0% depending on protection desired. For sapstain control use 0.1-0.15% within 24 hours of cutting. For millwork use 1.6-6.0%. Do not apply to wood surfaces that come into contact with food. Surfaces which may be in continuous contact with skin should be coated with a varnish, or acquer after treatment with Troysan Polyphase®AF3.

TEXTILES: Use for coatings or dyes at 0.2-4.0%. Not for use in fabrics for human wear.

PAPER COATINGS: Use in aqueous and solvent based coatings applied to

paper at 0.5-2.0%.

CANVAS AND CORDAGE: Use 1.0-4.0%

ADHESIVES: Use 0.09-2.0%

INKS: Use 0.2-3.5%

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: This material has a tendency to crystallize at low temperatures. Storage temperatures below 90°F (32° C) and above 32°F (0°C) are suggested.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

