



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

MAR 31 2010

Peko Rasic  
Product Registration Specialist for,  
Troy Chemical Corporation c/o  
Troy Corporation  
8 Vreeland Road  
Florham Park, NJ 07932


Subject: Troysan® 192 II  
EPA Registration Number 5383-82  
Your Notification Dated March 3<sup>rd</sup>, 2010  
EPA Received Date March 8<sup>th</sup>, 2010

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to update and revise product labeling as per PR Notice 2007-4, is acceptable.

This notification has been made part of the permanent record of this file.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

  
Marshall Swindell  
Product Manager 33  
Regulatory Management Branch I  
Antimicrobial Division(7510P)



United States  
Environmental Protection Agency  
Washington, DC 20460

- Registration
- Amendment
- Other:

OPP Identifier Number  
289759

**Application for Pesticide - Section I**

1. Company/Product Number 5383-82	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Troysan® 192 II</b>	PM# 33	
5. Name and Address of Applicant (Include ZIP Code) <b>Troy Chemical Corporation 8 Vreeland Road Florham Park, NJ 07932</b> <b><u>PLEASE SEND ALL CORRESPONDENCE TO</u></b> <b><u>"CONTACT POINT" LISTED BELOW</u></b> <input type="checkbox"/> Check if this is a new address	6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

- Amendment - Explain below.
- Resubmission in response to Agency letter dated \_\_\_\_\_
- Notification - Explain below.
- Final printed labels in response to Agency letter dated \_\_\_\_\_
- "Me Too" Application
- Other - Explain below

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt.      No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt.      No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* <b>Certification must be submitted</b>			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____			

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name <b>Peko Rasic</b>	Title Product Registration Specialist	Telephone No. (Include Area Code) (973) 443-4200 ext 2285
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Peko Rasic</i>	3. Title <b>Product Registration Specialist</b>	
4. Typed Name Peko Rasic	5. Date 03/03/2010	



---

**TROY CORPORATION**

**Via FedEx Courier**

March 3, 2010

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Attention: Mr. Marshall Swindell  
PM Team 33

Subject: Troysan® 192 II  
EPA Reg. No.: 5383-82  
Submission of Labeling Revisions per PR Notice 2007-4

Dear Mr. Swindell:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:


- application form 3570-1 (OPP Identifier No.: 289759);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at [rasicp@troycorp.com](mailto:rasicp@troycorp.com) should you have any questions or require any additional information.

With kind regards,

Peko Rasic  
Product Registration Specialist

Enclosure



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed, inhaled or absorbed through skin. Wear goggles, or face shield, and rubber gloves when handling. Avoid breathing vapor or spray mist. Avoid contamination of food. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not use this product in a way that will contact other workers or other persons.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):**

- Applicators and other handlers must wear:
- Goggles or face shield
  - Long sleeve shirt and long pants
  - Socks and shoes
  - Rubber gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
  - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
  - Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

**FIRST AID**

<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

# TROYSAN® 192 II

In-Can Preservative against Bacteria in Latex Paints, Inks, Adhesives, Resin Emulsions, Oilfield Water Systems, Metal Working Fluids, Drilling Muds and Completion Fluids

EPA Reg. No.	5383-82
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:	..... % Weight
4,4 Dimethyloxazolidine	..... 73.7%
INERT INGREDIENTS	..... 26.3%
TOTAL	..... 100.0%

**ENVIRONMENTAL**  
This pesticide is toxic to fish and wildlife and will kill or injure streams, ponds, estuaries, oceans, or other aquatic life. National Pollutant Discharge Elimination Act. Do not use this pesticide in any area where it may be discharged into water bodies without previously notifying the appropriate State water board or regional office of the State of California. This is a violation of Federal Law to use this pesticide in any area where it may be discharged into water bodies without previously notifying the appropriate State water board or regional office of the State of California.

TROYSAN® 192 II is sold for industrial laboratory and field evaluations and levels are reported as percentage weight. **Paints, Inks, and Emulsions** TRU containing systems such as latex pair lb. per 100 lbs. of actual formulation and latex paint is 0.1-0.2 lb. per 1 lb. preservation of resin emulsions is **Adhesives (non-food contact)** : **Oilfield Water Systems** such as surfactant feed method if the system is not clear of water) continuously until the desired concentration (0.43-12.8 gal. per 2000 control. Intermittent or sing method if the system, add 20-150 pm (0.7-12.8 per day form 1-4 days per week deep microbial growth. Add 1.0-2.0 pints 250-500 ppm weekly as required to 1 (1 cup) to each 100 gallons of fluid TROYSAN® 192 II normally will be above 6. However, long term studies formulations to ensure that the control TROYSAN® 192 II stability. The amount used when the concentrate is dilution concentration of 1000-2000 ppm in **Workover and Completion Fluids** to provide a concentration of 500-100 system, workover and completion fluid in a thin stream. Add additional T concentration as the total volume of fluid **PHYSICAL**  
Combustible. Do not use, spill or store near heat.

**STORAGE**  
Do not contaminate water, food, or feed. **PESTICIDE STORAGE:** Do not store in plastic. **PESTICIDE DISPOSAL:** Pesticide should be disposed of by use according to label control agency or the hazardous waste control agency or the hazardous waste guidance. **CONTAINER DISPOSAL:** Nonrefillable container promptly after emptying. application equipment or a mix tank closures. Tip container on its side, revolve for 30 seconds. Stand the container upright. Turn the container over onto its side, rinse into application equipment or disposal. This procedure two more times. The and dispose of in a sanitary landfill, or burning. If burned, stay out of smoke.

**DANGER**

**SOLD FOR INDUSTRIAL USE ONLY**  
See Side Panel for Additional Precautionary Statements  
**KEEP OUT OF REACH OF CHILDREN**

**IN CASE OF EMERGENCY:**  
CALL 1-800-424-9300

Net Weight:

**Troy Chemical Corporation**  
One Avenue L, Newark, N.J. 07105  
©TROYSAN AND POLYPHASE are registered trademarks

**MENTS  
ESTIC ANIMALS**

get in eyes, on skin, or on  
ugh skin. Wear goggles, or  
athing vapor or spray mist.  
p and water after handling.  
Do not use this product in a

# TROYSAN® 192 II

In-Can Preservative against Bacteria in Late; Paints, Inks,  
Adhesives, Resin Emulsions, Oilfield Water Systems, Metal Working  
Fluids, Drilling Muds and Completion Fluids

EPA Reg. No.	5383-82
EPA Establishment Number	5383-NJ-1

ACTIVE INGREDIENT:	% Weight
4,4 Dimethyloxazolidine	73.7%
INERT INGREDIENTS	26.3%
TOTAL	100.0%

aining PPE. If no such  
ter. Keep and wash PPE

g gum, using tobacco or  
jets inside. Then wash  
diately after handling this  
removing. As soon as

my and gently with water  
contact lenses, if present,  
e rinsing.  
or doctor for treatment

ng.  
plenty of water for 15-20  
or doctor for treatment

nitrol center or doctor. Do  
ld to do so by a poison  
not give any liquid to the  
g by mouth to an

1911 or an ambulance,  
preferably mouth-to-  
or doctor for further

calling a poison control

gastric lavage. Measures  
ivulsion may be needed.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State water board or regional office of the EPA.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**APPLICATION**

TROYSAN® 192 II is sold for industrial use only. Suggested application levels are based on laboratory and field evaluations and are typical for the use areas indicated. Suggested use levels are reported as percentage weight/weight in the final use product.

**Paints, Inks, and Emulsions** TROYSAN® 192 II is effective as a preservative in water-containing systems such as latex paints, inks and resin emulsions at a concentration of 0.1-0.5 lb. per 100 lbs. of actual formulation weight. The suggested use rate for preservation of inks and latex paint is 0.1-0.2 lb. per 100 lb. of the formulation. The suggested use rate for preservation of resin emulsions is approximately 0.2 lb. per 100 lbs. of the formulation. **Adhesives (non-food contact)** add 0.1-0.5 lb. per 100 lbs. total formulating weight. **Oilfield Water Systems** such as subsurface injection water, add 5-150 ppm. For continuous feed method if the system is noticeably fouled, add 20-150 ppm (1.7-12.8 gal. per 200 barrels of water) continuously until the desired degree of control is achieved. Subsequently, treat with 5-150 ppm (0.43-12.8 gal. per 2000 barrels of water) continuously as needed to maintain control. Intermittent or sing method if the system is noticeably fouled, or to maintain control of the system, add 20-150 ppm (0.7-12.8 gal. per 2000 barrels of water) intermittently for 2-8 hours per day form 1-4 days per week depending on the severity of contamination. **Metalworking Fluids** in diluted fluids a concentration of 1000-2000 ppm is sufficient to control gross microbial growth. Add 1.0-2.0 pints per each 100 gallons of fluid. Maintenance dosage add 250-500 ppm weekly as required to maintain control of the system. The addition of 8 ounces (1 cup) to each 100 gallons of fluid will provide a 500 ppm concentration. In concentrates TROYSAN® 192 II normally will be stable in concentrates as long as the pH is maintained above 6. However, long term studies should be carried out by the manufacturer on his specific formulations to ensure that the concentrate does not contain ingredients incompatible with TROYSAN® 192 II stability. The amount to be incorporated will depend on dilution factor to be used when the concentrate is diluted for use. For efficient bacteriostatic activity a concentration of 1000-2000 ppm in the diluted form is suggested. **Drilling Muds and Workover and Completion Fluids** determine the volume of TROYSAN® 192 II necessary to provide a concentration of 500-1000 ppm by weight of TROYSAN® 192 II in the drilling mud system, workover and completion fluid. As the system circulates, add the TROYSAN® 192 II in a thin stream. Add additional TROYSAN® 192 II to the system to maintain the proper concentration as the total volume of the system increases.

**PHYSICAL AND CHEMICAL HAZARDS**

Combustible. Do not use, spill or store near heat or open flame. TROYSAN® 192 II is strongly alkaline.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.  
**PESTICIDE STORAGE:** Do not store at freezing temperatures for prolonged periods of time.  
**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.  
**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**SOLD FOR INDUSTRIAL USE ONLY**  
See Side Panel for Additional Precautionary Statements

**KEEP OUT OF REACH OF CHILDREN**

**IN CASE OF EMERGENCY:**  
CALL 1-800-424-9300

Net Weight:

**Troy Chemical Corporation**

One Avenue L, Newark, N.J. 07105  
©TROYSAN AND POLYPHASE are registered trademarks